



ROADWAY PROFILE VIEW



ROADWAY CROSS SECTION VIEW



NOTES:

1. STRUCTURE EXCAVATION AND BACKFILL SHALL BE IN ACCORDANCE WITH SECTION 502 AND PAYMENT FOR STRUCTURE EXCAVATION SHALL BE IN ACCORDANCE TO ARTICLE 502.13 OF THE STANDARD SPECIFICATIONS.
2. POROUS GRANULAR EMBANKMENT SHALL BE PLACED IN ACCORDANCE WITH ARTICLE 540.06 OF THE STANDARD SPECIFICATIONS AND SHALL BE INCLUDED IN THE COST OF THE PRECAST BOX CULVERT PAY ITEM AND THE PRECAST BOX CULVERT END SECTION PAY ITEM.
3. WRAP POROUS GRANULAR MATERIAL AND ROCK FILL IN FABRIC. THE FABRIC SHALL BE ACCORDING TO THE REQUIREMENTS OF THE APPLICABLE PORTIONS OF SECTION 1080 AND SECTION 282 WITH 6 OR 8 OZ/SQ YD MATERIAL ALLOWED.

LOCATION	W	t	L	ROCK FILL	GEOTECH. FABRIC	REMOVAL OF UNSUITABLE MATERIAL.
	FEET	INCHES	FEET	TON	SQ YD	CU YD
LT. STA. 36+05.86	3	4	17	13.39	37.5	9.8
RT. STA. 36+05.86*	3	4	16.1	9.37	26.2	6.9
LT. STA. 71+06.15	2	4	16.3	11.29	33.9	8.3
RT. STA. 71+06.15	2	4	12.1	9.16	27.5	6.7
LT. STA. 94+15.99	2	4	15.1	10.68	32.0	7.8
RT. STA. 94+15.99	2	4	11.8	9.01	27.0	6.6
STA. 98+00	SEE BOX CULVERT EXTENSION DETAIL					
LT. STA. 112+47.02	3	4	30.6	21.30	59.6	15.6
RT. STA. 112+47.02*	3	4	12.9	7.51	21.0	5.5
STA. 124+21.91	SEE BOX CULVERT EXTENSION DETAIL					
LT. STA. 153+74.76	4	5	14.7	13.88	36.4	10.2
RT. STA. 153+74.76*	4	5	15.3	10.26	26.9	7.5
STA. 155+19.78	SEE BOX CULVERT EXTENSION DETAIL					
LT. STA. 178+23.90	3	4	16.3	12.98	36.3	9.5
RT. STA. 178+23.90*	3	4	12.6	10.83	20.5	5.4
LT. STA. 184+00.12	2	4	7.9	7.04	21.1	5.1
RT. STA. 184+00.12*	2	4	6	6.07	9.1	2.2

*END TREATMENT IS A DROP STRUCTURE. SEE DROP STRUCTURE DETAIL.

DRAWING NOT TO SCALE