CONTRACT NO. 88773 RTE. SECTION COUNTY TOTAL SHEETS NO.
534 (1367;10987-2) HENDERSON (190) LISE COUNTY TOTAL SHEET NO. TO STA. FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT Treated Face of Guardrail-Timber Curb Treated Timber Curb-Approach Slab or Bridge Approach Bridge Shoulder (Standard 609001 or 609006) SPLICE LOCATED BETWEEN GUARDRAIL POSTS treated timber splice plate 2x12 (50x300), actual size 1½x11½ (40x290), 24(600) long with 8 evenly spaced ½(M12) galvanized bolts with nuts & washers. SPLICE LOCATED AT GUARDRAIL POST ∠ 1/2(M12) galvanized U-bolt with nut & washer DETAIL A (Typical Treated Timber Splices) PLAN VIEW APPROACH SLAB OR BRIDGE APPROACH SHOULDER (STANDARD 609001 or 609006) Treated Timber Curb (Note: The treated timber may be incorporated into Mastic Material Treated Timber Curb the inlet forming system for (Article 1055.01) 24(600) lap into field poured inlets) Mastic Material_ Bridge Approach Curb Geotextile Fabric (Article 1055.01) -Thickness - See plans Geotextile Fabric (stapled) **Erosion Control** Erosion Control Aggregate Aggregate L-Thickness - See plans All dimensions are in inches (millimeters) unless otherwise noted. SECTION A-A ILLINOIS DEPARTMENT OF TRANSPORTATION TYPICAL SECTION WITH EROSION CONTROL CURB TYPICAL SECTION WITH EROSION CONTROL CURB DISTRICT CADD STANDARD AT INLETS TYPE E & F (STANDARD 610001) AT BRIDGE APPROACH CURB GUARDRAIL EROSION (STANDARD 609001 OR 609006) CONTROL TREATMENTS SHEET 2 OF 2 CADD STD NO. 630101-04(2) DRAWN BY CADD SCALE: NOT DRAWN TO SCALE CHECKED BY

630101-D4(2)