


TOP OF GIRDER WEB PLATE ELEVATIONS*

| LOCATION | GIRDERS | | | | |
|--------------------|---------|--------|--------|--------|--------|
| | A | B | C | D | E |
| E. Bearing Abut #1 | 608.54 | 608.68 | 608.72 | 608.65 | 608.44 |
| E. Splice #1 | 608.28 | 608.41 | 608.46 | 608.39 | 608.23 |
| E. Bearing Pier #1 | 605.12 | 608.26 | 608.30 | 608.23 | 608.07 |
| E. Splice #2 | 608.05 | 608.19 | 608.23 | 608.16 | 608.00 |
| E. Splice #3 | 607.76 | 607.89 | 607.94 | 607.87 | 607.71 |
| E. Bearing Pier #2 | 607.59 | 607.73 | 607.78 | 607.71 | 607.54 |
| E. Splice #4 | 607.53 | 607.66 | 607.71 | 607.64 | 607.48 |
| E. Splice #5 | 607.23 | 607.37 | 607.42 | 607.35 | 607.19 |
| E. Bearing Pier #3 | 607.07 | 607.21 | 607.25 | 607.18 | 607.02 |
| E. Splice #6 | 607.00 | 607.13 | 607.18 | 607.11 | 606.95 |
| E. Bearing Pier #4 | 606.65 | 606.79 | 606.83 | 606.76 | 606.60 |

*These elevations are theoretical top of Girder Web Plate elevations and are to be used for fabrication of Structural Steel. They do not include any allowance for deflection.

See Sheet 7 of 24 for Details of Girder Shoes, Details of Girder Welds, Camber Diagram for Girder, Summary of Design Moments, Reactions and Shears.

Estimated weight of Structural Steel in girder spans = 516,500 lbs. (Excludes bearings and expansion devices.)



FOR INFORMATION ONLY

| | | | |
|--------------------------------|--|----------------------|--|
| REVISIONS | | STRUCTURAL STEEL | |
| MACON COUNTY | | SECTION 37 Q | |
| F.A.S. RT. 1539 | | SECTION 37 Q | |
| HOMER L. CHASTAIN & ASSOCIATES | | CONSULTING ENGINEERS | |
| DECATUR, ILLINOIS | | PROJECT NO. | |
| | | SHEET NO. | |