

TREE REMOVAL SCHEDULE
IL 173 - LEFT SIDE (NORTH)

LOCATION STATION	OFFSETS (FEET)	(6 TO 15 UNIT DIAMETER) (UNITS)	COMMENTS
120 + 25	31	10	
122 + 20	34	10	
122 + 20	34	7	
122 + 20	34	9	
		36	

TREE/WEED CLEARING SCHEDULE
IL 173 - LEFT SIDE (NORTH)

LOCATION STATION	OFFSETS (FEET)	DIA. (UNITS)	COMMENTS
118 + 00			START TREE / WEED CLEARING
123 + 00			END TREE / WEED CLEARING

TREE PRUNING SCHEDULE
IL 173 - LEFT SIDE (NORTH)

LOCATION STATION	OFFSETS (FEET)	DIA. (UNITS)	COMMENTS
121 + 00	30		TRIM 4" BRANCH
126 + 00	41		TRIM @ 39', 11" BRANCH & 7" BRANCH

TREE/WEED CLEARING SCHEDULE
IL 173 - RIGHT SIDE (SOUTH)

LOCATION STATION	OFFSETS (FEET)	DIA. (UNITS)	COMMENTS
96 + 00			START TREE / WEED CLEARING (NO 6" OR LARGER TREES WITHIN 45' OF CL)
108 + 00			END TREE / WEED CLEARING
162 + 54			START TREE / WEED CLEARING
168 + 55			END TREE / WEED CLEARING

TREE REMOVAL SCHEDULE
IL 173 - RIGHT SIDE (SOUTH)

LOCATION STATION	OFFSETS (FEET)	(OVER 15 UNIT DIAMETER) (UNITS)	COMMENTS
165 + 02	33	18	
		18	

HOT-MIX ASPHALT MIXTURE REQUIREMENTS

MIXTURE USE	AC/PG	AIR VOIDS (%)
-------------	-------	---------------

MAINLINE RESURFACING

POLYMERIZED HMA SURFACE COURSE, MIX "F", N90	SBS/SBR PG 70-22	4% @ 90 GYR.
LEVELING BINDER (MACHINE METHOD), N70 IL. 9.5 mm	PG 64-22/58-22	4% @ 70 GYR.

PATCHING

HMA REPLACEMENT OVER PATCHES BINDER IL-19.0 MM 4 1/4"	PG 64-22/58-22	4% @ 90 GYR.
CLASS D PATCH BINDER IL-19.0 MM 8"	PG 64-22/58-22	4% @ 90 GYR.

SHOULDER RESURFACING

HMA SURFACE COURSE, MIX "D", N70	SBS/SBR PG 70-22	4% @ 90 GYR.
LEVELING BINDER (MACHINE METHOD), N70 IL. 9.5 mm	PG 64-22/58-22	4% @ 70 GYR.
HMA BINDER COURSE, IL-19, N70	PG 64-22/58-22	4% @ 70 GYR.

THE UNIT WEIGHT FOR ALL HOT-MIX ASPHALT SURFACE MIXTURE QUANTITIES IS 112 LBS / SQ. YD. / IN

- * WHEN RAP EXCEEDS 20% THE NEW ASPHALT BINDER IN THE MIX SHALL BE PG 58-22

NOTE:

AT STATION 96 + 00 TO STATION 123 + 00, TREES ARE ON A SLOPE WITH GOOD GRASS COVER. ALL THE TREES ARE WEEDY AND CAN BE REMOVED WITHOUT REPLACEMENT.

THE REST OF THE AREA SHOULD BE CLEARED AND THE DITCH RESHAPED SEEDED WITH SEEDING, CLASS 2A AND EROSION CONTROL BLANKET AS DIRECTED BY THE ENGINEER.

NO REPLACEMENT TREES ARE REQUIRED FOR REMOVAL OF THESE WEEDY TREES AND BRUSH.

TREE TRUNK PROTECTION SCHEDULE
IL 173 - RIGHT SIDE (SOUTH)

LOCATION STATION	OFFSETS (FEET)	DIA. (UNITS)	COMMENTS
163 + 16	38		7" - OK SAVE - TAG #68
163 + 40	38		11" - OK SAVE - TAG #66

TREE PRUNING SCHEDULE
IL 173 - RIGHT SIDE (SOUTH)

LOCATION STATION	OFFSETS (FEET)	DIA. (UNITS)	COMMENTS
167 + 92	41	9	TAG #49 (AT LEAST TRIM SEVERAL 2" BRANCHES OVER SHOULDER)

TREE REMOVAL SCHEDULE
IL 173 - RIGHT SIDE (SOUTH)

LOCATION STATION	OFFSETS (FEET)	(6 TO 15 UNIT DIAMETER) (UNITS)	COMMENTS
162 + 54	23	10	DEAD
163 + 08	29	11	TAG # 59
163 + 20	38	14	TAG #67
163 + 60	26	8	
163 + 60	26	9	
163 + 60	26	10	
163 + 80	35	6	
163 + 88	34	6	
164 + 06	33	9	
164 + 33	30	6	
164 + 48	32	11	
164 + 52	36	7	
164 + 83	34	9	TAG #61
164 + 97	34	9	
165 + 50	32	7	
165 + 72	35	8	
165 + 82	31	6	
165 + 82	31	13	TAG #358
166 + 36	38	9	
167 + 45	38	12	TAG #51
167 + 55	38	10	TAG #50
168 + 00	36	6	
168 + 05	37	8	
168 + 25	37	6	
168 + 36	37	7	
168 + 37	37	6	
		229	