

DRAINAGE SCHEDULE

LOCATION	COMBINATION CONCRETE CURB & GUTTER TYPE B-6.18	SUB-BASE GRANULAR MATERIAL TYPE A 4"	PROTECTIVE COAT
STATION TO STATION	FOOT	SQ YD	SQ YD
LINDEN STREET			
STA 715+68.9 LT TO STA 717+26.4 LT	195	78	54
MAIN STREET			
STA 253+66.5 LT TO STA 254+70 LT	123	49	34
TOTALS	318	127	88

REMOVAL SCHEDULE

LOCATION	HOT-MIX ASPHALT SURFACE REMOVAL, 2 1/4"	COMBINATION CONCRETE CURB AND GUTTER REMOVAL	SIDEWALK REMOVAL	PAVEMENT REMOVAL	DRIVEWAY PAVEMENT REMOVAL
STATION TO STATION	SQ YD	FOOT	SQ FT	SQ YD	SQ YD
LINDEN STREET					
STA 715+50 TO STA 718+15	586				
STA 715+68.9 LT TO STA 717+26.4 LT		166			
STA 716+00 LT TO STA 716+20.3 LT					5
STA 716+55 LT TO STA 717+18.6 LT			266		
STA 716+62.8 LT TO STA 716+73.7 LT (PRIVATE SIDEWALK)			91		
STA 716+87.9 LT TO STA 717+26.5 LT				40	
STA 716+95 RT TO STA 717+23 RT	17				
STA 717+52.8 LT TO STA 717+92.6 LT		69			
STA 717+56 RT TO STA 717+82.2 RT	17				
STA 717+57 LT TO STA 717+79.9 LT			102		
MAIN STREET					
STA 253+49.02 LT TO STA 254+54.7 LT			470		
STA 253+46.5 TO STA 254+70	357				
STA 253+60.14 RT (DRIVEWAY APRON)	10				
STA 254+18.2 RT TO STA 254+52 RT			143		
STA 254+41.4 LT TO STA 254+70.0 LT				21	
STA 254+88 TO STA 255+50	227				
TOTALS	1,214	235	1,072	61	5