



ROADWAY PROFILE VIEW

ROADWAY CROSS SECTION VIEW



2' x 2' x 2' DEPOSIT OF CA 5, 7, OR 11 IN FABRIC ENVELOPE IN ACCORDANCE WITH ARTICLE 502.10 OF THE STANDARD SPECIFICATIONS (TYPICAL)

PROPOSED REMOVAL & DISPOSAL OF UNSUITABLE, AND REPLACE WITH ROCKFILL WITH GEOTECHNICAL FABRIC FOR GROUND STABILIZATION. PAID FOR BY RESPECTIVE PAY ITEMS

NOTES:

1. EXCEPT AS SPECIFIED IN THIS DETAIL, THE PLACEMENT AND COMPACTION OF BACKFILL SHALL BE IN ACCORDANCE WITH ARTICLE 502.10 OF THE STANDARD SPECIFICATIONS.
2. TRENCH BACKFILL SHALL BE COMPACTED BY EITHER METHOD 2 OR METHOD 3 SPECIFIED IN ARTICLE 550.07, OR IN ACCORDANCE WITH METHOD 1 SPECIFIED IN ARTICLE 550.07, EXCEPT THAT THE COMPACTED LIFTS SHALL NOT EXCEED 8" IN THICKNESS. TRENCH BACKFILL SHALL BE COMPACTED TO A MINIMUM OF 95% OF STANDARD LAB DENSITY.
3. THE NON-WOVEN GEOTECHNICAL FABRIC FOR GROUND STABILIZATION SHALL CONFORM TO ARTICLE 1080.05 OF THE STANDARD SPECIFICATIONS.
4. SUBBASE GRANULAR MATERIAL TYPE A SHALL BE CRUSHED GRAVEL OR CRUSHED STONE.

Not to Scale

FILE NAME = c:\projects\1188\bridge\davebox.dgn	USER NAME = hude1aonme	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	Box Culvert Loc 1. Excavation & Backfill Detail			F.A.S. RTE. 1195	SECTION 112B)BR-3	COUNTY KNOX	TOTAL SHEETS 76	SHEET NO. 36
PLOT SCALE = 10.0000' / IN.	CHECKED -	REVISED -	SCALE:					SHEET NO. OF SHEETS	STA. TO STA.	CONTRACT NO. 88896		
PLOT DATE = 12/18/2007	DATE -	REVISED -			FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT							