


LEGEND

- HUNTER PROS-12-PRS30-CV 12" SPRAY HEAD; FULL CIRCLE PRO SPRAY NOZZLES - NOZZLE RADIUS VARIES
- ◐ HUNTER PROS-12-PRS30-CV 12" SPRAY HEAD; PART CIRCLE PRO SPRAY NOZZLES - NOZZLE RADIUS VARIES
- ◑ HUNTER PROS-04-PRS30-CV 4" SPRAY HEAD; PART CIRCLE HUNTER PRO SPRAY NOZZLES- NOZZLE RADIUS VARIES
- ▼ HUNTER 1" HQ-44RCAW SERIES QUICK COUPLER
- CL 200 PVC PIPE - 2" & 1.5" MAINLINE
- 1" PE HD100 PIPE
- ①② BASELINE 3200 STAINLESS STEEL PEDESTAL, DC CONTROLLER CONTROLLER TO HAVE SOLAR PANEL BL-DC-85WPANEL MOUNTED ON A 3" GALVANIZED POLE WITH CAP. COORDINATE WITH OWNER FOR MOUNTING LOCATION, INSTALL AND GROUND TO MANUFACTURER'S RECOMMENDATIONS AND DETAILS. USE BL-5201DC BICODERS. PROVIDE AND INSTALL A BISENSOR. PROVIDE & INSTALL A RAINCLIK SENSOR TO WORK WITH THE CONTROLLER. PROVIDE AND INSTALL A TRC COMMAND RECEIVER ON THE PEDESTAL & HANDHELD TRANSMITTER, BL-CMDR & BL-3200T-P. INSTALL ENCLOSURE PER MANUFACTURER'S RECOMMENDATIONS. CONTRACTOR TO VERIFY ENCLOSURE SIZE.
- Ⓢ BASELINE SOIL SENSOR BI-5315B; ONE PER CONTROLLER
- ⌘ 2" ISOLATION GATE VALVE
- ⓐ GROUNDING PER DETAIL. PROVIDE A BASELINE SURGE ARRESTOR AT EACH GROUNDING LOCATION AND INSTALL PER MANUFACTURER'S RECOMMENDATIONS.
- ⊕ HUNTER PGV-101G-DC ELECTRIC VALVES VALVES TO HAVE DC LATCHING SOLENOID.
- ⓂV BASELINE 1.5" BHM SERIES HYDROMETER; COMBINATION MASTER VALVE AND FLOW SENSOR. NORMALLY OPEN CONFIGURATION, ADJUST FLOW LIMITS IN CONTROLLER.
- ⓐ WATERTRONICS WATERPAK 3- 3HP VFD STATION MOUNT PUMP ON CONCRETE SLAB
- ⊠ 1.5" BLOW OUT TAP WITH PLUG
- ⊗ 1.5" RPZ BACKFLOW PREVENTER AND METER - PROVIDED BY THIS CONTRACTOR RPZ TO BE LOCATED IN AN ENCLOSURE. COLOR AND STYLE TO BE APPROVED. CONTRACTOR IS RESPONSIBLE TO ENSURE THAT THE BACKFLOW/METER FITS IN THE ENCLOSURE. INSTALL PER MANUFACTURER'S RECOMMENDATIONS.
- △ 1.5" POINT OF CONNECTION - COORDINATE WITH OWNER & GENERAL CONTRACTOR IRRIGATION TAPS VARY. FOLLOW STATE AND LOCAL CODES FROM TAP THROUGH BACKFLOW PREVENTOR, METER AND SYSTEM.
- 2" PIPE SIZE



URS
 100 S. WACKER DR.
 SUITE 500
 CHICAGO, IL 60606
 TEL (312) 939-1000
 FAX (312) 939-4198

| | | | |
|--------------------------------------|------------------------|-----------------|-----------|
| FILE NAME = LaGrangeRR_020413.dwg | USER NAME = jrossman | DESIGNED — AB | REVISED — |
| | | DRAWN — JR | REVISED — |
| | PLOT SCALE = AS SHOWN | CHECKED — BM | REVISED — |
| | PLOT DATE = 11/26/2012 | DATE — 03/13/13 | REVISED — |

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

IRRIGATION PLAN
US 45 (LAGRANGE ROAD)
 SCALE: AS SHOWN SHEET NO. 9 OF 12 SHEETS STA. 81+00.00 TO STA. 87+00.00

| | | | | |
|---------------------------|---------|--------|--------------------|-----------|
| F.A.P. RTE. | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. |
| 330 | 103R-3 | COOK | 932 | 448 |
| IR-09 | | | CONTRACT NO. 60F05 | |
| ILLINOIS FED. AID PROJECT | | | | |