


NOTE: ALL MAIN LINE LOOPS ARE ROUND 6' DIA. (1.83 m)



NOTES

1. EACH LOOP SHALL BE SPLICED TO A 4-C NO.18 TWISTED SHIELDED LEAD IN WHEN 150' (45 m) OR MORE FROM CABINET.
2. LOOPS SHALL BE SPLICED IN HANDHOLES ONLY, OTHERWISE WRITTEN PERMISSION SHALL BE OBTAINED FROM TSC ENGINEER.
3. LOOPS SHALL NOT BE SPLICED IN SERIES.
4. EACH LOOP LEAD IN SHALL BE IDENTIFIED AND PERMANENTLY COLOR CODED IN THE COREHOLE, HANDHOLE & CABINETS THRU WHICH THEY ENTER OR PASS AND TAGGED WITH THE CORRECT NOMENCLATURES.

FOR INFORMATION ONLY

FILE NAME * C:\Projects\TSC\TYPICALS\TSC1YPB8.dgn	USER NAME * mzmg	DESIGNED - R.L. DRAWN - G.M.	REVISED - R.L. REVISED - R.L.	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION TRAFFIC SYSTEMS CENTER	NEW CONSTRUCTION ROUND INDUCTION LOOP TYPICAL INSTALLATION			F.A. RTE. 2012-055BR	SECTION COUNTY	TOTAL SHEETS 107	SHEET NO. 991
PLOT SCALE = 100.0000' / INL	CHECKED - R.L.	REVISED - T.C.	SCALE: NONE		SHEET NO. OF SHEETS	STA. TO STA.	FED. ROAD DIST. NO.	ILLINOIS FED. AID PROJECT	CONTRACT NO. CONTRACT 60V58		
PLOT DATE = 3/3/2011	DATE - 6-27-94	REVISED - T.C.									

TRAFFIC SYSTEMS CENTER (TY-1TSC-418#6)