



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 19, 2013

SUBJECT: FAU 4068 (Kreutzer Road)  
Project M-8003(940)  
Section 07-00031-00-PV (Huntley)  
McHenry County  
Contract No. 63743  
Item 127  
April 26, 2013 Letting  
Addendum (C)

## NOTICE TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

### **1. Revised page 3 of the Special Provisions.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John Baranzelli, P.E.  
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger P.E.", with the initials "P.E." written in a smaller font to the right of the signature.

By: Ted B. Walschleger, P.E.  
Engineer of Project Management

## **INTERIM COMPLETION DATE / COMPLETION DATE PLUS WORKING DAYS**

The contractor shall complete the work within the following schedule:

### Interim Completion Date

IL Route 47, Princeton Drive, and Kreutzer Road east of Princeton Drive shall be completed by 11:59PM on November 29, 2013. This includes modifications to the traffic signals, and all driveway work and restoration adjacent to these sections of roadway. The only exception is the bike path north of Kreutzer Road and restoration adjacent to that bike path (that work shall be completed as specified below).

### Final Completion Date

All remaining roadwork west of Princeton Drive shall be completed by 11:59PM on June 15, 2014. At this time, Kreutzer Road shall be open to traffic. The contractor will be allowed to complete clean-up work and punch list items within 10 working days after the completion date for opening the roadway to traffic. Under extenuating circumstances, the Engineer may direct that certain items of work, not affecting the safe opening of the roadway to traffic, may be completed within the working days allowed for cleanup work and punch list items. Temporary lane closures for this work may be allowed at the discretion of the Engineer.

## **REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES**

This work shall be according to Article 669 of the Standard Specifications and the following:

Qualifications. The term environmental firm shall mean an environmental firm with at least five (5) documented leaking underground storage tank (LUST) cleanups or that is pre-qualified in hazardous waste by the Department. Documentation includes but not limited to verifying remediation and special waste operations for sites contaminated with gasoline, diesel, or waste oil in accordance with all Federal, State, or local regulatory requirements and shall be provided to the Engineer for approval. The environmental firm selected shall not be a former or current consultant or have any ties with any of the properties contained within and/or adjacent to this construction project.

General. This Special Provision will likely require the Contractor to subcontract for the execution of certain activities.

All contaminated materials shall be managed as non-special waste. This work shall include monitoring and potential sampling, analytical testing, and management of a material contaminated by regulated substances.

A) The Environmental Firm shall continuously monitor for worker protection and the Contractor shall manage and dispose of all soils excavated within the following areas as classified below. The lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit whichever is less. Soil samples or analysis without the approval of the Engineer will be at no additional cost to the Department Phase I Preliminary Engineering information is available through the District's Environmental Studies Unit.

1. Station 111+00 to Station 112+50 0 to 80 feet RT (AutoZone and Vacant Lot, Site 2250-9, 11905 Kreutzer Road) - non-special waste. Contaminants of concern sampling parameters: Lead.

Revised 4/19/2013