

BEAM 8

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. of S. Abut.	632+21.63	0.68	647.78	647.78
CL Joint S. Abut.	632+25.83	0.68	647.78	647.78
CL Brq. S. Abut.	632+28.65	0.68	647.79	647.79
A	632+38.65	0.68	647.80	647.85
B	632+48.65	0.68	647.80	647.89
C	632+58.65	0.68	647.79	647.90
D	632+68.65	0.68	647.78	647.88
E	632+78.65	0.68	647.76	647.84
F	632+88.65	0.68	647.74	647.77
CL Brq. N. Abut.	632+94.18	0.68	647.72	647.72
CL Joint N. Abut.	632+96.73	0.68	647.71	647.71
Bk. Of N. Abut.	633+00.94	0.68	647.70	647.70

STAGE CONSTRUCTION LINE/ Q STRUCTURE

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. of S. Abut.	632+26.73	3.55	647.84	647.84
CL Joint S. Abut.	632+30.93	3.55	647.85	647.85
CL Brq. S. Abut.	632+33.76	3.55	647.85	647.85
A	632+43.76	3.55	647.85	647.91
B	632+53.76	3.55	647.85	647.94
C	632+63.76	3.55	647.84	647.95
D	632+73.76	3.55	647.83	647.93
E	632+83.76	3.55	647.81	647.88
F	632+93.76	3.55	647.78	647.81
CL Brq. N. Abut.	632+99.29	3.55	647.76	647.76
CL Joint N. Abut.	633+01.84	3.55	647.75	647.75
Bk. Of N. Abut.	633+06.04	3.55	647.74	647.74

BEAM 9

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. of S. Abut.	632+31.84	6.43	647.79	647.79
CL Joint S. Abut.	632+36.04	6.43	647.79	647.79
CL Brq. S. Abut.	632+38.86	6.43	647.80	647.80
A	632+48.86	6.43	647.80	647.85
B	632+58.86	6.43	647.79	647.88
C	632+68.86	6.43	647.78	647.89
D	632+78.86	6.43	647.76	647.86
E	632+88.86	6.43	647.74	647.81
F	632+98.86	6.43	647.70	647.73
CL Brq. N. Abut.	633+04.40	6.43	647.68	647.68
CL Joint N. Abut.	633+06.94	6.43	647.67	647.67
Bk. Of N. Abut.	633+11.15	6.43	647.66	647.66

BEAM 10

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. of S. Abut.	632+42.05	12.18	647.68	647.68
CL Joint S. Abut.	632+46.25	12.18	647.68	647.68
CL Brq. S. Abut.	632+49.08	12.18	647.68	647.68
A	632+59.08	12.18	647.68	647.73
B	632+69.08	12.18	647.66	647.75
C	632+79.08	12.18	647.65	647.75
D	632+89.08	12.18	647.62	647.72
E	632+99.08	12.18	647.59	647.66
F	633+09.08	12.18	647.55	647.58
CL Brq. N. Abut.	633+14.61	12.18	647.53	647.53
CL Joint N. Abut.	633+17.15	12.18	647.52	647.52
Bk. Of N. Abut.	633+21.36	12.18	647.50	647.50

BEAM 11

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. of S. Abut.	632+52.26	17.93	647.57	647.57
CL Joint S. Abut.	632+56.46	17.93	647.56	647.56
CL Brq. S. Abut.	632+59.29	17.93	647.56	647.56
A	632+69.29	17.93	647.55	647.60
B	632+79.29	17.93	647.53	647.62
C	632+89.29	17.93	647.51	647.61
D	632+99.29	17.93	647.47	647.58
E	633+09.29	17.93	647.44	647.51
F	633+19.29	17.93	647.39	647.42
CL Brq. N. Abut.	633+24.82	17.93	647.36	647.36
CL Joint N. Abut.	633+27.37	17.93	647.35	647.35
Bk. Of N. Abut.	633+31.57	17.93	647.33	647.33

BEAM 12

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. of S. Abut.	632+62.47	23.68	647.44	647.44
CL Joint S. Abut.	632+66.68	23.68	647.44	647.44
CL Brq. S. Abut.	632+69.50	23.68	647.43	647.43
A	632+79.50	23.68	647.41	647.47
B	632+89.50	23.68	647.39	647.48
C	632+99.50	23.68	647.36	647.47
D	633+09.50	23.68	647.32	647.42
E	633+19.50	23.68	647.27	647.35
F	633+29.50	23.68	647.22	647.25
CL Brq. N. Abut.	633+35.03	23.68	647.19	647.19
CL Joint N. Abut.	633+37.58	23.68	647.18	647.18
Bk. Of N. Abut.	633+41.78	23.68	647.15	647.15

NORTHBOUND PGL

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. of S. Abut.	632+67.58	26.55	647.38	647.38
CL Joint S. Abut.	632+71.78	26.55	647.37	647.37
CL Brq. S. Abut.	632+74.60	26.55	647.37	647.37
A	632+84.60	26.55	647.35	647.40
B	632+94.60	26.55	647.32	647.41
C	633+04.60	26.55	647.28	647.39
D	633+14.60	26.55	647.24	647.34
E	633+24.60	26.55	647.19	647.27
F	633+34.60	26.55	647.14	647.17
CL Brq. N. Abut.	633+40.14	26.55	647.10	647.10
CL Joint N. Abut.	633+42.68	26.55	647.09	647.09
Bk. Of N. Abut.	633+46.89	26.55	647.06	647.06

BEAM 13

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. of S. Abut.	632+72.68	29.43	647.31	647.31
CL Joint S. Abut.	632+76.89	29.43	647.31	647.31
CL Brq. S. Abut.	632+79.71	29.43	647.30	647.30
A	632+89.71	29.43	647.27	647.32
B	632+99.71	29.43	647.24	647.33
C	633+09.71	29.43	647.20	647.31
D	633+19.71	29.43	647.16	647.26
E	633+29.71	29.43	647.11	647.18
F	633+39.71	29.43	647.05	647.08
CL Brq. N. Abut.	633+45.24	29.43	647.01	647.01
CL Joint N. Abut.	633+47.79	29.43	647.00	647.00
Bk. Of N. Abut.	633+51.99	29.43	646.97	646.97

BEAM 14

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. of S. Abut.	632+82.89	35.18	647.18	647.18
CL Joint S. Abut.	632+87.10	35.18	647.17	647.17
CL Brq. S. Abut.	632+89.92	35.18	647.16	647.16
A	632+99.92	35.18	647.13	647.18
B	633+09.92	35.18	647.09	647.18
C	633+19.92	35.18	647.04	647.15
D	633+29.92	35.18	646.99	647.09
E	633+39.92	35.18	646.93	647.01
F	633+49.92	35.18	646.87	646.90
CL Brq. N. Abut.	633+55.45	35.18	646.83	646.83
CL Joint N. Abut.	633+58.00	35.18	646.81	646.81
Bk. Of N. Abut.	633+62.20	35.18	646.78	646.78

BEAM 15

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. of S. Abut.	632+93.11	40.93	647.03	647.03
CL Joint S. Abut.	632+97.31	40.93	647.02	647.02
CL Brq. S. Abut.	633+00.13	40.93	647.01	647.01
A	633+10.13	40.93	646.97	647.02
B	633+20.13	40.93	646.93	647.02
C	633+30.13	40.93	646.87	646.98
D	633+40.13	40.93	646.82	646.92
E	633+50.13	40.93	646.75	646.83
F	633+60.13	40.93	646.68	646.71
CL Brq. N. Abut.	633+65.67	40.93	646.64	646.64
CL Joint N. Abut.	633+68.21	40.93	646.62	646.62
Bk. Of N. Abut.	633+72.42	40.93	646.58	646.58

BEAM 16

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. of S. Abut.	633+03.32	46.68	646.88	646.88
CL Joint S. Abut.	633+07.52	46.68	646.87	646.87
CL Brq. S. Abut.	633+10.35	46.68	646.86	646.86
A	633+20.35	46.68	646.81	646.87
B	633+30.35	46.68	646.76	646.86
C	633+40.35	46.68	646.70	646.82
D	633+50.35	46.68	646.63	646.75
E	633+60.35	46.68	646.56	646.65
F	633+70.35	46.68	646.49	646.52
CL Brq. N. Abut.	633+75.88	46.68	646.44	646.44
CL Joint N. Abut.	633+78.42	46.68	646.42	646.42
Bk. Of N. Abut.	633+82.63	46.68	646.38	646.38


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**TOP OF SLAB ELEVATIONS (3 OF 3)
STRUCTURE NO. 098-0015**

SHEET NO. 8 OF 35 SHEETS

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
646	101 BR-3	WHITESIDE	113	64
ILLINOIS FED. AID PROJECT			CONTRACT NO. 64C17	

FILE NAME = s:\p1\6380--6395\6346\025\Microa\Sht\Structure\1 Plans\0980015-64C17-085-TSE.dgn



USER NAME = brianf
PLOT SCALE =
PLOT DATE = 10/12/2012

DESIGNED - RRD	REVISED
CHECKED - AJS	REVISED
DRAWN - BJF	REVISED
CHECKED - RRD	REVISED