



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 23, 2012

SUBJECT: FAP Routes 828 & 773 (IL 121)  
Project F-000S (859)  
Section (108, 109, 110) RS-3  
Cumberland County  
Contract No. 74252  
Item No. 145, April 27, 2012 Letting  
Addendum A

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page i of the Table of Contents to the Special of Provisions.
2. Revised page 20 of the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John D. Baranzelli, P.E.  
Acting Bureau Chief of Design and Environment

A handwritten signature in black ink, appearing to read 'Ted B. Walschleger P.E.'.

By: Ted B. Walschleger, P. E.  
Engineer of Project Management

cc: Roger Driskell, Region 4, District 7; Mike Renner; D.Carl Puzey;  
Estimates

TBW/DB/III

**TABLE OF CONTENTS**

LOCATION OF PROJECT ..... 1

DESCRIPTION OF PROJECT ..... 1

TRAFFIC CONTROL PLAN ..... 1

DETOUR SIGNING ..... 2

ROAD CLOSURE ..... 2

EXCAVATING AND GRADING EXISTING SHOULDERS ..... 3

STATUS OF UTILITIES TO BE ADJUSTED ..... 4

RAILROAD PROTECTIVE LIABILITY INSURANCE (5 AND 10) (BDE) ..... 5

ROCKFILL - REPLACEMENT ..... 5

BORROW AREAS, USE AREAS, AND/OR WASTE AREAS ..... 6

EMBANKMENT ..... 6

TOPSOIL ..... 7

SEEDING, CLASS 2 (SPECIAL) ..... 8

HOT MIX ASPHALT - PAY FOR PERFORMANCE USING PERCENT WITHIN LIMITS -JOBSITE SAMPLING (BMPR)..... 8

HOT MIX ASPHALT - MIXTURE DESIGN VERIFICATION AND PRODUCTION (BMPR) ..... 13

PROTECTING OR RESETTING SURVEY MARKERS..... 15

FURNISHING RIGHT-OF-WAY MARKERS, SPECIAL..... 16

SURVEY MARKER VAULT ..... 16

REMOVAL OF LIGHTING UNIT, SALVAGE ..... 17

INCIDENTAL HOT-MIX ASPHALT SURFACING..... 18

REMOVAL OF EXISTING RAISED REFLECTIVE PAVEMENT MARKERS ..... 18

PAVEMENT PATCHING STANDARD 442201 ..... 18

REMOVE SHEET PILING..... 18

AGREEMENT TO PLAN QUANTITY (BDE)..... 18

AUTOMATED FLAGGER ASSISTANCE DEVICES (BDE)..... 19

CONSTRUCTION AIR QUALITY - DIESEL VEHICLE EMISSIONS CONTROL (BDE) ..... 21

CONSTRUCTION AIR QUALITY - IDLING RESTRICTIONS (BDE)..... 22

DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE) ..... 23

ERRATA FOR THE 2012 STANDARD SPECIFICATIONS (BDE)..... 32

FLAGGER AT SIDE ROADS AND ENTRANCES (BDE) ..... 32

FRICTION AGGREGATE (BDE) ..... 32

HOT-MIX ASPHALT - DENSITY TESTING OF LONGITUDINAL JOINTS (BDE) ..... 35

METAL HARDWARE CAST INTO CONCRETE (BDE)..... 36

PAVEMENT PATCHING (BDE) ..... 37

Revised 04/23/2012

AFADs shall be placed at each end of the traffic control, where a flagger is shown on the plans. The flaggers shall be able to view the face of the AFAD and approaching traffic during operation.

To stop traffic, the "STOP" sign shall be displayed, the corresponding lights/beacon shall flash, and when included, the gate arm shall descend to a horizontal position. To permit traffic to move, the "SLOW" sign shall be displayed, the corresponding lights/beacon shall flash, and when included, the gate arm shall rise to a vertical position.

If used at night, the AFAD location shall be illuminated according to Section 701 of the Standard Specifications.

When not in use, AFADs will be considered nonoperating equipment and shall be stored according to Article 701.11 of the Standard Specifications.

Basis of Payment. This work will not be paid for separately but shall be considered as included in the cost of the various traffic control items included in the contract.