

WB I-64 MAINLINE

LOCATION STATION	OUTSIDE EDGE		OFFSET WIDTH (FT)	CROSS SLOPE %	INSIDE EDGE		HMA SURF REM - VARIABLE DEPTH ³		HMA SURFACE COURSE ⁴ (TON)	(PRIME COAT)	
	SURFACE THICKNESS INCHES	EDGE LINE ELEVATION			SURFACE THICKNESS INCHES	WB I-64 BASELINE ELEVATION	THICKNESS INCHES	AREA (SQ YD)		BIT MATLS (TON)	AGG (TON)
82+57.02	3.5"	431.13	36.00'	MATCH EXIST.	3.5"	431.33	3.5"				
83+00.00	3.5"	429.69	36.00'	MATCH EXIST.	3.5"	430.02	3.5"	171.92	33.70	0.07	0.35
83+50.00	3.5"	428.22	36.00'	MATCH EXIST.	3.5"	428.49	3.5"	200.00	39.20	0.08	0.40
84+00.00	3.5"	426.74	36.00'	MATCH EXIST.	3.5"	426.97	3.5"	200.00	39.20	0.08	0.40
84+50.00	3.5"	425.30	36.00'	MATCH EXIST.	3.5"	425.44	3.5"	200.00	39.20	0.08	0.40
85+00.00	3.5"	423.87	36.00'	MATCH EXIST.	3.5"	423.91	3.5"	200.00	39.20	0.08	0.40
85+50.00	3.5"	422.40	36.00'	MATCH EXIST.	3.5"	422.38	3.5"	200.00	39.20	0.08	0.40
86+00.00	3.5"	420.96	36.00'	MATCH EXIST.	3.5"	420.86	3.5"	200.00	39.20	0.08	0.40
86+50.00	3.5"	419.57	36.00'	MATCH EXIST.	3.5"	419.33	3.5"	200.00	39.20	0.08	0.40
87+00.00	3.5"	418.10	36.00'	MATCH EXIST.	3.5"	417.80	3.5"	200.00	39.20	0.08	0.40
87+50.00	3.5"	416.59	36.00'	MATCH EXIST.	3.5"	416.27	3.5"	200.00	39.20	0.08	0.40
88+00.00	3.5"	415.06	36.00'	MATCH EXIST.	3.5"	414.75	3.5"	200.00	39.20	0.08	0.40
88+50.00	3.5"	413.49	36.00'	MATCH EXIST.	3.5"	413.22	3.5"	200.00	39.20	0.08	0.40
89+00.00	3.5"	411.96	36.00'	MATCH EXIST.	3.5"	411.69	3.5"	200.00	39.20	0.08	0.40
89+50.00	3.5"	410.50	36.00'	MATCH EXIST.	3.5"	410.16	3.5"	200.00	39.20	0.08	0.40
90+00.00	3.5"	409.05	36.00'	MATCH EXIST.	3.5"	408.64	3.5"	200.00	39.20	0.08	0.40
90+50.00	3.5"	407.54	36.00'	MATCH EXIST.	3.5"	407.11	3.5"	200.00	39.20	0.08	0.40
91+00.00	3.5"	405.97	36.00'	MATCH EXIST.	3.5"	405.58	3.5"	200.00	39.20	0.08	0.40
91+50.00	3.5"	404.40	36.00'	MATCH EXIST.	3.5"	404.05	3.5"	200.00	39.20	0.08	0.40
92+00.00	3.5"	402.82	36.00'	MATCH EXIST.	3.5"	402.53	3.5"	200.00	39.20	0.08	0.40
92+50.00	3.5"	401.25	36.00'	MATCH EXIST.	3.5"	401.00	3.5"	200.00	39.20	0.08	0.40
93+00.00	3.5"	399.73	36.00'	MATCH EXIST.	3.5"	399.47	3.5"	200.00	39.20	0.08	0.40
93+50.00	3.5"	398.22	36.00'	MATCH EXIST.	3.5"	397.94	3.5"	200.00	39.20	0.08	0.40
94+00.00	3.5"	396.72	36.00'	MATCH EXIST.	3.5"	396.54	3.5"	200.00	39.20	0.08	0.40
94+50.00	3.5"	395.47	36.00'	MATCH EXIST.	3.5"	395.40	3.5"	200.00	39.20	0.08	0.40
95+00.00	3.5"	394.54	36.00'	MATCH EXIST.	3.5"	394.51	3.5"	200.00	39.20	0.08	0.40
95+50.00	3.5"	393.90	36.00'	MATCH EXIST.	3.5"	393.88	3.5"	200.00	39.20	0.08	0.40
96+00.00	3.5"	393.50	36.00'	MATCH EXIST.	3.5"	393.51	3.5"	200.00	39.20	0.08	0.40
96+50.00	3.5"	393.39	36.00'	MATCH EXIST.	3.5"	393.39	3.5"	200.00	39.20	0.08	0.40
97+00.00	3.5"	393.59	36.00'	MATCH EXIST.	3.5"	393.53	3.5"	200.00	39.20	0.08	0.40
97+50.00	3.5"	393.88	36.00'	MATCH EXIST.	3.5"	393.80	3.5"	200.00	39.20	0.08	0.40
98+00.00	3.5"	394.15	36.00'	MATCH EXIST.	3.5"	394.06	3.5"	200.00	39.20	0.08	0.40
98+50.00	3.5"	394.44	36.00'	MATCH EXIST.	3.5"	394.33	3.5"	200.00	39.20	0.08	0.40
99+00.00	3.5"	394.68	36.00'	MATCH EXIST.	3.5"	394.60	3.5"	200.00	39.20	0.08	0.40
99+50.00	3.5"	394.87	36.00'	MATCH EXIST.	3.5"	394.86	3.5"	200.00	39.20	0.08	0.40
100+00.00	3.5"	394.92	36.00'	MATCH EXIST.	3.5"	395.13	3.5"	200.00	39.20	0.08	0.40
100+50.00	3.5"	395.02	36.00'	MATCH EXIST.	3.5"	395.40	3.5"	200.00	39.20	0.08	0.40
101+00.00	3.5"	395.38	36.00'	MATCH EXIST.	3.5"	395.66	3.5"	200.00	39.20	0.08	0.40
101+50.00	3.5"	395.60	36.00'	MATCH EXIST.	3.5"	395.93	3.5"	200.00	39.20	0.08	0.40
102+00.00	3.5"	395.76	36.00'	MATCH EXIST.	3.5"	396.20	3.5"	200.00	39.20	0.08	0.40
102+50.00	3.5"	396.20	36.00'	MATCH EXIST.	3.5"	396.46	3.5"	200.00	39.20	0.08	0.40
103+00.00	3.5"	396.66	36.00'	MATCH EXIST.	3.5"	396.73	3.5"	200.00	39.20	0.08	0.40
103+50.00	3.5"	396.96	36.00'	MATCH EXIST.	3.5"	397.00	3.5"	200.00	39.20	0.08	0.40
104+00.00	3.5"	397.26	36.00'	MATCH EXIST.	3.5"	397.26	3.5"	200.00	39.20	0.08	0.40
104+50.00	3.5"	397.49	36.00'	MATCH EXIST.	3.5"	397.53	3.5"	200.00	39.20	0.08	0.40
105+00.00	3.5"	397.84	36.00'	MATCH EXIST.	3.5"	397.80	3.5"	200.00	39.20	0.08	0.40
105+15.00	3.5"	397.88	36.00'	MATCH EXIST.	3.5"	398.03	3.5"	60.00	11.76	0.03	0.12
105+15.00	3.5"	398.08	24.00'	MATCH EXIST.	3.5"	398.03	3.5"				
105+50.00	3.5"	398.27	24.00'	MATCH EXIST.	3.5"	398.26	3.5"	93.33	18.30	0.04	0.19
106+00.00	3.5"	398.51	24.00'	MATCH EXIST.	3.5"	398.52	3.5"	133.33	26.14	0.06	0.27
106+50.00	3.5"	398.63	24.00'	MATCH EXIST.	3.5"	398.70	3.5"	133.33	26.14	0.06	0.27
107+00.00	3.5"	398.78	24.00'	MATCH EXIST.	3.5"	398.80	3.5"	133.33	26.14	0.06	0.27
107+50.00	3.5"	398.80	24.00'	MATCH EXIST.	3.5"	398.79	3.5"	133.33	26.14	0.06	0.27
108+00.00	3.5"	398.70	24.00'	MATCH EXIST.	3.5"	398.70	3.5"	133.33	26.14	0.06	0.27
108+50.00	3.5"	398.57	24.00'	MATCH EXIST.	3.5"	398.52	3.5"	133.33	26.14	0.06	0.27
109+00.00	3.5"	398.38	24.00'	MATCH EXIST.	3.5"	398.25	3.5"	133.33	26.14	0.06	0.27
109+50.00	3.5"	398.11	24.00'	MATCH EXIST.	3.5"	397.96	3.5"	133.33	26.14	0.06	0.27
110+00.00	3.5"	397.81	24.00'	MATCH EXIST.	3.5"	397.68	3.5"	133.33	26.14	0.06	0.27
110+50.00	3.5"	397.52	24.00'	MATCH EXIST.	3.5"	397.39	3.5"	133.33	26.14	0.06	0.27
111+00.00	3.5"	397.20	24.00'	MATCH EXIST.	3.5"	397.11	3.5"	133.33	26.14	0.06	0.27
111+50.00	3.5"	396.82	24.00'	MATCH EXIST.	3.5"	396.82	3.5"	133.33	26.14	0.06	0.27
112+00.00	3.5"	396.50	24.00'	MATCH EXIST.	3.5"	396.54	3.5"	133.33	26.14	0.06	0.27
112+50.00	3.5"	396.33	24.00'	MATCH EXIST.	3.5"	396.42	3.5"	133.33	26.14	0.06	0.27
113+00.00	3.5"	396.40	24.00'	MATCH EXIST.	3.5"	396.57	3.5"	133.33	26.14	0.06	0.27
113+50.00	3.5"	397.06	24.00'	MATCH EXIST.	3.5"	396.92	3.5"	133.33	26.14	0.06	0.27
114+00.00	3.5"	397.96	24.00'	MATCH EXIST.	3.5"	397.75	3.5"	133.33	26.14	0.06	0.27
114+50.00	3.5"	399.17	24.00'	MATCH EXIST.	3.5"	398.90	3.5"	133.33	26.14	0.06	0.27
115+00.00	3.5"	400.78	24.00'	MATCH EXIST.	3.5"	400.46	3.5"	133.33	26.14	0.06	0.27

BACK
AHEAD

WB I-64 MAINLINE (CONT)

LOCATION STATION	OUTSIDE EDGE		OFFSET WIDTH (FT)	CROSS SLOPE %	INSIDE EDGE		HMA SURF REM - VARIABLE DEPTH ³		HMA SURFACE COURSE ⁴ (TON)	(PRIME COAT)	
	SURFACE THICKNESS INCHES	EDGE LINE ELEVATION			SURFACE THICKNESS INCHES	WB I-64 BASELINE ELEVATION	THICKNESS INCHES	AREA (SQ YD)		BIT MATLS (TON)	AGG (TON)
115+50.00	3.5"	402.59	24.00'	MATCH EXIST.	3.5"	402.23	3.5"	133.33	26.14	0.06	0.27
116+00.00	3.5"	404.42	24.00'	MATCH EXIST.	3.5"	403.99	3.5"	133.33	26.14	0.06	0.27
116+50.00	3.5"	406.21	24.00'	MATCH EXIST.	3.5"	405.72	3.5"	133.33	26.14	0.06	0.27
117+00.00	3.5"	407.95	24.00'	MATCH EXIST.	3.5"	407.55	3.5"	133.33	26.14	0.06	0.27
117+50.00	3.5"	409.63	24.00'	MATCH EXIST.	3.5"	409.35	3.5"	133.33	26.14	0.06	0.27
118+00.00	3.5"	411.24	24.00'	MATCH EXIST.	3.5"	411.08	3.5"	133.33	26.14	0.06	0.27
118+50.00	3.5"	412.83	24.00'	MATCH EXIST.	3.5"	412.85	3.5"	133.33	26.14	0.06	0.27
119+00.00	3.5"	414.45	24.00'	MATCH EXIST.	3.5"	414.65	3.5"	133.33	26.14	0.06	0.27
119+50.00	3.5"	416.09	24.00'	MATCH EXIST.	3.5"	416.36	3.5"	133.33	26.14	0.06	0.27
120+00.00	3.5"	417.69	24.00'	MATCH EXIST.	3.5"	418.15	3.5"	133.33	26.14	0.06	0.27
120+50.00	3.5"	419.28	24.00'	MATCH EXIST.	3.5"	420.04	3.5"	133.33	26.14	0.06	0.27
120+67.46	3.5"	419.81	24.00'	MATCH EXIST.	3.5"	420.67	3.5"	46.56	9.13	0.02	0.10
I-64 WB MAINLINE SUB-TOTALS:								13,172	2,582	5.5	26.5

- NOTES:
 1. HMA SURFACE REMOVAL THICKNESSES ARE APPROXIMATE. MILL TO TOP OF EXISTING CONCRETE PAVEMENT.
 2. SEE I-64 MAINLINE CROSS SECTIONS FOR MORE INFORMATION.
 3. PAID FOR AS HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH.
 4. PAID FOR AS POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, SMA, N80.

WB I-64 SHOULDERS

LOCATION	WESTBOUND I-64 SHOULDERS		LENGTH (FT)	WIDTH (FT)		AREA (SQ YD)	MILL THICKNESS INCHES	HMA SURF REM - VAR DEPTH ³ (SQ YD)	HMA SURFACE COURSE, 3 1/2" ⁴ (TON)	(PRIME COAT)		
	STATION	TO		STATION	TO					BIT MATLS (TON)	AGG (TON)	
OUTSIDE SHOULDER	82+57.02		86+42.34	385'	10.0'	10.0'	428.13	3.5"	428.13	83.91	0.18	0.86
INSIDE SHOULDER	82+51.64		82+98.26	47'	6.0'	11.0'	44.03	3.5"	44.03	8.63	0.02	0.09
INSIDE SHOULDER	82+98.26		87+39.59	441'	11.0'	11.0'	539.40	3.5"	539.40	105.72	0.22	1.08
INSIDE SHOULDER	87+39.59		92+48.59	509'	11.0'	11.0'	622.11	3.5"	622.11	121.93	0.25	1.25
INSIDE SHOULDER	94+92.59		101+40.26	648'	19.0'	13.5'	1169.40	3.5"	0.00	229.20	0.47	2.34
INSIDE SHOULDER	101+40.26		115+02.52	1362'	13.5'	13.5'	2043.39	3.5"	297.78	400.50	0.82	4.09
INSIDE SHOULDER	115+02.52		119+24.70	422'	11.0'	11.0'	516.00	3.5"	516.00	101.14	0.21	1.04
INSIDE SHOULDER	119+24.70		120+73.41	149'	11.0'	5.0'	132.19	3.5"	132.19	25.91	0.06	0.27
OUTSIDE SHOULDER	116+67.39		120+64.99	398'	10.0'	10.0'	441.78	3.5"	0.00	86.59	0.18	0.89
I-64 WB SHOULDERS SUB-TOTALS:								2,580	1,164	2.5	12.0	

I-64 HMA SCHEDULE