



FED. RD. DIST. NO.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
F.A.P. 595	1-1	ROCK ISLAND	229	110

SHEET 11 OF 15



STA. 112+24 TO STA. 113+02



STA. 113+02 TO STA. 113+64

REINFORCEMENT BARS
RETAINING WALL "B"

BAR	NO.	SIZE	LENGTH	SHAPE
$h_{10}(E)$	19	#6	28'-9"	—
$h_{11}(E)$	14	#5	28'-5"	—
$h_{12}(E)$	44	#6	26'-6"	—
$h_{13}(E)$	32	#5	26'-6"	—
$h_{14}(E)$	44	#6	32'-0"	—
$h_{15}(E)$	32	#5	31'-10"	—
$s_1(E)$	113	#4	3'-5"	□
$v_{10}(E)$	14	#4	4'-9"	—
$v_{11}(E)$	12	#4	6'-6"	—
$v_{12}(E)$	14	#4	8'-6"	—
$v_{13}(E)$	142	#4	10'-8"	—
$v_{14}(E)$	44	#4	10'-5"	—

CONCRETE STRUCTURES	CU. YD.	50.3
REINFORCEMENT BARS EPOXY COATED	LBS.	8820

NOTES:
ELEVATION VIEWS ARE OF FRONT FACE, LOOKING NORTH.
BARS INDICATED THUS: "6x2-#4" INDICATES 6 LINES OF BARS WITH 2 LENGTHS PER LINE.
REINFORCEMENT BARS DESIGNATED (E) SHALL BE EPOXY COATED.
MINIMUM BAR LAP OF $s_1(E)$ BARS WITH ALL v BARS = 1'-4".
MINIMUM LAP OF ALL #5 BARS = 1'-8".
MINIMUM LAP OF ALL #6 BARS = 2'-0".
TRIM ALL $v_{10}(E)$ THRU $v_{14}(E)$ BARS AS REQUIRED TO FIT.

REINFORCEMENT BAR SCHEDULE
RETAINING WALL "B"
F.A. RTE. 595 SECTION 1-1
ROCK ISLAND COUNTY

