



CONCRETE POUR NO. 4

BAR NO.	SIZE	LENGTH	SHAPE
h (E) 54	#4	26'-6"	—
h ₁ (E) 8	#4	22'-3"	—
h ₂ (E) 2	#4	33'-0"	—
h ₃ (E) 8	#4	14'-6"	—
s (E) 136	#4	3'-11"	Γ
v ₁ (E) 62	#4	7'-9"	—
v ₂ (E) 16	#4	4'-3"	—
v ₃ (E) 7	#4	3'-6"	—
v ₄ (E) 20	#4	5'-10"	—
v ₅ (E) 20	#4	6'-9"	—
v ₆ (E) 11	#4	4'-11"	—
CONCRETE STRUCTURES		CU.YD	36.0
REINFORCEMENT BARS EPOXY COATED		LBS	2140

NOTES:

- ELEVATION VIEWS ARE OF FRONT FACE LOOKING NORTH.
- BARS INDICATED THUS: "6x2-#4" INDICATES 6 LINES OF BARS WITH 2 LENGTHS PER LINE.
- BARS INDICATED THUS: "FLARE 4-#4" INDICATES 4-#4 BARS EVENLY SPACED.
- MINIMUM BAR LAP OF s BARS WITH ALL v BARS = 1'-4".
- MINIMUM LAP OF ALL #4 BARS = 1'-4".
- CUT ALL v₁(E) THRU v₆(E) BARS AS REQUIRED TO FIT.
- POUR CONCRETE FACING IN SEQUENCE INDICATED.

REINFORCEMENT BAR SCHEDULE
 RETAINING WALL "C"
 F.A. RTE. 595 SECTION 1-1
 ROCK ISLAND COUNTY

