


F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
74	*	TAZEWELL	1366	89
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		


*(90-11)R-2;90(13,14,14-1)R-1



TYPICAL SECTION

(BLACKJACK BLVD. - W. LEG)
STA. 99+967.649 TO STA. 99+985.050

* SLOPE VARIES (MATCH EXIST. PVMT.
SLOPE AT STA. 99+967.649)
(SEE INTERSECTION DETAILS)



TYPICAL SECTION

(BLACKJACK BLVD. - E. LEG)
(LOOKING SOUTH)
(STA. 100+013.850 TO 100+035.995)

** SLOPE VARIES (MATCH EXIST. PVMT.
SLOPE AT END OF PROP. PVMT.)
(SEE INTERSECTION DETAILS)

NOTES: ALL DIMENSIONS ARE IN MILLIMETERS (mm)
UNLESS OTHERWISE STATED.

LEGEND

- 56A PR FURNISH AND PLACE TOP SOIL 100 mm
- 57B PR SODDING, SALT TOLERANT
- 59B PR SUB-BASE GRANULAR MATERIAL, TYPE A 300 mm
- 59C PR SUB-BASE GRANULAR MATERIAL, TYPE B 150 mm
- 62C PR PORTLAND CEMENT CONCRETE BASE COURSE 250 mm
- 63B PR PORTLAND CEMENT CONCRETE BASE COURSE WIDENING 250 mm
- 64E PR BITUMINOUS BASE COURSE 250 mm
- 68B PR BITUMINOUS CONCRETE BINDER COURSE, SUPERPAVE, IL-19.0, N70, 50 mm
- 69B PR BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX "D", N70, 38 mm
- 71D PR PORTLAND CEMENT CONCRETE PAVEMENT 250 mm (JOINTED)
- 72 PR PAVEMENT FABRIC
- 78 PR STRIP REFLECTIVE CRACK CONTROL TREATMENT
- 89A PR COMBINATION CONCRETE CURB AND GUTTER, TYPE B-15.30
- 89B PR COMBINATION CONCRETE CURB AND GUTTER, TYPE B-15.60
- 90A PR CONCRETE MEDIAN, TYPE SB-15.30
- 96A PR LONGITUDINAL CONSTRUCTION JOINT



REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION
FAI ROUTE 74 (I-74)
PROPOSED TYPICAL SECTIONS
SIDE RD.
BLACKJACK BLVD. W. LEG &
BLACKJACK BLVD. E. LEG
DRAWN BY MLS
DATE 12-20-04
CHECKED BY JJM