

TYPICAL APPLICATIONS OF PAVEMENT MARKINGS AND MARKERS


	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
-	762		MOULTRIE	14	14

CONTRACT NO. 70460
• D-5 CONTRACT MAINT 2005-12



TYPICAL MEDIAN TRANSITIONS





RELATIONSHIP OF EDGE STRIPE TO SAFETY SHOULDER OR PAVED SURFACE

2'-2" (660) 2'-11" (890) 1-10 (660) 2'-2" R. (660) 2'-2" R. (660) 2'-2" (660) 3'-4" R.

TYPICAL DOUBLE
TURN ARROWS (WHITE)

LEFT ARROW

REVERSE FOR RIGHT ARROW

AREA = 15.6 SO. FT. (1.47 m²)

(WHITE)

SPECIAL NOTES:

- B TURN ARROW PAIRS SHALL BE PLACED AT 250'
 (75 m) INTERVALS AND SHALL BE EVENLY SPACED
 BETWEEN BOTH ENDS OF THE BIDIRECTIONAL
 LEFT TURN LANE.
- THE SOLID YELLOW PAVEMENT MARKINGS [2]
 SHOULD GENERALLY START OR END NEAR THE
 RADIUS POINT OF EACH STREET RETURN EXCEPT
 WHERE ONE OR BOTH ENDS WOULD INCLUDE
 STOP BARS.
- THE SKIP-DASH PAVEMENT MARKINGS [] OR [7] SHOULD BE CENTERED BETWEEN BOTH ENDS OF EACH CITY BLOCK AND SHALL BE PLACED SO THEY LINE UP ACROSS FROM EACH OTHER. SEE EXAMPLE ON SHEET 2 OF 3.
- (E) TURN ARROW SIZE DEPENDS ON THE LOCATION.
 RURAL LOCATION LARGE ARROW SIZE
 URBAN LOCATION SMALL ARROW SIZE

GENERAL NOTES

- WHEN MEDIANS ARE PRESENT, PAVEMENT MARKINGS ARE TO BE PLACED ADJACENT TO MEDIANS.
- 2: SCALE: NONE
- 3. SOME OF THE INFORMATION INCLUDED WITH THIS DETAIL MAY NOT BE APPLICABLE TO THIS IMPROVEMENT.
- 4. PAVEMENT MARKINGS ARE TO BE EXTENDED THROUGH OMISSIONS WHEN APPLICABLE.
- 5. A STRIPING KEY IS AVAILABLE ELSEWHERE AND SHALL BE SHOWN WHERE THE QUANTITIES ARE LISTED.
- 6. FINAL PAVEMENT MARKINGS SHALL BE IN PLACE PRIOR TO PLACING ANY RAISED REFLECTIVE PAVEMENT MARKERS.
- 7. THE FOLLOWING CRITERIA SHALL BE USED FOR SELECTING THE DIAGONAL PAVEMENT MARKING SPACING, (30 MPH USE 15' (450 km/h USE 4.5 m) 30-45 MPH USE 20' (50-75 km/h USE 6.0 m) >45 MPH USE 30' (>75 km/h USE 9.0 m)

SHEET 3 OF 3

Office Foot of								
	NAME	DATE	REVISIONS					
DESIGNED	J.M.H.	5/85 6/88	NAME	DATE				
CHECKED	FMS CTD	6/85	GEOMETRICS/K.A.G.	07/02				
CADD NO.	F-5	.25	K.A.G.	08/04				

ALL DIMENSIONS ARE IN INCHES (MILLIMETERS)
UNLESS OTHERWISE SHOWN.