


DRAINAGE STRUCTURE TABLE

NO.	STATION	OFFSET (FT)	STRUCTURE TYPE			DIA.	FRAME	RIM	NORTH INVERT	SOUTH INVERT	WEST INVERT	EAST INVERT	RESTRICTED DEPTH
			MH	CB	INLET								
C01	134+30.00	46.19 RT.		A		4'	T-24 F&G	664.20	---	658.79	658.79	---	
C02	134+30.00	0.00		A		4'	T-8	664.92	---	659.00	659.00	---	
C03	134+29.93	45.80 LT.			A	2'	T-24 F&G	664.20	---	---	659.22	---	
C04	136+20.07	45.87 LT.			A	2'	T-24 F&G	663.58	---	---	---	---	
C05	136+20.07	46.63 RT.			A	2'	T-24 F&G	663.58	658.96	---	---	---	
C06	136+60.00	45.00 LT.		A		4'	T-24 F&G	663.57	---	658.16	658.16	---	
C07	136+50.00	0.21 LT.		A		4'	T-8	664.29	---	658.38	658.38	---	
C08	136+50.00	46.40 RT.		A		4'	T-24 F&G	663.57	658.82	658.57	---	---	
C09	138+70.00	59.00 LT.	A			5'	T-1, CL	660.86	657.10	657.10	658.35	X	
C10	138+70.00	46.69 LT.		A		4'	T-24 F&G	664.20	---	658.42	658.67	---	
C11	138+70.00	0.00		A		4'	T-8	664.92	---	658.88	658.88	---	
C12	138+69.93	46.70 RT.			A	2'	T-24 F&G	664.20	---	659.10	---	---	
C13	142+49.99	58.85 LT.	A			5'	T-1, CL	662.04	657.66	657.66	---	X	

PIPE TABLE

NO.	STRUCTURE - STRUCTURE	TYPE	DIA.	LIN. FT.	T.B. CU. YD.
C01	OUTLET TO C01	2	15"	32	---
C02	C01 TO C02	2	12"	46	40.85
C03	C02 TO C03	2	12"	46	39.38
C04	C08 TO C05	2	12"	30	21.84
C05	OUTLET TO C06	2	18"	8	---
C06	C06 TO C07	2	15"	46	42.14
C07	C07 TO C08	2	15"	47	41.45
C08	OUTLET TO C09	1	30"	204	116.48
C09	C09 TO C10	2	15"	12	---
C10	C10 TO C11	2	12"	47	41.74
C11	C11 TO C12	2	12"	47	40.23
C12	C09 TO C13	1	27"	380	---



NOTES:

- FUTURE SANITARY FORCE MAIN, FOX METRO WATER RECLAMATION DISTRICT (FMWRD) EASEMENT AND 10' PERMANENT SANITARY EASEMENT SHOWN PER PLANS PROVIDED BY WALTER E. DEUHLER ASSOCIATES, INC. DATED 06-19-2009.
- CONTRACTOR SHALL REMOVE PORTIONS OF ABANDONED FORCE MAIN FROM STA 104+89 TO STA. 127+00 WHICH CONFLICT WITH THE PROPOSED IMPROVEMENTS. EXPOSED ENDS OF ABANDONED FORCE MAIN SHALL BE SEALED WITH CLASS SI CONCRETE OR BRICK AND MORTAR PRIOR TO BACKFILLING THE TRENCH.
- RESTRICTED DEPTH MANHOLES AND RESTRICTED DEPTH CATCH BASINS SHALL NOT BE PAID FOR AS A SEPARATE ITEM BUT AS THE STRUCTURE OF SPECIFIED DIAMETER, TYPE AND CASTING.