

**BEAM 1**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
BK. S. Abut.	755+97.92	-14.375	524.98	524.98
☉ Brg. S. Abut.	756+01.17	-14.375	525.03	525.03
A	756+11.17	-14.375	525.14	525.17
B	756+21.17	-14.375	525.26	525.31
C	756+31.17	-14.375	525.36	525.43
D	756+41.17	-14.375	525.47	525.54
E	756+51.17	-14.375	525.57	525.64
F	756+61.17	-14.375	525.66	525.73
G	756+71.17	-14.375	525.75	525.80
H	756+81.17	-14.375	525.84	525.86
☉ Pier 1	756+91.00	-14.375	525.92	525.92
I	757+01.00	-14.375	525.99	526.02
J	757+11.00	-14.375	526.06	526.11
K	757+21.00	-14.375	526.13	526.19
L	757+31.00	-14.375	526.19	526.26
M	757+41.00	-14.375	526.25	526.32
N	757+51.00	-14.375	526.31	526.37
O	757+61.00	-14.375	526.35	526.40
P	757+71.00	-14.375	526.40	526.42
☉ Pier 2	757+82.00	-14.375	526.44	526.44
Q	757+92.00	-14.375	526.48	526.52
R	758+02.00	-14.375	526.51	526.59
S	758+12.00	-14.375	526.53	526.65
T	758+22.00	-14.375	526.55	526.69
U	758+32.00	-14.375	526.57	526.72
V	758+42.00	-14.375	526.58	526.73
W	758+52.00	-14.375	526.59	526.73
X	758+62.00	-14.375	526.59	526.71
Y	758+72.00	-14.375	526.59	526.67
Z	758+82.00	-14.375	526.58	526.62
☉ Pier 3	758+92.00	-14.375	526.57	526.57
A1	759+02.00	-14.375	526.56	526.58
B1	759+12.00	-14.375	526.54	526.58
C1	759+22.00	-14.375	526.51	526.57
D1	759+32.00	-14.375	526.48	526.56
E1	759+42.00	-14.375	526.45	526.52
F1	759+52.00	-14.375	526.41	526.48
G1	759+62.00	-14.375	526.37	526.42
H1	759+72.00	-14.375	526.32	526.35
☉ Pier 4	759+83.00	-14.375	526.26	526.26
I1	759+93.00	-14.375	526.21	526.23
J1	760+03.00	-14.375	526.15	526.19
K1	760+13.00	-14.375	526.08	526.15
L1	760+23.00	-14.375	526.01	526.08
M1	760+33.00	-14.375	525.93	526.01
N1	760+43.00	-14.375	525.85	525.92
O1	760+53.00	-14.375	525.77	525.82
P1	760+63.00	-14.375	525.68	525.71
☉ Brg. N. Abut.	760+72.83	-14.375	525.59	525.59
BK. N. Abut.	760+76.08	-14.375	525.56	525.56

**BEAM 2**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
BK. S. Abut.	755+97.92	-8.625	525.08	525.08
☉ Brg. S. Abut.	756+01.17	-8.625	525.13	525.13
A	756+11.17	-8.625	525.25	525.27
B	756+21.17	-8.625	525.36	525.41
C	756+31.17	-8.625	525.47	525.53
D	756+41.17	-8.625	525.57	525.64
E	756+51.17	-8.625	525.67	525.74
F	756+61.17	-8.625	525.76	525.83
G	756+71.17	-8.625	525.85	525.90
H	756+81.17	-8.625	525.94	525.96
☉ Pier 1	756+91.00	-8.625	526.02	526.02
I	757+01.00	-8.625	526.09	526.12
J	757+11.00	-8.625	526.17	526.21
K	757+21.00	-8.625	526.23	526.29
L	757+31.00	-8.625	526.30	526.36
M	757+41.00	-8.625	526.35	526.42
N	757+51.00	-8.625	526.41	526.47
O	757+61.00	-8.625	526.46	526.50
P	757+71.00	-8.625	526.50	526.52
☉ Pier 2	757+82.00	-8.625	526.54	526.54
Q	757+92.00	-8.625	526.58	526.62
R	758+02.00	-8.625	526.61	526.69
S	758+12.00	-8.625	526.63	526.74
T	758+22.00	-8.625	526.66	526.79
U	758+32.00	-8.625	526.67	526.82
V	758+42.00	-8.625	526.68	526.83
W	758+52.00	-8.625	526.69	526.82
X	758+62.00	-8.625	526.69	526.80
Y	758+72.00	-8.625	526.69	526.77
Z	758+82.00	-8.625	526.69	526.72
☉ Pier 3	758+92.00	-8.625	526.68	526.68
A1	759+02.00	-8.625	526.66	526.68
B1	759+12.00	-8.625	526.64	526.68
C1	759+22.00	-8.625	526.62	526.68
D1	759+32.00	-8.625	526.59	526.65
E1	759+42.00	-8.625	526.55	526.62
F1	759+52.00	-8.625	526.51	526.58
G1	759+62.00	-8.625	526.47	526.52
H1	759+72.00	-8.625	526.42	526.45
☉ Pier 4	759+83.00	-8.625	526.37	526.37
I1	759+93.00	-8.625	526.31	526.33
J1	760+03.00	-8.625	526.25	526.29
K1	760+13.00	-8.625	526.18	526.25
L1	760+23.00	-8.625	526.11	526.18
M1	760+33.00	-8.625	526.04	526.11
N1	760+43.00	-8.625	525.96	526.02
O1	760+53.00	-8.625	525.87	525.92
P1	760+63.00	-8.625	525.78	525.81
☉ Brg. N. Abut.	760+72.83	-8.625	525.69	525.69
BK. N. Abut.	760+76.08	-8.625	525.66	525.66

**BEAM 3**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
BK. S. Abut.	755+97.92	-2.875	525.17	525.17
☉ Brg. S. Abut.	756+01.17	-2.875	525.22	525.22
A	756+11.17	-2.875	525.34	525.36
B	756+21.17	-2.875	525.45	525.50
C	756+31.17	-2.875	525.56	525.62
D	756+41.17	-2.875	525.66	525.73
E	756+51.17	-2.875	525.76	525.83
F	756+61.17	-2.875	525.85	525.92
G	756+71.17	-2.875	525.94	525.99
H	756+81.17	-2.875	526.03	526.05
☉ Pier 1	756+91.00	-2.875	526.11	526.11
I	757+01.00	-2.875	526.18	526.21
J	757+11.00	-2.875	526.26	526.30
K	757+21.00	-2.875	526.32	526.38
L	757+31.00	-2.875	526.39	526.45
M	757+41.00	-2.875	526.44	526.51
N	757+51.00	-2.875	526.50	526.56
O	757+61.00	-2.875	526.55	526.59
P	757+71.00	-2.875	526.59	526.61
☉ Pier 2	757+82.00	-2.875	526.63	526.63
Q	757+92.00	-2.875	526.67	526.71
R	758+02.00	-2.875	526.70	526.78
S	758+12.00	-2.875	526.72	526.83
T	758+22.00	-2.875	526.75	526.88
U	758+32.00	-2.875	526.76	526.91
V	758+42.00	-2.875	526.77	526.92
W	758+52.00	-2.875	526.78	526.91
X	758+62.00	-2.875	526.78	526.89
Y	758+72.00	-2.875	526.78	526.86
Z	758+82.00	-2.875	526.78	526.81
☉ Pier 3	758+92.00	-2.875	526.77	526.77
A1	759+02.00	-2.875	526.75	526.77
B1	759+12.00	-2.875	526.73	526.77
C1	759+22.00	-2.875	526.71	526.76
D1	759+32.00	-2.875	526.68	526.74
E1	759+42.00	-2.875	526.64	526.71
F1	759+52.00	-2.875	526.60	526.67
G1	759+62.00	-2.875	526.56	526.61
H1	759+72.00	-2.875	526.51	526.54
☉ Pier 4	759+83.00	-2.875	526.46	526.46
I1	759+93.00	-2.875	526.40	526.42
J1	760+03.00	-2.875	526.34	526.38
K1	760+13.00	-2.875	526.27	526.34
L1	760+23.00	-2.875	526.20	526.27
M1	760+33.00	-2.875	526.13	526.20
N1	760+43.00	-2.875	526.05	526.11
O1	760+53.00	-2.875	525.96	526.01
P1	760+63.00	-2.875	525.87	525.90
☉ Brg. N. Abut.	760+72.83	-2.875	525.78	525.78
BK. N. Abut.	760+76.08	-2.875	525.75	525.75