

# SCHEDULE OF QUANTITIES

### SCHEDULE OF INCIDENTAL RESURFACING AT ENTRANCES

SIDE	STATION	TYPE	DIST. FROM E.O.P. TO BACK OF INCIDENTAL (FT)	AREA TO RESURF. (SQ YD)	40800050	X4400196	40800010	40800030
					INCIDENTAL HMA SURFACE (TON)	HMA SURF. REM. SPECIAL (SQ YD)	BITUMINOUS MATERIALS (PRIME COAT) (GAL)	AGGREGATE (PRIME COAT) (TON)
LT	119+15.49	FE	3.0	16.7	1.4	16.7	1.7	0.03
RT	119+17.73	PE W/ MB	11.0	59.2	5.0	59.2	5.9	0.12
LT	121+83.98	PE	10.0	41.1	3.5	41.1	4.1	0.08
RT	121+87.64	MB	7.5	41.0	3.4	41.0	4.1	0.08
RT	133+54.36	PE W/ MB	16.0	59.1	5.0	59.1	5.9	0.12
LT	133+55.53	FE	3.0	19.7	1.7	19.7	2.0	0.04
RT	161+45.43	PE	11.5	40.9	3.4	40.9	4.1	0.08
LT	164+36.80	FE	3.0	20.6	1.7	20.6	2.1	0.04
LT	169+83.38	FE	3.0	18.9	1.6	18.9	1.9	0.04
LT	176+51.18	FE	3.0	19.0	1.6	19.0	1.9	0.04
RT	176+59.15	FE	3.0	19.4	1.6	19.4	1.9	0.04
RT	188+93.35	FE	3.0	22.8	1.9	22.8	2.3	0.05
RT	196+39.07	FE	3.0	17.6	1.5	17.6	1.8	0.04
LT	196+46.50	PE	2.0	10.9	0.9	10.9	1.1	0.02
RT	201+11.48	FE	3.0	17.2	1.4	17.2	1.7	0.03
LT	203+32.64	FE	3.0	15.9	1.3	15.9	1.6	0.03
RT	203+60.53	FE	3.0	21.6	1.8	21.6	2.2	0.04
RT	251+55.02	FE	3.0	15.4	1.3	15.4	1.5	0.03
LT	251+56.33	FE	3.0	17.0	1.4	17.0	1.7	0.03
LT	275+00.00	FE	3.0	18.0	1.5	18.0	1.8	0.04
RT	279+29.01	PE	10.5	51.1	4.3	51.1	5.1	0.10
LT	279+33.65	PE W/ MB	10.5	41.5	3.5	41.5	4.2	0.08
RT	282+12.30	FE	3.0	18.1	1.5	18.1	1.8	0.04
LT	282+15.01	FE	3.0	17.9	1.5	17.9	1.8	0.04
RT	298+04.05	FE	3.0	12.9	1.1	12.9	1.3	0.03
RT	291+80.46	FE	3.0	10.3	0.9	10.3	1.0	0.02
RT	305+44.83	FE	3.0	15.4	1.3	15.4	1.5	0.03
RT	310+97.81	FE	3.0	16.5	1.4	16.5	1.7	0.03
LT	314+58.89	FE	3.0	19.6	1.6	19.6	2.0	0.04
LT	316+68.01	FE	3.0	19.7	1.7	19.7	2.0	0.04
LT	319+27.58	CE W/ MB	10.0	78.7	6.6	78.7	7.9	0.16
RT	319+37.15	FE	3.0	16.4	1.4	16.4	1.6	0.03
RT	320+48.66	FE	3.0	20.5	1.7	20.5	2.1	0.04
LT	321+05.79	CE	10.0	63.5	5.3	63.5	6.4	0.13
LT	328+35.70	CE	11.0	53.3	4.5	53.3	5.3	0.11
LT	331+77.24	CE	10.0	83.2	7.0	83.2	8.3	0.17
RT	331+93.51	FE	3.0	16.7	1.4	16.7	1.7	0.03
LT	340+21.80	PE	9.5	52.7	4.4	52.7	5.3	0.11
RT	340+25.21	FE	3.0	20.0	1.7	20.0	2.0	0.04
RT	343+35.44	FE	3.0	21.1	1.8	21.1	2.1	0.04
LT	344+79.67	FE	3.0	12.0	1.0	12.0	1.2	0.02
LT	356+30.82	CE	23.0	74.7	6.3	74.7	7.5	0.15
LT	371+48.74	MB	6.0	31.7	2.7	31.7	3.2	0.06
RT	371+56.48	PE	24.0	41.0	3.4	41.0	4.1	0.08
RT	372+27.00	PE	9.0	73.6	6.2	73.6	7.4	0.15
LT	374+41.36	PE	10.0	58.2	4.9	58.2	5.8	0.12
LT	385+03.82	PE W/ MB	11.0	72.8	6.1	72.8	7.3	0.15
RT	385+28.17	FE	3.0	14.5	1.2	14.5	1.5	0.03
LT	387+41.62	FE	3.0	11.7	1.0	11.7	1.2	0.02

### SCHEDULE OF INCIDENTAL RESURFACING AT ENTRANCES (CONT.)

SIDE	STATION	TYPE	DIST. FROM E.O.P. TO BACK OF INCIDENTAL (FT)	AREA TO RESURF. (SQ YD)	40800050	X4400196	40800010	40800030
					INCIDENTAL HMA SURFACE (TON)	HMA SURF. REM. SPECIAL (SQ YD)	BITUMINOUS MATERIALS (PRIME COAT) (GAL)	AGGREGATE (PRIME COAT) (TON)
RT	398+44.06	FE	3.0	17.6	1.5	17.6	1.8	0.04
RT	401+09.23	FE	3.0	18.2	1.5	18.2	1.8	0.04
RT	414+14.65	FE	8.0	31.8	2.7	31.8	3.2	0.06
RT	425+32.43	FE	3.0	16.4	1.4	16.4	1.6	0.03
LT	438+25.63	FE	3.0	18.9	1.6	18.9	1.9	0.04
RT	451+57.75	PE	7.0	29.3	2.5	29.3	2.9	0.06
RT	466+24.19	FE	3.0	21.2	1.8	21.2	2.1	0.04
LT	466+26.18	FE	3.0	15.9	1.3	15.9	1.6	0.03
LT	470+66.97	FE	3.0	17.9	1.5	17.9	1.8	0.04
RT	479+82.34	FE	3.0	16.4	1.4	16.4	1.6	0.03
LT	493+02.64	FE	3.0	18.9	1.6	18.9	1.9	0.04
RT	496+00.72	FE	3.0	18.6	1.6	18.6	1.9	0.04
LT	503+76.51	FE	3.0	17.2	1.4	17.2	1.7	0.03
LT	517+39.29	FE	3.0	17.7	1.5	17.7	1.8	0.04
LT	521+35.42	FE	3.0	20.4	1.7	20.4	2.0	0.04
LT	527+95.10	FE	3.0	17.3	1.5	17.3	1.7	0.03
LT	538+71.09	PE W/ MB	10.5	92.2	7.7	92.2	9.2	0.18
LT	540+36.75	FE	3.0	21.3	1.8	21.3	2.1	0.04
RT	543+00.42	FE	3.0	14.0	1.2	14.0	1.4	0.03
RT	549+90.18	FE	3.0	12.1	1.0	12.1	1.2	0.02
LT	556+85.61	DBL FE	3.0	30.8	2.6	30.8	3.1	0.06
RT	559+75.94	FE	3.0	15.1	1.3	15.1	1.5	0.03
RT	572+50.48	FE	3.0	15.3	1.3	15.3	1.5	0.03
LT	585+62.16	FE & PE	11.0	79.5	6.7	79.5	8.0	0.16
RT	585+85.94	FE	3.0	17.0	1.4	17.0	1.7	0.03
LT	598+95.05	FE	3.0	22.5	1.9	22.5	2.3	0.05
RT	611+77.33	FE	3.0	20.0	1.7	20.0	2.0	0.04
LT	613+55.23	FE	3.0	14.9	1.3	14.9	1.5	0.03
TOTAL =					186.5	2219.7	222.0	4.4
USE =					187.0	2220.0	222.0	5.0

40600990 TEMPORARY RAMP			
STATION	WIDTH (FOOT)	LENGTH (FOOT)	AREA (SQ YD)
92+50.00	26.0	5.0	14.4
238+00.00	26.0	5.0	14.4
249+00.00	26.0	5.0	14.4
623+07.00	26.0	5.0	14.4
TOTAL =			57.8
USE =			58.0