

Location(s):	Hot-Mix Asphalt Surface Course(IL 148)
Mixture Use(s):	Polymerized Hot-Mix Asphalt Surface Course, Mix D, N105
AC/PG:	SBS PG76-22
RAP % (Max):	0
Design Air Voids:	4.0%, 105 Gyration Design
Mixture Composition:	IL-9.5 mm or IL 12.5 mm
Friction Aggregate	D Surface

Location(s):	Hot-Mix Asphalt Surface Course(IL 13)
Mixture Use(s):	Polymerized Hot-Mix Asphalt Surface Course, Mix E, N105
AC/PG:	SBS PG76-22
RAP % (Max):	0
Design Air Voids:	4.0%, 105 Gyration Design
Mixture Composition:	IL-9.5 mm or IL 12.5 mm
Friction Aggregate	E Surface

Location(s):	Hot-Mix Asphalt Shoulders (1 1/2") & Hot-Mix Asphalt Surface Course (Frontage Roads)
Mixture Use(s):	Hot-Mix Asphalt Surface Course, Mix C, N70
AC/PG:	PG64-22
RAP % (Max):	10
Design Air Voids:	4.0%, 70 Gyration Design
Mixture Composition:	IL-9.5 mm or IL 12.5 mm
Friction Aggregate	C Surface

Location(s):	Hot-Mix Asphalt Binder Course (IL 13-Top Lift)
Mixture Use(s):	Polymerized Hot-Mix Asphalt Binder Course, N105, IL-19.0
AC/PG:	SBS PG76-22
RAP % (Max):	0
Design Air Voids:	4.0%, 105 Gyration Design
Mixture Composition:	IL-19.0
Friction Aggregate	None

Location(s):	Hot-Mix Asphalt Binder Course(IL 148)
Mixture Use(s):	Polymerized Hot-Mix Asphalt Surface Course, Mix C, N105
AC/PG:	SBS PG76-22
RAP % (Max):	0
Design Air Voids:	4.0%, 105 Gyration Design
Mixture Composition:	IL-9.5 mm or IL 12.5 mm
Friction Aggregate	None

Location(s):	Hot-Mix Asphalt Binder Course (Frontage Road) and Class D Patching & Hot-Mix Asphalt Binder Course (IL 13-Lower Lift)
Mixture Use(s):	Hot-Mix Asphalt Binder Course, N90, IL-19.0
AC/PG:	PG64-22
RAP % (Max):	10
Design Air Voids:	4.0%, 90 Gyration Design
Mixture Composition:	IL-19.0
Friction Aggregate	None

Location(s):	Hot-Mix Asphalt Shoulders
Mixture Use(s):	Hot-Mix Asphalt Shoulders
AC/PG:	PG58-22
RAP % (Max):	50
Design Air Voids:	2.0%, 30 Gyration Design
Mixture Composition:	HMA Shoulder
Friction Aggregate	None