


NOTES

1. ALL CABLES SHALL BE A.W.G. #14 UNLESS OTHERWISE NOTED.
2. ELECTRIC SERVICE IS SUPPLIED BY AMEREN CIPS.
3. ELECTRIC CABLE DENOTED AS #10, 3/C BEING INSTALLED TO THE COMBINATION MAST ARM POLES SHALL NOT GO THROUGH THE TERMINAL BLOCK BUT SHOULD BE SPliced IN POLE. SEE LIGHT POLE FOUNDATION DETAIL.
4. PROPOSED COAXIAL CABLE AND ANTENNA INCLUDED IN THE COST OF FULL-ACTUATED CONTROLLER IN TYPE IV CABINET.
5. PROPOSED 2/C ELECTRIC CABLE SHOWN IN CABLE DIAGRAM ARE PAID FOR IN FEET AS ELECTRIC CABLE IN CONDUIT, LEAD-IN, NO. 14 (1 PAIR).
6. ALL SIGNAL LENSES SHALL BE 12 INCHES.



LEGEND

- SIGNAL POST
- T TERMINAL BLOCK IN MAST ARM POLE BASE (SEE SPECIAL PROVISIONS).
- 1a 1b TWIN TENON FOR TWO LUMINAIRES. NUMBER INDICATES POSITION OF POLE IN WIRING DIAGRAM. LETTER INDICATES LUMINAIRE ON POLE.
- G 12" TRAFFIC SIGNAL SECTION. LETTER INDICATES COLOR.
- ☒ TRAFFIC SIGNAL CONTROLLER CABINET
- ☒ LIGHTING CONTROLLER, PEDESTAL MOUNTED, 240 VOLT, 60 AMP
- ⊙ INDICATES 2/C TWISTED, SHIELDED CABLE IN CONDUIT
- ⊙ NUMBER IN CIRCLE INDICATES NUMBER OF CONDUCTORS IN THAT CABLE
- (4) NUMBER IN PARENTHESIS INDICATES PHASE
- ◇ 5' x 5' DETECTOR LOOP WITH 2" CORE DRILLED CORNERS. NUMBER INDICATES PHASE, LOWER CASE LETTER INDICATES AMPLIFIER.
- 8c 6' x 20' DETECTOR LOOP WITH 2" CORE DRILLED CORNERS. NUMBER INDICATES PHASE, LOWER CASE LETTER INDICATES AMPLIFIER.
- 2a ◇ 5' x 5' LOOP WITH 2" CORE DRILLED CORNERS: NUMBER INDICATES PHASE, LOWER CASE LETTER INDICATES AMPLIFIER, "S" INDICATES SYSTEM LOOP.

FILE NAME = c:\pwwork\pwwork\knight\m\80138532\78135-sh1-ts.dgn

USER NAME = knightsm	DESIGNED -	REVISED -
DRAWN -	REVISED -	
PLOT SCALE = 20,000' / IN.	CHECKED -	REVISED -
PLOT DATE = 1/3/2011	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

TRAFFIC SIGNAL
CABLE DIAGRAM

SCALE: 1"=20' SHEET NO. OF SHEETS STA. TO STA.

F.A.P. RTE. 331	SECTION (I-3,I-2N-1,TS-1)	COUNTY WILLIAMSON	TOTAL SHEETS 151	SHEET NO. 105
ILLINOIS FED. AID PROJECT			CONTRACT NO. 78133	