

GIRDER/STRINGER 1

Location	Station	Offset (ft)	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for DL Deflection
Bk. W. Abut.	47+30.74	-29.50	722.08	722.08
CL Brg. W. Abut.	47+34.09	-29.50	722.17	722.17
A	47+43.00	-29.50	722.41	722.42
B	47+53.00	-29.50	722.69	722.70
C	47+63.00	-29.50	722.96	722.98
D	47+73.00	-29.50	723.24	723.26
E	47+83.00	-29.50	723.51	723.53
F	47+93.00	-29.50	723.79	723.81
CL Brg. Pier 1	48+00.00	-29.50	723.98	724.00
G	48+08.38	-29.50	724.21	724.24
H	48+16.75	-29.50	724.44	724.48
I	48+25.13	-29.50	724.67	724.73
J	48+33.50	-29.50	724.90	724.97
K	48+41.92	-29.50	725.13	725.22
L	48+50.33	-29.50	725.37	725.46
M	48+58.75	-29.50	725.60	725.70
N	48+67.17	-29.50	725.83	725.93
O	48+75.58	-29.50	726.06	726.16
P	48+84.00	-29.50	726.29	726.42
Q	48+92.42	-29.50	726.52	726.65
R	49+00.83	-29.50	726.75	726.88
S	49+09.25	-29.50	726.99	727.13
T	49+17.67	-29.50	727.22	727.36
U	49+26.08	-29.50	727.45	727.59
V	49+34.50	-29.50	727.68	727.82
W	49+42.92	-29.50	727.91	728.06
X	49+51.33	-29.50	728.14	728.29
Y	49+59.75	-29.50	728.38	728.52
Z	49+68.17	-29.50	728.61	728.75
AA	49+76.58	-29.50	728.84	728.99
BB	49+85.00	-29.50	729.07	729.22
CC	49+93.42	-29.50	729.30	729.45
DD	50+01.83	-29.50	729.53	729.68
EE	50+10.25	-29.50	729.76	729.91
FF	50+18.67	-29.50	730.00	730.15
GG	50+27.08	-29.50	730.23	730.37
HH	50+35.50	-29.50	730.46	730.60
II	50+43.92	-29.50	730.69	730.84
JJ	50+52.33	-29.50	730.92	731.07
KK	50+60.75	-29.50	731.15	731.29
LL	50+69.17	-29.50	731.38	731.52
MM	50+77.58	-29.50	731.62	731.75
NN	50+86.00	-29.50	731.85	731.98
OO	50+94.42	-29.50	732.08	732.20
PP	51+02.83	-29.50	732.31	732.42
QQ	51+11.25	-29.50	732.54	732.65
RR	51+19.67	-29.50	732.77	732.87
SS	51+28.08	-29.50	733.00	733.09
TT	51+36.50	-29.50	733.24	733.30
UU	51+44.88	-29.50	733.47	733.52
VV	51+53.25	-29.50	733.70	733.74
WW	51+61.63	-29.50	733.93	733.96
CL Brg. Pier 2	51+70.00	-29.50	734.16	734.18
XX	51+80.00	-29.50	734.33	734.45
YY	51+90.00	-29.50	734.71	734.72
ZZ	52+00.00	-29.50	734.98	734.99
ZA	52+10.00	-29.50	735.26	735.27
ZB	52+20.00	-29.50	735.53	735.54
CL Brg. E. Abut.	52+27.73	-29.50	735.75	735.75
Bk. E. Abut.	52+30.90	-29.50	735.83	735.83

GIRDER/STRINGER 2

Location	Station	Offset (ft)	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for DL Deflection
Bk. W. Abut.	47+30.74	-21.25	722.25	722.25
CL Brg. W. Abut.	47+34.09	-21.25	722.34	722.34
A	47+43.00	-21.25	722.59	722.60
B	47+53.00	-21.25	722.86	722.89
C	47+63.00	-21.25	723.14	723.17
D	47+73.00	-21.25	723.41	723.45
E	47+83.00	-21.25	723.69	723.73
F	47+93.00	-21.25	723.96	724.00
CL Brg. Pier 1	48+00.00	-21.25	724.15	724.20
G	48+08.38	-21.25	724.38	724.43
H	48+16.75	-21.25	724.61	724.68
I	48+25.13	-21.25	724.84	724.92
J	48+33.50	-21.25	725.07	725.16
K	48+41.92	-21.25	725.31	725.41
L	48+50.33	-21.25	725.54	725.66
M	48+58.75	-21.25	725.77	725.90
N	48+67.17	-21.25	726.00	726.14
O	48+75.58	-21.25	726.23	726.38
P	48+84.00	-21.25	726.46	726.62
Q	48+92.42	-21.25	726.70	726.85
R	49+00.83	-21.25	726.93	727.08
S	49+09.25	-21.25	727.16	727.33
T	49+17.67	-21.25	727.39	727.56
U	49+26.08	-21.25	727.62	727.79
V	49+34.50	-21.25	727.85	728.02
W	49+42.92	-21.25	728.08	728.26
X	49+51.33	-21.25	728.32	728.49
Y	49+59.75	-21.25	728.55	728.72
Z	49+68.17	-21.25	728.78	728.94
AA	49+76.58	-21.25	729.01	729.18
BB	49+85.00	-21.25	729.24	729.42
CC	49+93.42	-21.25	729.47	729.65
DD	50+01.83	-21.25	729.70	729.88
EE	50+10.25	-21.25	729.94	730.11
FF	50+18.67	-21.25	730.17	730.35
GG	50+27.08	-21.25	730.40	730.57
HH	50+35.50	-21.25	730.63	730.80
II	50+43.92	-21.25	730.86	731.04
JJ	50+52.33	-21.25	731.09	731.27
KK	50+60.75	-21.25	731.32	731.50
LL	50+69.17	-21.25	731.56	731.72
MM	50+77.58	-21.25	731.79	731.95
NN	50+86.00	-21.25	732.02	732.18
OO	50+94.42	-21.25	732.25	732.40
PP	51+02.83	-21.25	732.48	732.62
QQ	51+11.25	-21.25	732.71	732.85
RR	51+19.67	-21.25	732.95	733.07
SS	51+28.08	-21.25	733.18	733.29
TT	51+36.50	-21.25	733.41	733.50
UU	51+44.88	-21.25	733.64	733.72
VV	51+53.25	-21.25	733.87	733.94
WW	51+61.63	-21.25	734.10	734.15
CL Brg. Pier 2	51+70.00	-21.25	734.33	734.37
XX	51+80.00	-21.25	734.60	734.64
YY	51+90.00	-21.25	734.88	734.91
ZZ	52+00.00	-21.25	735.15	735.19
ZA	52+10.00	-21.25	735.43	735.45
ZB	52+20.00	-21.25	735.70	735.72
CL Brg. E. Abut.	52+28.60	-21.25	735.94	735.94
Bk. E. Abut.	52+31.77	-21.25	736.03	736.03

GIRDER/STRINGER 3

Location	Station	Offset (ft)	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for DL Deflection
Bk. W. Abut.	47+30.74	-13.00	722.42	722.42
CL Brg. W. Abut.	47+34.09	-13.00	722.51	722.51
A	47+43.00	-13.00	722.76	722.78
B	47+53.00	-13.00	723.03	723.07
C	47+63.00	-13.00	723.31	723.36
D	47+73.00	-13.00	723.58	723.64
E	47+83.00	-13.00	723.86	723.92
F	47+93.00	-13.00	724.13	724.19
CL Brg. Pier 1	48+00.00	-13.00	724.33	724.39
G	48+08.38	-13.00	724.56	724.62
H	48+16.75	-13.00	724.79	724.87
I	48+25.13	-13.00	725.02	725.11
J	48+33.50	-13.00	725.25	725.35
K	48+41.92	-13.00	725.48	725.60
L	48+50.33	-13.00	725.71	725.85
M	48+58.75	-13.00	725.94	726.09
N	48+67.17	-13.00	726.17	726.33
O	48+75.58	-13.00	726.40	726.60
P	48+84.00	-13.00	726.64	726.82
Q	48+92.42	-13.00	726.87	727.05
R	49+00.83	-13.00	727.10	727.28
S	49+09.25	-13.00	727.33	727.52
T	49+17.67	-13.00	727.56	727.76
U	49+26.08	-13.00	727.79	727.99
V	49+34.50	-13.00	728.02	728.22
W	49+42.92	-13.00	728.26	728.45
X	49+51.33	-13.00	728.49	728.69
Y	49+59.75	-13.00	728.72	728.91
Z	49+68.17	-13.00	728.95	729.13
AA	49+76.58	-13.00	729.18	729.38
BB	49+85.00	-13.00	729.41	729.61
CC	49+93.42	-13.00	729.64	729.84
DD	50+01.83	-13.00	729.88	730.07
EE	50+10.25	-13.00	730.11	730.31
FF	50+18.67	-13.00	730.34	730.54
GG	50+27.08	-13.00	730.57	730.77
HH	50+35.50	-13.00	730.80	730.99
II	50+43.92	-13.00	731.03	731.23
JJ	50+52.33	-13.00	731.27	731.46
KK	50+60.75	-13.00	731.50	731.69
LL	50+69.17	-13.00	731.73	731.92
MM	50+77.58	-13.00	731.96	732.15
NN	50+86.00	-13.00	732.19	732.37
OO	50+94.42	-13.00	732.42	732.59
PP	51+02.83	-13.00	732.65	732.81
QQ	51+11.25	-13.00	732.89	733.04
RR	51+19.67	-13.00	733.12	733.26
SS	51+28.08	-13.00	733.35	733.48
TT	51+36.50	-13.00	733.58	733.70
UU	51+44.88	-13.00	733.81	733.91
VV	51+53.25	-13.00	734.04	734.13
WW	51+61.63	-13.00	734.27	734.34
CL Brg. Pier 2	51+70.00	-13.00	734.50	734.55
XX	51+80.00	-13.00	734.78	734.83
YY	51+90.00	-13.00	735.05	735.10
ZZ	52+00.00	-13.00	735.33	735.37
ZA	52+10.00	-13.00	735.60	735.64
ZB	52+20.00	-13.00	735.88	735.89
CL Brg. E. Abut.	52+29.46	-13.00	736.14	736.14
Bk. E. Abut.	52+32.64	-13.00	736.22	736.22

GIRDER/STRINGER 4

Location	Station	Offset (ft)	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for DL Deflection
Bk. W. Abut.	47+30.74	-4.75	722.55	722.55
CL Brg. W. Abut.	47+34.09	-4.75	722.65	722.65
A	47+43.00	-4.75	722.89	722.91
B	47+53.00	-4.75	723.17	723.21
C	47+63.00	-4.75	723.44	723.50
D	47+73.00	-4.75	723.72	723.78
E	47+83.00	-4.75	723.99	724.06
F	47+93.00	-4.75	724.27	724.34
CL Brg. Pier 1	48+00.00	-4.75	724.46	724.53
G	48+08.38	-4.75	724.69	724.77
H	48+16.75	-4.75	724.92	725.01
I	48+25.13	-4.75	725.15	725.25
J	48+33.50	-4.75	725.38	725.49
K	48+41.92	-4.75	725.61	725.75
L	48+50.33	-4.75	725.84	726.00
M	48+58.75	-4.75	726.08	726.24
N	48+67.17	-4.75	726.31	726.48
O	48+75.58	-4.75	726.54	726.72
P	48+84.00	-4.75	726.77	726.96
Q	48+92.42	-4.75	727.00	727.20
R	49+00.83	-4.75	727.23	727.42
S	49+09.25	-4.75	727.46	727.67
T	49+17.67	-4.75	727.70	727.91
U	49+26.08	-4.75	727.93	728.14
V	49+34.50	-4.75	728.16	728.37
W	49+42.92	-4.75	728.39	728.60
X	49+51.33	-4.75	728.62	728.84
Y	49+59.75	-4.75	728.85	729.06
Z	49+68.17	-4.75	729.08	729.28
AA	49+76.58	-4.75	729.32</	