

TAVED DITOR CONEDCE OF COANTINES											
LOCATION	PAVED DITCH REMOVAL (LF)	PAVED DITCH (SPECIAL) (SY)	CURB REMOVAL (LF)*	NEW CURB (LF)*							
NORTHWEST QUADRANT	27	6.0	8	8							
SOUTHWEST QUADRANT	24	5.8	0	7							
NORTHEAST QUADRANT	25	5.6	7	7							
SOUTHEAST QUADRANT	21	5.1	0	5							

* FOR INFORMATION ONLY. COST INCLUDED WITH PAVED DITCH REMOVAL AND PAVED DITCH (SPECIAL).

NOTES

- 1. WORK THIS SHEET WITH SHEET 4.
- 2. EACH OF THE FOUR (4) DRAINAGE STRUCTURES LOCATED AT THE PAVED DITCHES SHALL BE CLEANED FOLLOWING THE PAVED DITCH RECONSTRUCTION AND APPROACH PAVEMENT RESURFACING. SEE SPECIAL PROVISION "CLEANING EXISTING DRAINAGE STRUCTURES."
- 3. PJF DENOTES PREFORMED JOINT FILLER. COST INCLUDED WITH "PAVED DITCH (SPECIAL)".
- 4. PAVED DITCH CROSS SLOPES SHOULD MATCH THAT OF EXISTING PAVED DITCHES.

FILE NAME =	DESIGNED - EJA	REVISED -	boossb	STATE OF ILLINOIS	BLOOMINGDALE ROAD		F.A.I.	SECTION	COUNTY TOTAL SHEET	
	DRAWN - EJA	REVISED -						290	2009-1151	DUPAGE 27 5
USER NAME =	CHECKED - AJP	REVISED -	– benesch	DEPARTMENT OF TRANSPORTATION ROADWAY DETAILS		DETAILS	230	2003 1131	CONTRACT NO 60.134	
PLOT DATE = 03\22\2010	DATE - 3/19/10	REVISED -			SCALE: N.T.S.	SHEET NO. 1 OF 1 SHEETS	STA. TO STA.	FED. ROAD	DIST. NO. ILLINOI	S FED. AID PROJECT

2" HMA SURFACE REMOVAL - BUTT JOINT 1/2" HMA SURFACE COURSE, MIX "D", N70 2 1/4" LEVELING BINDER (MACHINE METHOD), N70

SCARIFICATION & OVERLAY TRANSITION DETAIL

(WEST APPROACH SHOWN - EAST APPROACH SIMILAR FOR TRANSITION ONLY)