


EXIST. CURVE C6
 PI STA. = 181+71.55
 $\Delta = 82^\circ 07' 42''$ (RT)
 $D = 2^\circ 00' 00''$
 $R = 2,864.79'$
 $T = 2,495.96'$
 $L = 4,106.41'$
 $E = 934.79'$
 EX & PR S.E. = 6.0% (70 MPH DESIGN)
 $T.R. = 38.60'$
 S.E. RUN = 270.00'
 P.C. STA. = 156+75.59
 P.T. STA. = 197+82.00
 S.E. ATTAINED:
 STA 154+56.99 TO STA 157+65.59
 STA 196+92.00 TO STA 33+06.18




SEE SHEETS 119-134
 FOR S.N. 001-0056
 BRIDGE REPAIR DETAILS

SEE SHEETS 119-134
 FOR S.N. 001-0055
 BRIDGE REPAIR DETAILS

A REMOVE EXISTING GUARDRAIL
 PR GUARDRAIL (SEE SCHEDULE)

PAVEMENT MARKIN LEGEND

- ① PR PREFORMED PLASTIC PAVEMENT MARKING, TYPE B (INLAID), LINE 5" (30' SKIP, 10' DASH WHITE)
- ② PR URETHANE PAVEMENT MARKING, LINE 5" (SOLID YELLOW)
- ③ PR URETHANE PAVEMENT MARKING, LINE 5" (SOLID WHITE)
- ④ PR URETHANE PAVEMENT MARKING, LINE 6" (SOLID WHITE)
- ⑤ PR PREFORMED PLASTIC PAVEMENT MARKING, TYPE B (INLAID), LINE 6" (6' SKIP, 2' DASH WHITE)
- ⑥ PR PREFORMED PLASTIC PAVEMENT MARKING, TYPE B (INLAID), LINE 8" (SOLID WHITE)
- ⑦ PR PREFORMED PLASTIC PAVEMENT MARKING, TYPE B (INLAID), LINE 12" (SOLID WHITE)
- ⑧ PR PREFORMED PLASTIC PAVEMENT MARKING, TYPE B (INLAID), LINE 12" (SOLID YELLOW)
- ⑨ PR PREFORMED PLASTIC PAVEMENT MARKING, TYPE B (INLAID), LINE 24" (SOLID WHITE)
- Ⓐ PR PREFORMED PLASTIC PAVEMENT MARKING, TYPE B (INLAID), LETTERS AND SYMBOLS (SOLID WHITE)
- ▽ PR RAISED REFLECTIVE PAVEMENT MARKERS, ONE-WAY CRYSTAL
- ▶ PR RAISED REFLECTIVE PAVEMENT MARKERS, ONE-WAY AMBER
- ◆ PR RAISED REFLECTIVE PAVEMENT MARKERS, TWO-WAY AMBER



FILE NAME =	USER NAME = laughlinr1	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	FAI RTE 172 PLAN			F.A.I RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
es:\pwwork\pwwid001\LAUGHLINRL\0182983\069_Plan.dgn		DRAWN -	REVISED -		SCALE: 1"=50'	SHEET NO. 31 OF 52 SHEETS	STA. 149+00 TO STA. 164+00	172	1-(1,2,3,4,5)RS	ADAMS	165	69
		CHECKED -	REVISED -					CONTRACT NO. 72A09				
		DATE -	REVISED -					FED. ROAD DIST. NO.	ILLINOIS FED. AID PROJECT			