

ILLINOIS ROUTE 59

PROPOSED CL ILLINOIS ROUTE 59

3904

3905+00

3906

COMB CC&G TB6.24 (DEPRESSED CURB)

PROPOSED R.O.W.

PROPOSED R.O.W.

R = 20'

COMB CC&G TB6.12

+55.1

84.0' RT

+55.1

93.1' RT

+52.1

90.1' RT

+52.1

98.0 RT

6%

TEMP. EASEMENT

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

(694.75)

COMB CC&G TB6.12

R = 20'

+97.3

95.0' RT

+94.2

98.0' RT

+85.1

84.0' RT

+85.1

89.0' RT

R = 9'

LEGEND:




PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 8 INCH
SUBBASE GRANULAR MATERIAL, TYPE B 4"



HOT-MIX ASPHALT DRIVEWAY PAVEMENT, 10" (SEE NOTE 1)
SUBBASE GRANULAR MATERIAL, TYPE B 4"

NOTES:

1. FOR HMA MATERIAL REQUIREMENTS SEE HMA MIXTURE CHART ON THE
GENERAL NOTE SHEET.



SCALE IN FEET

DESIGNED	PJO	REVISED	-
DRAWN	KES	REVISED	-
CHECKED	JCM	REVISED	-
DATE	12/14/2012	REVISED	-

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

DRIVEWAY DETAILS
ILLINOIS ROUTE 59 - STA 3904 + 70
SCALE: AS SHOWN SHEET NO. 2 OF 37 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-7	DUPAGE	1156	374
CONTRACT NO. 60R30				
ILLINOIS FED. AID PROJECT				