


* Cut or bend bars to fit in field.





MARK TABLE

Bar	A	B	C
b2(E)	26'-7"	8'-8"	1'-3 1/4"
b3(E)	28'-3"	1'-0"	1 3/4"
b4(E)	10'-4"	1'-0"	1 3/4"

BILL OF MATERIAL

Bar	No.	Size	Length	Shape	
a(E)	80	#6	17'-8"	—	
a1(E)	156	#9	17'-8"	—	
a2(E)	160	#6	9'-9"	⌋	
b(E)	38	#5	30'-6"	—	
b1(E)	38	#5	11'-2"	—	
b2(E)	19	#5	35'-3"	—	
b3(E)	19	#5	29'-3"	—	
b4(E)	19	#5	11'-4"	—	
b5(E)	19	#5	5'-6"	⌋	
Reinforcement Bars, Epoxy Coated				POUND	17,100
Concrete Structures				CU YD	57

Reinforcement bars designated (E) shall be epoxy coated.



TYLIN INTERNATIONAL

REVISIONS

NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION
F.A.I. 94 (DAN RYAN EXPRESSWAY)
PROTECTION SLAB FOR EXISTING
CTA DUCT (4 WIDE X 6 HIGH)
TRANSITE KORDUCT

S.N. DESIGNED BY: MAF, DJR
SCALE: DRAWN BY: MAF, DJR
DATE: MARCH 1, 2006 CHECKED BY: MI