

**Wang Engineering, Inc.**  
 Consulting Geotechnical and Environmental Engineers  
 wangeng3@wangeng.com  
 1145 Main Street  
 Lombard, IL 60148  
 Telephone: 630 953-9928  
 Fax: 630 953-9938

**BORING LOG P-095**

WEI Job No.: 414-07-01  
 Client: T. Y. LIN International  
 Project: Dan Ryan Improvements; IDOT No. D-91-421-01  
 Location: From 95th Street to South of 69th Street

Datum: CCD  
 Elevation: -0.85 ft  
 North: 1853866.47 ft  
 East: 1177380.54 ft  
 Station: 1324+89  
 Offset: 6' RT

**Wang Engineering, Inc.**  
 Consulting Geotechnical and Environmental Engineers  
 wangeng3@wangeng.com  
 1145 Main Street  
 Lombard, IL 60148  
 Telephone: 630 953-9928  
 Fax: 630 953-9938

**BORING LOG P-096**

WEI Job No.: 414-07-01  
 Client: T. Y. LIN International  
 Project: Dan Ryan Improvements; IDOT No. D-91-421-01  
 Location: From 95th Street to South of 69th Street

Datum: CCD  
 Elevation: -10.47 ft  
 North: 1854717.74 ft  
 East: 1177338.93 ft  
 Station: 1333+42  
 Offset: 4' RT

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type recovery	Sample No.	SPT Values (blw/6 in)	Qu (tsf)	Moisture Content (%)
11.5	8-inch thick CONCRETE --PAVEMENT--						
11.4	Loose, brown GRAVELLY SANDY LOAM --FILL-- --A-1-b (O)--	1		1	8	NP	6
11.3		2		2			
11.2		2		2			
11.1		2		2			
11.0		3		3			
10.9	Stiff to very stiff, gray SILTY CLAY	2		2		1.75	19
10.8		2		2			
10.7		2		2			
10.6		3		3			
10.5		7		7			
10.4		9		9			
10.3		14		14		2.50	18
10.2		12		12			
10.1		3		3			
10.0		5		5			
9.9		2		2		3.25	17
9.8		7		7			
9.7		8		8			
9.6		2		2		3.25	18
9.5		5		5			
9.4		6		6			
9.3		9		9			
9.2							
9.1							
9.0							
8.9							
8.8							
8.7							
8.6							
8.5							
8.4							
8.3							
8.2							
8.1							
8.0							
7.9							
7.8							
7.7							
7.6							
7.5							
7.4							
7.3							
7.2							
7.1							
7.0							
6.9							
6.8							
6.7							
6.6							
6.5							
6.4							
6.3							
6.2							
6.1							
6.0							
5.9							
5.8							
5.7							
5.6							
5.5							
5.4							
5.3							
5.2							
5.1							
5.0							
4.9							
4.8							
4.7							
4.6							
4.5							
4.4							
4.3							
4.2							
4.1							
4.0							
3.9							
3.8							
3.7							
3.6							
3.5							
3.4							
3.3							
3.2							
3.1							
3.0							
2.9							
2.8							
2.7							
2.6							
2.5							
2.4							
2.3							
2.2							
2.1							
2.0							
1.9							
1.8							
1.7							
1.6							
1.5							
1.4							
1.3							
1.2							
1.1							
1.0							
0.9							
0.8							
0.7							
0.6							
0.5							
0.4							
0.3							
0.2							
0.1							
0.0							

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type recovery	Sample No.	SPT Values (blw/6 in)	Qu (tsf)	Moisture Content (%)
11.5	8-inch thick CONCRETE --PAVEMENT--						
11.4	5-inch thick CRUSHED STONE --BASE COURSE--						
11.3	Loose, brown SAND	1		1	8	NP	5
11.2		5		5			
11.1		4		4			
11.0		4		4			
10.9		5		5			
10.8		5		5			
10.7		5		5			
10.6		6		6			
10.5		7		7			
10.4		9		9		4.50	13
10.3		7		7			
10.2		5		5			
10.1		6		6			
10.0		7		7			
9.9		9		9		4.50	12
9.8		7		7			
9.7		6		6			
9.6		7		7			
9.5		9		9		4.50	12
9.4		6		6			
9.3		7		7			
9.2		7		7			
9.1		10		10		4.50	12
9.0		6		6			
8.9		7		7			
8.8		7		7			
8.7		10		10			
8.6							
8.5							
8.4							
8.3							
8.2							
8.1							
8.0							
7.9							
7.8							
7.7							
7.6							
7.5							
7.4							
7.3							
7.2							
7.1							
7.0							
6.9							
6.8							
6.7							
6.6							
6.5							
6.4							
6.3							
6.2							
6.1							
6.0							
5.9							
5.8							
5.7							
5.6							
5.5							
5.4							
5.3							
5.2							
5.1							
5.0							
4.9							
4.8							
4.7							
4.6							
4.5							
4.4							
4.3							
4.2							
4.1							
4.0							
3.9							
3.8							
3.7							
3.6							
3.5							
3.4							
3.3							
3.2							
3.1							
3.0							
2.9							
2.8							
2.7							
2.6							
2.5							
2.4							
2.3							
2.2							
2.1							
2.0							