

PATCHING SCHEDULE													
Location			CLASS A PATCH, 15"			CLASS B PATCH, 15"			HMA SURFACE REMOVAL, 5"	HMA BINDER IL 19, N90	HMA SURFACE, POLY, MIX E, N 90	POLYMERIZED BITUMINOUS MATERIALS, (PRIME COAT)	AGGREGATE (PRIME COAT)
			TYPE I	TYPE II	TYPE III	TYPE I	TYPE II	TYPE III					
Mile Marker	Direction	Lane	SQ YD	SQ YD	SQ YD	SQ YD	SQ YD	SQ YD	TON	TON	GALLON	TON	
22.8	NB	PL						12	2.0	1.3	0.008	0.04	
22.8	SB	DL						100	16.8	11.2	0.063	0.30	
22.8	SB	PL						1000	168.0	112.0	0.626	3.00	
23.0	NB	PL						12	2.0	1.3	0.008	0.04	
23.1	NB	PL						50	8.4	5.6	0.031	0.15	
23.2	SB	PL						6	1.0	0.7	0.004	0.02	
23.4	NB	DL						6	1.0	0.7	0.004	0.02	
23.5	NB	DL						12	2.0	1.3	0.008	0.04	
23.7	NB	PL						12	2.0	1.3	0.008	0.04	
23.9	NB	DL						12	2.0	1.3	0.008	0.04	
23.9	NB	PL						50	8.4	5.6	0.031	0.15	
24.0	NB	DL						750	126.0	84.0	0.469	2.25	
24.0	SB	PL						12	2.0	1.3	0.008	0.04	
24.1	SB	DL						200	33.6	22.4	0.125	0.60	
24.2	SB	DL						6	1.0	0.7	0.004	0.02	
24.3	SB	DL						6	1.0	0.7	0.004	0.02	
24.3	SB	PL						12	2.0	1.3	0.008	0.04	
24.5	NB	DL						25	4.2	2.8	0.016	0.08	
24.6	SB	PL						50	8.4	5.6	0.031	0.15	
24.8	SB	DL						300	50.4	33.6	0.188	0.90	
24.9	SB	PL						6	1.0	0.7	0.004	0.02	
25.0	SB	DL						25	4.2	2.8	0.016	0.08	
25.0	SB	PL						1000	168.0	112.0	0.626	3.00	
25.2	NB	DL						50	8.4	5.6	0.031	0.15	
25.3	NB	PL						12	2.0	1.3	0.008	0.04	
25.5	SB	DL						50	8.4	5.6	0.031	0.15	
25.6	SB	DL						12	2.0	1.3	0.008	0.04	
25.7	NB	DL						400	67.2	44.8	0.250	1.20	
25.8	NB	PL						50	8.4	5.6	0.031	0.15	
25.9	SB	PL						75	12.6	8.4	0.047	0.23	
26.2	NB	DL						6	1.0	0.7	0.004	0.02	
26.4	SB	DL						300	50.4	33.6	0.188	0.90	
26.4	SB	PL						500	84.0	56.0	0.313	1.50	
26.6	NB	PL						50	8.4	5.6	0.031	0.15	
26.8	NB	DL						100	16.8	11.2	0.063	0.30	
26.8	SB	PL						12	2.0	1.3	0.008	0.04	
27.0	NB	PL						50	8.4	5.6	0.031	0.15	
27.2	NB	DL						250	42.0	28.0	0.156	0.75	
27.3	SB	PL						200	33.6	22.4	0.125	0.60	
27.4	NB	DL						6	1.0	0.7	0.004	0.02	
27.5	SB	DL						75	12.6	8.4	0.047	0.23	
27.7	SB	PL						12	2.0	1.3	0.008	0.04	
27.9	NB	PL						50	8.4	5.6	0.031	0.15	
28.0	SB	PL						750	126.0	84.0	0.469	2.25	
28.2	SB	PL						12	2.0	1.3	0.008	0.04	
28.4	NB	DL						25	4.2	2.8	0.016	0.08	