GENERAL NOTES

- 1. THE LOCATIONS OF EXISTING UTILITIES, AS SHOWN ON THE PLANS, ARE BASED UPON FIELD INVESTIGATIONS AND THE BEST INFORMATION AVAILABLE. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ASCERTAIN THE EXACT LOCATIONS FROM THE UTILITY COMPANIES PRIOR TO BEGINNING ANY EXCAVATION.
- 2. WHERE SECTION OR SUB-SECTION MONUMENTS ARE ENCOUNTERED, THE ENGINEER SHALL BE NOTIFIED BEFORE SUCH MONUMENTS ARE REMOVED. THE CONTRACTOR SHALL PROTECT AND PRESERVE PROPERTY MARKERS AND MONUMENTS UNTIL THE OWNER, AN AUTHORIZED SURVEYOR, OR AGENT HAS WITNESSED OR OTHERWISE REFERENCE THEIR LOCATIONS.
- 3. ALL EXISTING PUBLICLY AND PRIVATELY OWNED UTILITIES REQUIRING ADJUSTMENT WILL BE MADE BY THE UTILITY COMPANY INVOLVED UNLESS OTHERWISE NOTED. WHERE NO PROVISIONS HAVE BEEN MADE FOR ADJUSTMENTS ON THE PLANS, NO ADDITIONAL COMPENSATION WILL BE ALLOWED DUE TO DELAYS OR INCONVENIENCE CAUSED BY SAID UTILITY ADJUSTMENTS.
- 4. EXISTING PAVEMENT, SIDEWALK, AND CURB & GUTTER THAT ARE INTENDED TO REMAIN BUT ARE DAMAGED DUE TO THE CONTRACTOR'S NEGLIGENCE SHALL BE REPLACED AT THE EXPENSE OF THE CONTRACTOR TO THE SATISFACTION OF THE ENGINEER.
- 5. DISABLED ACCESSIBILITY FEATURES (SIDEWALK SLOPES, CURB RAMPS, ETC) SHALL NOT DEVIATE FROM THE PLANS AND STANDARDS INCLUDED. CONSTRUCT RAMPS AT ALL SIDEWALK -ROADWAY INTERSECTIONS AS SHOWN ON THE PLANS.
- 6. TEMPORARY AGGREGATE SURFACE SHALL BE USED FOR DRIVEWAYS AND ROADWAY CROSSINGS AFTER STORM SEWER INSTALLATION AND DURING DRIVEWAY, CURB, AND PAVEMENT CONSTRUCTION OPERATIONS AND AT LOCATIONS AT THE DIRECTION OF THE ENGINEER. THE COST OF TEMPORARY AGGREGATE SHALL BE INCLUDED IN THE CONTRACT UNIT PRICES FOR AGGREGATE FOR TEMPORARY ACCESS.
- 7. MAILBOXES WHICH INTERFERE WITH THE PROPOSED IMPROVEMENTS SHALL BE CAREFULLY REMOVED BY THE CONTRACTOR, INSTALLED AT A TEMPORARY LOCATION AND REINSTALLED AT A PERMANENT LOCATION WHEN ALL ROADWAY WORK IS DONE AS DIRECTED BY THE ENGINEER AND APPROVED BY PROPERTY OWNER. RELOCATING MAILBOXES SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE FOR EARTH EXCAVATION.
- 8. WATER MAIN CONSTRUCTION SHALL BE IN ACCORDANCE WITH APPLICABLE SECTIONS OF LATEST EDITION OF THE STANDARD SPECIFICATIONS FOR WATER AND SEWER CONSTRUCTION IN ILLINOIS AND THE SPECIAL **PROVISIONS**
- 9. WHEREVER IT IS NECESSARY TO REMOVE EXISTING GRAVEL OR CRUSHED STONE BASE COURSE, IT SHALL BE REMOVED AT THE CONTRACT UNIT PRICE PER CUBIC YARD FOR EARTH EXCAVATION AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR ADDITIONAL LABOR OR EQUIPMENT REQUIRED.
- 10. THE CONTRACTOR MAY BE REQUIRED TO CONDUCT SOME OF HIS GRADING OPERATIONS AROUND TRANSMISSION POLES AND UNDER TRANSMISSION LINES. THE ADDED COST OF SO DOING SHALL BE CONSIDERED INCLUDED IN THE COST OF THE VARIOUS BID ITEMS BEING CONSTRUCTED.
- 11. TRENCH BACKFILL SHALL BE PROVIDED UNDER ALL ROADWAY SURFACES, DRIVEWAYS, AND SIDEWALKS.
- 12. EXISTING DRAINAGE PIPES CONNECTED TO NEW STRUCTURES: IN ACCORDANCE WITH SECTION 602 OF THE STANDARD SPECIFICATIONS. THE CONNECTING OF EXISTING DRAIN TILES, PIPE CULVERTS OR STORM SEWER TO THE PROPOSED DRAINAGE SYSTEM STRUCTURES WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED AS INCLUDED IN THE PAY ITEMS PROVIDED. THE CONNECTING OF EXISTING DRAIN TILES TO NEW STORM SEWERS SHALL BE PAID FOR AT THE CONTRACT PRICE FOR "CONNECT EXISTING HOUSE DRAINS AND FIFLD TILES TO PROPOSED STORM SEWERS"

ENVIRONMENTAL REVIEWS

PRIOR TO THE USE OF ANY PROPOSED BORROW AREAS, USE AREAS (TEMPORARY ACCESS ROADS, DETOURS, RUN-AROUNDS, ETC.) AND/OR WASTE AREAS. THE CONTRACTOR SHALL FILE THE REQUIRED ENVIRONMENTAL RESOURCE REQUEST SURVEYS ACCORDING TO SECTION 107.22 OF THE STANDARD SPECIFICATIONS. THESE SURVEYS ARE REQUIRED IN ORDER FOR THE DEPARTMENT TO CONDUCT CULTURAL AND BIOLOGICAL RESOURCE SURVEYS FOR THE PROPOSED SITE.

PRIOR TO ANY WASTE MATERIALS BEING REMOVED FROM THE CONSTRUCTION SITE THE REQUIRED ENVIRONMENTAL RESOURCE SURVEYS WILL NEED TO BE OBTAINED AND FILED BY THE CONTRACTOR. EXCESS WASTE PRODUCTS REMOVED FROM THE CONSTRUCTION SITE SHALL BE DISPOSED OF AS REQUIRED IN SECTION 202.03 OF THE STANDARD SPECIFICATIONS.

ANY PROTRUDING METAL BARS SHALL BE REMOVED PRIOR TO THE DISPOSAL OF BROKEN CONCRETE AT APPROVED DISPOSAL SITES.

THE REQUIRED ENVIRONMENTAL RESOURCE DOCUMENTATION SHALL INCLUDE THE FOLLOWING:

- BDE FORM 2289 (ENVIRONMENTAL SURVEY REQUEST)
- A LOCATION MAP SHOWING THE SIZE LIMITS AND LOCATION OF THE USE AREA
- SIGNED PROPERTY OWNER AGREEMENT FORM -D4 PI0100
- COLOR PHOTOGRAPHS DEPICTING THE USE AREA
- BORROW AREA ENTRY AGREEMENT FORM -D4 PI0101

PLEASE NOTE THAT A MINIMUM OF TWO WEEKS SHALL BE ALLOWED FOR THE DISTRICT TO OBTAIN THE REQUIRED ENVIRONMENTAL

SOIL REPORT AVAILABILITY

ALL SOILS DATA COLLECTED AND PROCESSED FOR THE SOILS REPORT MADE IN CONJUNCTION WITH THE DESIGN OF THIS IMPROVEMENT IS ON FILE AT THE CITY OF MACOMB WHERE IT IS AVAILABLE FOR INSPECTION BY CONTRACTORS OR PROSPECTIVE BIDDERS. BY SUBMITTING A BID, THE CONTRACTOR ACKNOWLEDGES THAT THE SOILS REPORT HAS BEEN MADE AVAILABLE AND IS AWARE OF THE REPORT CONTENTS AND APPENDICES.

LEGEND

Military Statement Statement Statement	PROPERTY LINE	⊗ ^{G∨}	GAS VALVE
	EXISTING RIGHT OF WAY	PED	UTILITY PEDESTAL
	PROPOSED RIGHT OF WAY	ф	LIGHT POLE
	PROPOSED TEMP CONSTR. EASEMENT	∳ - →	POWER POLE AND GUY WIRE
. 0	FOUND IRON MARKER	(a)	EXISTING MANHOLE
\bigcirc	TREE LINE	6	BUSH
	EDGE OF FIELD .	Elens.	EMETING TORE WITH OUT
	EDGE OF ROAD	Edwy.	EXISTING TREE WITH SIZE
***************************************	CONCRETE CURB	** 12"	EXISTING PINE TREE W/ SIZE
the case arrest about the owners were desired	EDGE OF GRAVEL	 A	EXISTING FIRE HYDRANT
	EXISTING WATER MAIN	⊗ ^{W∨}	
	EXISTING SANITARY SEWER	•	EXISTING WATER VALVE
	EXISTING STORM SEWER	Д	EXISTING DOMESTIC WATER METER VAULT
	PROPOSED STORM SEWER	*ਹੈ	EXISTING DOMESTIC WATER SERVICE BOX
	PROPOSED WATER MAIN	⊜ ^{INL} (OR) ⊞	EXISTING STORM INLET

(

TOP

EΡ

SATELLITE DISH

INVERT ELEVATION

TOP OF MANHOLE ELEVATION

EDGE OF PAVEMENT ELEVATION

RATE OF APPLICATION TABLE			
AGGREGATE (SURFACE, BASE OR BACKFILL)	2.05 TONS/CU YD		
STONE RIPRAP	1.75 TONS/CU YD		
SEEDING AREAS NITROGEN FERTILIZER NUTRIENT PHOSPHORUS FERTILIZER NUTRIENT POTASSIUM FERTILIZER NUTRIENT MULCH	90 LBS/ACRE 90 LBS/ACRE 90 LBS/ACRE 2 TONS/ACRE		

LIST OF BENCH MARKS

BM #1 - CAP BOLT IN WORD "MUELLER" ON FIRE HYDRANT NE CORNER OF WARD AND GRANT ELEVATION 677.54

INL-23 ■ OR ● PROPOSED STORM INLET W/ DESIGNATION

PROPOSED STORM MANHOLE W/ DESIGNATION

RELOCATED DOMESTIC SERVICE BOX AND METER

PROPOSED STORM PIPE DESIGNATION

PROPOSED GATE VALVE WITH VALVE BOX

RELOCATED FIRE HYDRANT

MH-N

STM-7

BM #2 - PK NAIL IN W FACE OF LIGHT POLE WEST SIDE OF WARD, 800'± NORTH OF GRANT ST ELEVATION 676.59

BM #3 - CAP BOLT IN WORD "MUELLER" ON FIRE HYDRANT NE CORNER OF WARD, AND McDONOUGH ELEVATION 690.05

BM #4 - CAP BOLT IN WORD "MUELLER" ON FIRE HYDRANT AT NE CORNER OF WARD AND CHASE ELEVATION 690.71

BM #5 - CAP BOLT IN WORD "MUELLER" ON FIRE HYDRANT AT NE CORNER OF WARD AND BARSI ELEVATION 694 29

BM #6 - CAP BOLT IN WORD "MUELLER" ON FIRE HYDRANT AT SE CORNER OF PIPER AND WARD ELEVATION 696.96 (TO BE RELOCATED)

LIST OF UTILITIES

J.U.L.I.E.	1-800-892-0123
WATER	CITY OF MACOMB
SANITARY SEWER	CITY OF MACOMB
STORM SEWER -	CITY OF MACOMB
TELEPHONE -	VERIZON
GAS	AMEREN CIPS
ELECTRIC -	AMEREN CIPS
CABLE TELEVISION	COMCAST

SEC. 06-00139-00-PV F.A.U. 6919 CONTRACT No. 89469 SHT 2 OF 59

CITY OF MACOMB-WARD STREET

PROJ. M05040 (009)

SHEET NO of 59

Care 5

PROVEMENTS AND BENCH ACOMB REET IMPI

ES. 20 WA GENERAL