




Note: Load carrying components designated "NTR" shall conform to the Supplemental Requirements for Notch Toughness, Zone 2.

All plates of the girders, including bearing stiffeners, shall be AASHTO M270 Grade 50W.

For additional structural steel details see sheets 24 thru 26.



| |
|-------------------|
| DESIGNED - M.D.C. |
| CHECKED - S.M.S. |
| DRAWN - D.A.B. |
| CHECKED - M.G.B. |

HAMPTON, LENZINI & RENWICK, INC.
 CIVIL & STRUCTURAL ENGINEERS
 LAND SURVEYORS

HLR 3085 STEVENSON DRIVE, SUITE 201
 SPRINGFIELD, ILLINOIS 62703
 (217) 548-3400

PROJECT NUMBER: 12-75-0001-1 DATE: 12/22/08

| T.R. | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. |
|------------------------|----------------|---------------------------|--------------|-----------|
| 154 | 03-06130-00-BR | PIATT | 57 | 23 |
| SANGAMON ROAD DISTRICT | | CONTRACT NO. 91385 | | |
| FED. ROAD DIST. NO. | | ILLINOIS FED. AID PROJECT | | |

FRAMING PLAN
STRUCTURE NO. 074-3296