

DUPAGE AIRPORT AUTHORITY WEST CHICAGO, ILLINOIS

CONSTRUCTION PLANS FOR DUPAGE AIRPORT

CONSTRUCT SOUTH FLIGHT CENTER APRON PHASE 4

A.I.P. PROJECT: 3-17-0017-B18
ILLINOIS PROJECT: DPA-3391

FEBRUARY 27, 2009

DUPAGE AIRPORT

TOWNSHIP: 40 NORTH WAYNE TOWNSHIP
RANGE: 9 EAST (SECTIONS: 31)
DUPAGE COUNTY

SOUTH FLIGHT CENTER APRON
DESIGN AIRCRAFT APPROACH CATEGORY D
DESIGN AIRCRAFT GROUP III

**CALL J.U.L.I.E
BEFORE EXCAVATING
1-800-892-0123**

CMT 04257-04
CRAWFORD, MURPHY & TILLY, INC.
CONSULTING ENGINEERS
600 N. COMMONS DRIVE
SUITE 107
AURORA, IL 60504
PHONE (630) 820-1022
FAX (630) 820-0350

EXPI. 4/30/09
JEREMY R. LINKE
062-089169
P.E. 03/02/09
STATE OF ILLINOIS


SUBMITTED BY _____
DATE _____

JEREMY R. LINKE, P.E.
1-22-09


DPA
DuPage Airport
2700 INTERNATIONAL DRIVE
SUITE 200
WEST CHICAGO, IL 60185

APPROVED BY David Bird
DAVID BIRD - EXECUTIVE DIRECTOR

DATE 1-21-09



LOCATION MAP




SITE PLAN

INDEX TO SHEETS

- 1 COVER SHEET
- 2 SUMMARY OF QUANTITIES / GAS PIPELINE PROTECTION DETAIL
- 3 SITE PLAN / HORIZONTAL AND VERTICAL CONTROL
- 4 GENERAL NOTES / SEQUENCE OF CONSTRUCTION PER AC 150/5370-2E
- 5 STORM WATER POLLUTION PREVENTION PLAN
- 6 STORM WATER POLLUTION PREVENTION PLAN NOTES
- 7 STORM WATER POLLUTION PREVENTION PLAN DETAILS
- 8 TYPICAL SECTIONS
- 9 EXISTING CONDITIONS / PROPOSED REMOVALS - SHEET 1
- 10 EXISTING CONDITIONS / PROPOSED REMOVALS - SHEET 2
- 11 PAVEMENT JOINTING PLAN
- 12 GRADING PLAN - SHEET 1
- 13 GRADING PLAN - SHEET 2
- 14 LIGHTING / PAVEMENT MARKING / FENCING / DRAINAGE PLAN - SHEET 1
- 15 LIGHTING / PAVEMENT MARKING / FENCING / DRAINAGE PLAN - SHEET 2
- 16 STORM SEWER PROFILES - SHEET 1
- 17 STORM SEWER PROFILES - SHEET 2
- 18 STORM SEWER DETAILS
- 19 PAVEMENT JOINTING DETAILS
- 20 ELECTRICAL DETAILS - SHEET 1
- 21 ELECTRICAL DETAILS - SHEET 2
- 22 FENCING DETAILS
- 23 INDEX TO CROSS SECTIONS
- 24 CROSS SECTIONS - APRON - SHEET 1
- 25 CROSS SECTIONS - APRON - SHEET 2
- 26 CROSS SECTIONS - APRON - SHEET 3
- 27 CROSS SECTIONS - APRON - SHEET 4
- 28 CROSS SECTIONS - APRON - SHEET 5
- 29 CROSS SECTIONS - DITCH
- 30 ENGINEERING INFO - SHEET 1
- 31 ENGINEERING INFO - SHEET 2

ITEM NUMBER	DESCRIPTION	UNIT	TOTAL ESTIMATED QUANTITY	RECORD QUANTITY
BASE BID				
AR108158	1/C #8 5 KV UG CABLE IN UD	LF	2,900	
AR109210	VAULT MODIFICATIONS	LS	1	
AR110504	4-WAY CONCRETE ENCASED DUCT	LF	350	
AR125100	ELEVATED RETROREFLECTIVE MARKER	EACH	12	
AR125415	MTL - BASE MOUNTED	EACH	36	
AR125444	TAXI GUIDANCE SIGN, 4 CHARACTER	EACH	2	
AR125445	TAXI GUIDANCE SIGN, 5 CHARACTER	EACH	1	
AR125902	REMOVE BASE MOUNTED LIGHT	EACH	5	
AR150510	ENGINEER'S FIELD OFFICE	LS	1	
AR150520	MOBILIZATION	LS	1	
AR152410	UNCLASSIFIED EXCAVATION	CY	81,972	
AR155712	LIME-MODIFIED SUBGRADE - 12"	SY	29,950	
AR156510	SILT FENCE	LF	5,325	
AR156512	BALES	EACH	258	
AR162508	CLASS E FENCE 8'	LF	710	
AR162900	REMOVE CLASS E FENCE	LF	745	
AR162960	RELOCATE CLASS E FENCE	LF	200	
AR163000	TEMPORARY CONSTRUCTION FENCE	LF	1,650	
AR201610	BITUMINOUS BASE COURSE	TON	6,750	
AR201630	BITUMINOUS BASE TEST SECTION	EACH	1	
AR208515	POROUS GRANULAR EMBANKMENT	CY	1,230	
AR209604	CRUSHED AGG. BASE COURSE - 4"	SY	28,250	
AR209612	CRUSHED AGG. BASE COURSE - 12"	SY	540	
AR401610	BITUMINOUS SURFACE COURSE	TON	50	
AR401900	REMOVE BITUMINOUS PAVEMENT	SY	930	
AR501512	12" PCC PAVEMENT	SY	27,075	
AR501530	PCC TEST BATCH	EACH	1	
AR602510	BITUMINOUS PRIME COAT	GAL	8,900	
AR603510	BITUMINOUS TACK COAT	GAL	4,450	
AR620520	PAVEMENT MARKING - WATERBORNE	SF	1,090	
AR620525	PAVEMENT MARKING - BLACK BORDER	SF	1,070	
AR701512	12" RCP, CLASS IV	LF	200	
AR701524	24" RCP, CLASS IV	LF	620	
AR701530	30" RCP, CLASS IV	LF	120	
AR701542	42" RCP, CLASS IV	LF	376	
AR701554	54" RCP, CLASS IV	LF	480	
AR701560	60" RCP, CLASS IV	LF	445	
AR701900	REMOVE PIPE	LF	45	
AR705526	6" PERFORATED UNDERDRAIN W/ SOCK	LF	2,950	
AR751411	INLET - TYPE A	EACH	2	
AR751550	MANHOLE 5'	EACH	6	
AR751560	MANHOLE 6'	EACH	3	
AR751567	MANHOLE 7'	EACH	3	
AR751570	MANHOLE-SPECIAL	EACH	2	
AR751983	RECONSTRUCT MANHOLE	EACH	2	
AR752412	PRECAST REINFORCED CONC. FES 12"	EACH	1	
AR752512	GRATING FOR CONC. FES 12"	EACH	1	
AR800053	SOIL GUARD	SY	6,000	
AR800150	GAS PIPELINE PROTECTION	SY	160	
AR901510	SEEDING	ACRE	19.4	
AR908510	MULCHING	ACRE	18.0	
ADD. ALT. NO.1				
AS125100	ELEVATED RETROREFLECTIVE MARKER	EACH	4	
AS155712	LIME-MODIFIED SUBGRADE - 12"	SY	6,830	
AS201610	BITUMINOUS BASE COURSE	TON	1,560	
AS209604	CRUSHED AGG. BASE COURSE - 4"	SY	6,570	
AS501512	12" PCC PAVEMENT	SY	6,340	
AS705526	6" PERFORATED UNDERDRAIN W/ SOCK	LF	315	



NOTES


1. CONTRACTOR WILL COMPLETE GAS PIPELINE PROTECTION ITEM AT THE START OF THE PROJECT.

GENERAL NOTES FOR WORK WITHIN NATURAL GAS PIPELINE OF AMERICA (NGPL)

- ANY EXCAVATION OR EARTHMOVING ACTIVITY WITHIN NGPL'S PIPELINE EASEMENT SHALL BE MONITORED BY AN NGPL REPRESENTATIVE. A MINIMUM OF FOUR (4) FEET OF COVER SHALL REMAIN ABOVE PIPELINES.
- NOTIFICATION SHALL BE GIVEN TO NGPL'S DISTRICT MANAGER, MR. DEE BENNETT (815-725-1405) AT LEAST 72 HOURS BEFORE CONSTRUCTION ACTIVITIES BEGIN NEAR NGPL'S FACILITIES. A SCHEDULE OF ACTIVITIES FOR THE DURATION OF THE WORK SHALL BE MADE AVAILABLE TO NGPL'S DISTRICT MANAGER AT THAT TIME TO FACILITATE THE SCHEDULING OF NGPL'S WORK SITE REPRESENTATIVE. ANY CONTRACTOR SCHEDULE CHANGES SHALL BE PROVIDED TO MR. BENNETT IMMEDIATELY.
- THE DEPTH OF COVER OVER THE PIPELINES SHALL NOT BE REDUCED NOR WILL DRAINAGE BE ALTERED UNLESS PRIOR APPROVAL IS OBTAINED.
- GAS, WATER, ELECTRIC AND SEWER LINES MAY CROSS PERPENDICULAR TO NGPL'S PIPELINES BUT NOT RUN PARALLEL WITHIN THE RIGHT OF WAY, PROVIDED THAT A MINIMUM OF TWO FEET OF CLEARANCE IS MAINTAINED BETWEEN THESE LINES AND PIPELINES OWNED BY NGPL. A CONSTANT LINE ELEVATION MUST BE MAINTAINED ACROSS NGPL'S ENTIRE RIGHT OF WAY WIDTH.
- ALL ELECTRICAL LINES SHALL BE INSTALLED IN CONDUIT AND PROPERLY INSULATED.
- NO SHRUBS OR TREES SHALL BE PERMITTED ON EASEMENT.
- NO PERMANENT STRUCTURES (I.E., BUILDINGS, FENCES, ETC.) OTHER THAN FACILITIES SHOWN IN THE DRAWINGS SHALL BE BUILT OVER OR UPON NGPL'S EASEMENT.
- HEAVY EQUIPMENT SHALL ONLY BE ALLOWED TO CROSS NGPL'S PIPELINES AT LOCATIONS DESIGNATED BY NGPL.
- CONTRACTOR SHALL COMPLY WITH ALL CODES, REGULATIONS AND REQUIREMENTS PER THE NGPL FOR PROPOSED CONSTRUCTION WITHIN EASEMENT.
- CONTRACTOR SHALL GET EQUIPMENT APPROVED BY AN NGPL REPRESENTATIVE PRIOR TO STARTING WORK WITHIN EASEMENT.

REVISIONS

NUMBER	BY	DATE



DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS
SOUTH FLIGHT CENTER APRON - PHASE 4
SUMMARY OF QUANTITIES/
GAS PIPELINE PROTECTION DETAIL

© Copyright: CMT, Inc.

CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 84-000613



DESIGN BY:	CAL/JRL
DRAWN BY:	JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	2 OF 31 SHEETS

DU071

K:\DupageAp\0425704-Apron_Ph4\Draw\Shee
 FILE: 03_apron-site.dwg
 LAYOUT: Layout1
 UPDATE BY: jlnke
 SURVEY BOOK #
 DATE: Mon 1/19/09 9:04am
 XREF DWG: apronbase.dwg
 tbcint.dwg
 tb.dwg

REVISIONS

NUMBER	BY	DATE


0 1 2
 THIS BAR IS EQUAL TO 2"
 AT FULL SCALE (34X22).

DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4
 SITE PLAN
 HORIZONTAL AND VERTICAL CONTROL

© Copyright CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 184-000613



DESIGN BY: JWD/JRL
 DRAWN BY: JRO
 CHECKED BY: MJS / DKP
 APPROVED BY: MJS
 DATE: 01/30/09
 JOB No: 04257-04-00-00
 A.I.P. PROJECT: 3-17-0017-B18
 ILLINOIS PROJECT: DPA-3391
 SHEET 3 OF 31 SHEETS




LEGEND

- NEW 12" P.C.C. APRON/TAXIWAY
- NEW BITUMINOUS PAVEMENT
- BENCHMARK/CONTROL POINT
- AIRPORT PROPERTY LINE
- FUTURE PAVEMENT

DRAINAGE DITCH CURVE DATA

NO.	RADIUS	STATION/OFFSET	NORTHING	EASTING
1	50'	STA. 19+73.10, 410.81' LT. APRON BASELINE	1907261.17	520005.56
2	50'	STA. 19+49.84, 246.73' LT. APRON BASELINE	1907097.09	519982.29
3	50'	STA. 18+49.86, 19.97' LT. APRON BASELINE	1906870.34	519882.29
4	40'	STA. 17+50.88, 70.04' RT. APRON BASELINE	1906780.34	519783.31



HORIZONTAL CONTROL


NO.	STATION/OFFSET	NORTHING	EASTING	DESCRIPTION
20	STA. 20+00.00 BASELINE APRON	1906850.36	520032.44	EDGE OF APRON
21	STA. 36+09.98 BASELINE APRON	1906850.25	521642.40	POINT OF CURVATURE
22	STA. 36+83.08 BASELINE APRON	1906841.39	521714.79	POINT OF TANGENT
23	STA. 40+11.03 BASELINE APRON	1906762.27	522032.98	INTERSECTION OF APRON CENTERLINE AND TAXIWAY W
CP #3	STA. 18+68.67, 1173.64' LT.	1908024.014	519901.188	P.K. ON CENTERLINE OF RAILROAD
CP #6	STA. 23+54.40, 925.86' LT.	1907776.20	520386.90	BRASS DISC IN APRON
CP #11	STA. 30+74.58, 1074.40' LT.	1907924.689	521107.087	SURVEY MARKER
WC170	1905811.74	519326.03		MAGNETIC MARKER IN SOUTHBOUND LANE OF KAUTZ RD. NEAR OLD HAWTHORNE RD.

VERTICAL CONTROL

NO.	STATION/OFFSET	ELEVATION	DESCRIPTION
CP #11	STA. 30+74.58, 1074.40' LT.	756.02	SURVEY MARKER
WC170		763.99	MAGNETIC MARKER IN SOUTHBOUND LANE OF KAUTZ RD. NEAR OLD HAWTHORNE RD.
CP #3	STA. 18+68.67, 1173.64' LT.	756.55	P.K. ON CENTERLINE OF RAILROAD

HORIZONTAL CURVE DATA

P.I. STA = 36+46.71
 Dc = 19°05'55"
 Dc = 19°11'17"
 J = 36.73
 R = 300
 C = 73.10
 L = 72.92
 M = 2.24
 N = 2.22
 I = 13°34'26"



KEY MAP

GENERAL NOTES

- ALL CONSTRUCTION SEQUENCING AND OPERATIONS SHALL CONFORM TO THE APPLICABLE PROVISIONS OF AC 150/5370-2E OPERATIONAL SAFETY ON AIRPORTS DURING CONSTRUCTION (LATEST EDITION). PAYMENT FOR MAINTENANCE OF TRAFFIC AND TRAFFIC CONTROL INCLUDING, BUT NOT LIMITED TO, TEMPORARY PAVEMENT MARKINGS, TEMPORARY PAVEMENT MARKING REMOVALS, THE MOVING AND MAINTENANCE OF BARRICADES, TEMPORARY SIGNING, TEMPORARY SIGNING REMOVAL, AIR OPERATIONS AREA (A.O.A.) LATHE AND RIBBON, ETC. SHALL NOT BE PAID FOR SEPARATELY, BUT SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT.
- THE CONTRACTOR MUST STAGE CONSTRUCTION AROUND AIRPORT OPERATIONS. STAGING SHOWN IS SUGGESTED AND IS INTENDED TO PROVIDE THE CONTRACTOR WITH MAJOR WORK AREAS WHILE MINIMIZING DISRUPTIONS TO AIRPORT OPERATIONS. THE CONTRACTOR MAY USE ALTERNATE STAGING PLANS; HOWEVER, ALTERNATE STAGING PLANS MUST MAINTAIN AIRPORT OPERATIONS TO THE SATISFACTION OF THE AIRPORT DIRECTOR AND RESIDENT ENGINEER AND BE APPROVED BY THE DIVISION OF AERONAUTICS.
- THE CONTRACTOR SHALL NOTIFY THE RESIDENT ENGINEER TWO (2) WORKING DAYS IN ADVANCE OF ANY STAGING CHANGES, WHICH WILL REQUIRE CHANGES IN AIRCRAFT MOVEMENT. THE RESIDENT ENGINEER SHALL THEN NOTIFY THE AIRPORT, WHO WILL ISSUE APPROPRIATE NOTAMS.
- BARRICADES AT 15-FOOT CENTERS SHALL BE PLACED AT THE LOCATIONS SHOWN OR AS DIRECTED BY THE AIRPORT DIRECTOR IN CONSULTATION WITH THE RESIDENT ENGINEER. BARRICADES SHALL BE WEIGHTED TO PREVENT BLOWING OVER, HAVE A FLASHING RED LIGHT AND CONFORM TO IDOT STANDARD 702001, TYPE II. ROPE WITH HIGH VISIBILITY ORANGE FLAGGING SHALL BE INSTALLED BETWEEN ALL BARRICADES.
- THE AIRPORT DIRECTOR IN CONSULTATION WITH THE RESIDENT ENGINEER, SHALL HAVE FINAL SAY IN THE APPROVAL OF THE CONSTRUCTION OPERATING SEQUENCE AS IT RELATES TO PEDESTRIAN, VEHICULAR AND AIRCRAFT SAFETY.
- THE CONTRACTOR SHALL KEEP ALL TRUCKS, EQUIPMENT AND MATERIALS OFF OF THE EXISTING PAVEMENTS, EXCEPT AS SHOWN OR WITH THE PRIOR APPROVAL OF THE AIRPORT DIRECTOR.
- EXISTING AREAS BEYOND PROJECT LIMITS INCLUDING THE HAUL ROAD(S) AND STAGING AREAS DISTURBED BY THE CONTRACTOR'S OPERATIONS SHALL BE RESTORED BY THE CONTRACTOR TO PRE-CONSTRUCTION CONDITION AT NO ADDITIONAL COST TO THE OWNER AND TO THE SATISFACTION OF THE RESIDENT ENGINEER.
- EACH DAY AT THE COMPLETION OF WORK, OR MORE FREQUENTLY AS DETERMINED BY THE AIRPORT DIRECTOR THE CONTRACTOR SHALL BE REQUIRED TO USE A PICKUP TYPE SWEEPER IN ALL ACTIVE CONSTRUCTION AIRFIELD PAVEMENT AREAS AND AT EXISTING AIRPORT ROADS. THE CONTRACTOR WILL BE REQUIRED TO HAVE A SWEEPER AVAILABLE FOR USE AT ALL TIMES. THE COST OF SWEEPING SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT.
- CONTRACTOR'S EQUIPMENT SHALL BE STORED IN THE EQUIPMENT AND MATERIAL STORAGE AREA WITHIN THE LIMITS OF EACH PHASE AS DESIGNATED BY THE AIRPORT DIRECTOR WHEN CONSTRUCTION IS NOT IN PROGRESS. CONTRACTOR SHALL PLACE EQUIPMENT/MATERIAL STORAGE AND EMPLOYEE PARKING AREA WITHIN THE CONSTRUCTION SITE BOUNDARIES. AT NO TIME WILL THIS AREA BE ON EXISTING PAVEMENTS OR NEWLY CONSTRUCTED PAVEMENT.
- WORK PERFORMED BY THE CONTRACTOR OUTSIDE OF DAYLIGHT HOURS SHALL BE DONE UNDER SUFFICIENT ARTIFICIAL AREA LIGHTING TO ALLOW FOR PROPER CONSTRUCTION METHODS AND INSPECTIONS. LIGHT SHALL CONSIST OF MOVABLE POLE MOUNTED FLOODLIGHTS AND/OR SPOTLIGHTS OF SUFFICIENT NUMBER TO ILLUMINATE THE WORK AREA. VEHICLE HEADLIGHTS WILL BE ALLOWED ONLY IN ADDITION TO OTHER LIGHTS MENTIONED ABOVE. LIGHTING SHALL BE AS APPROVED BY THE ENGINEER AND SHALL NOT BE USED IF THEY AFFECT FLIGHT SAFETY. CONTRACTOR'S WORK HOURS SHALL BE IN ACCORDANCE WITH LOCAL ORDINANCES.
- MATERIALS REMOVED FROM THE PROJECT SHALL BE DISPOSED OF AT AN APPROVED SITE OFF OF THE AIRPORT PROPERTY.
- THE CONTRACTOR WILL BE REQUIRED TO PLACE A LINE OF LATHE AND RIBBON ALONG THE AIR OPERATIONS AREA (A.O.A.) LIMIT, RIGHT OF WAY LIMIT AND ALONG DESIGNATED LIMITS OF CONSTRUCTION AT LOCATIONS AS SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER
- THE CONTRACTOR SHALL CONTACT THE RESIDENT ENGINEER AND THE AIRPORT DIRECTOR A MINIMUM OF FIVE (5) WORKING DAYS IN ADVANCE OF THE START OF CONSTRUCTION SO THAT THE APPROPRIATE NOTAMS MAY BE ISSUED.
- THE CONTRACTOR SHALL PROVIDE WASTE RECEPTACLES THROUGHOUT THE WORK ZONE AND MAINTAIN SANITARY FACILITIES FOR EMPLOYEES TO USE. FACILITIES WITHIN THE HANGARS/AIRPORT BUILDINGS SHALL NOT BE USED.
- THE TALLEST PIECE OF CONSTRUCTION EQUIPMENT IS ANTICIPATED TO BE A STONE DELIVERY DUMP TRUCK, WHICH HAS A MAXIMUM HEIGHT OF TWENTY-FIVE (25) FEET IN A DUMP POSITION.
- ALL EXISTING ROADS USED AS A HAUL ROAD BY THE CONTRACTOR SHALL BE RESTORED TO THEIR PRE-CONSTRUCTION CONDITION OR TO THE SATISFACTION OF THE RESIDENT ENGINEER AND AIRPORT DIRECTOR THE COST OF MAINTAINING, REPAIRING OR CONSTRUCTING HAUL ROADS SHALL BE INCIDENTAL TO THE CONTRACT.
- WEEKLY JOBSITE MEETINGS SHALL BE HELD TO COORDINATE THE WORK, PARTICULARLY PERTAINING TO ANY ACTIVITIES WHICH MAY IMPACT OR INTERFERE WITH OTHER CONTRACTORS AND AIRPORT OPERATIONS/TENANTS.
- OPEN TRENCHES, EXCAVATIONS AND STOCKPILED MATERIAL AT THE CONSTRUCTION SITE SHALL BE PROMINENTLY MARKED WITH ORANGE FLAGS AND LIGHTED WITH TYPE II BARRICADES HAVING FLASHING RED LIGHT UNITS DURING THE HOURS OF RESTRICTED VISIBILITY AND/OR DARKNESS.
- DURING ADVERSE WEATHER, THE CONTRACTOR SHALL MAKE PROVISIONS FOR ACCESS TO WORK AT NO ADDITIONAL COST TO THE CONTRACT. NO EXTENSION OF CONTRACT TIME WILL BE CONSIDERED FOR DELAYS DUE TO LACK OF ADEQUATE ACCESS TO WORKSITE.
- COORDINATION BY THE CONTRACTOR WITH THE EXISTING UTILITIES SHALL BE COMPLETED BEFORE CONSTRUCTION IS STARTED, SEE SECTION 50-17 OF THE SPECIAL PROVISIONS FOR SPECIFIC REQUIREMENTS.
- THE CONTRACTOR SHALL PLAN AND PERFORM HIS WORK SO AS NOT TO INTERFERE OR HINDER THE PROGRESS, WORK OR HAUL ROAD ACCESS BY OTHER CONTRACTORS. (SEE SPECIAL PROVISIONS SECTION 30-05).
- THE CONTRACTOR SHALL COORDINATE WORK ON ALL CONCURRENT PROJECTS WHICH MAY ARISE. NO CLAIMS FOR ADDITIONAL COMPENSATION FOR ADDITIONAL COORDINATION OR CHANGES IN MAINTENANCE OF TRAFFIC OR WORK CONFLICTS WILL BE CONSIDERED. (SEE SPECIAL PROVISIONS SECTION 30-05).
- CONTRACTOR WILL BE REQUIRED TO PUT AIRPORT FLAGS AND HAVE BEACON (FLASHING YELLOW) LIGHTS ON ALL EQUIPMENT AT ALL TIMES DURING CONSTRUCTION.
- IN THE CASE OF AN EMERGENCY, CONTRACTOR SHALL NOTIFY THE AIRPORT DIRECTOR AND THE ENGINEER IMMEDIATELY.
- THE CONTRACTOR SHALL PLACE TEMPORARY CONSTRUCTION FENCING APPROVED BY THE AIRPORT AND ENGINEER ACROSS ALL UNSECURE FENCE SECTION UNTIL WORK IS COMPLETED. (COST INCIDENTAL TO CONTRACT).
- THE GATE SHALL BE MAINTAINED, CLOSED AND LOCKED AS DIRECTED BY THE DIRECTOR OF OPERATIONS. SHOULD THE CONTRACTOR'S OPERATIONS REQUIRE THE GATE TO REMAIN OPEN TO PROVIDE ACCESS TO HAULING OPERATIONS, A COMPETENT GATE GUARD SHALL BE REQUIRED TO CONTROL ACCESS TO THE AIRFIELD. AN UNSECURED GATE SHALL BE DEFINED AS ANY GATE THAT IS NOT WITHIN THE SIGHT AND PHYSICAL CONTROL OF THE CONTRACTOR'S GUARD. IN THE EVENT THAT THE GATE MAY NOT BE SECURED, THE CONTRACTOR WILL BE CHARGED FOR AIRPORT PERSONNEL TO REMAIN AT THE GATE UNTIL SECURED.
- ANYTIME THE CONTRACTOR IS REQUIRED TO UTILIZE OR CROSS ACTIVE AIRFIELD PAVEMENTS FOR ACCESS TO AND FROM THE WORK ZONE, A FULL TIME CROSSING GUARD IN RADIO CONTACT WITH THE CONTROL TOWER SHALL BE FURNISHED BY THE CONTRACTOR FOR MOVEMENTS OF VEHICLES OR EQUIPMENT TO AND FROM THE WORK ZONE. THE RADIO OPERATOR SHALL BE FAMILIAR WITH AIRPORT GROUND CONTROL PROCEDURES AND DEMONSTRATE KNOWLEDGE OF SAME TO THE AIRPORT AUTHORITY. THE AIRPORT AUTHORITY RESERVES THE RIGHT TO APPROVE THE CROSSING GUARDS. THE CONTRACTOR SHALL PROVIDE THEIR OWN RADIOS. THIS COST SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYMENT OF MUNICIPAL FINES (\$500 PER OCCURRENCE) DUE TO AIRFIELD INCURSIONS BY HIS EMPLOYEES, SUBCONTRACTORS, SUPPLIERS, CONSULTANTS AND/OR AGENTS.
- ANY PAVEMENT DAMAGED BY CONTRACTOR'S OPERATIONS SHALL BE REPAIRED IMMEDIATELY BY HIM TO THE SATISFACTION OF THE RESIDENT ENGINEER AND AIRPORT DIRECTOR AT NO ADDITIONAL COST TO THE OWNER.
- CONSTRUCTION WITHIN THE TAXIWAY AIR OPERATIONS AREA (A.O.A.) WILL REQUIRE THE TAXIWAY TO BE CLOSED. WORK WITHIN THE TAXIWAY W A.O.A. SHALL BE LIMITED TO 15 DAILY CLOSURES. NO OVERNIGHT TAXIWAY CLOSURES SHALL BE PERMITTED. ANY DROPOFF SHALL BE ADEQUATELY LIGHTED, SIGNED AND BARRICADED. NO MATERIAL SHALL BE STOCKPILED WITHIN THE A.O.A. THE CONTRACTOR SHALL NOTIFY THE RESIDENT ENGINEER AND AIRPORT DIRECTOR TWO (2) WORKING DAYS IN ADVANCE OF ANY PLANNED CONSTRUCTION WITHIN THESE LIMITS.
- AT TIMES WHEN THE TAXIWAYS ARE REQUIRED TO BE CLOSED THE CONTRACTOR SHALL PLACE TEMPORARY BARRICADES AS SHOWN. AT THE END OF EACH WORKING DAY THE TAXIWAY SHALL BE REOPENED. THE COST OF REMOVING AND REPLACING BARRICADES IS INCIDENTAL.


CONTRACTOR CROSSING TAXIWAY AND WORK WITHIN AIR OPERATIONS AREA (A.O.A.)

27. ANYTIME THE CONTRACTOR IS REQUIRED TO UTILIZE OR CROSS ACTIVE AIRFIELD PAVEMENTS FOR ACCESS TO AND FROM THE WORK ZONE, A FULL TIME CROSSING GUARD IN RADIO CONTACT WITH THE CONTROL TOWER SHALL BE FURNISHED BY THE CONTRACTOR FOR MOVEMENTS OF VEHICLES OR EQUIPMENT TO AND FROM THE WORK ZONE. THE RADIO OPERATOR SHALL BE FAMILIAR WITH AIRPORT GROUND CONTROL PROCEDURES AND DEMONSTRATE KNOWLEDGE OF SAME TO THE AIRPORT AUTHORITY. THE AIRPORT AUTHORITY RESERVES THE RIGHT TO APPROVE THE CROSSING GUARDS. THE CONTRACTOR SHALL PROVIDE THEIR OWN RADIOS. THIS COST SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYMENT OF MUNICIPAL FINES (\$500 PER OCCURRENCE) DUE TO AIRFIELD INCURSIONS BY HIS EMPLOYEES, SUBCONTRACTORS, SUPPLIERS, CONSULTANTS AND/OR AGENTS.

28. ANY PAVEMENT DAMAGED BY CONTRACTOR'S OPERATIONS SHALL BE REPAIRED IMMEDIATELY BY HIM TO THE SATISFACTION OF THE RESIDENT ENGINEER AND AIRPORT DIRECTOR AT NO ADDITIONAL COST TO THE OWNER.


29. CONSTRUCTION WITHIN THE TAXIWAY AIR OPERATIONS AREA (A.O.A.) WILL REQUIRE THE TAXIWAY TO BE CLOSED. WORK WITHIN THE TAXIWAY W A.O.A. SHALL BE LIMITED TO 15 DAILY CLOSURES. NO OVERNIGHT TAXIWAY CLOSURES SHALL BE PERMITTED. ANY DROPOFF SHALL BE ADEQUATELY LIGHTED, SIGNED AND BARRICADED. NO MATERIAL SHALL BE STOCKPILED WITHIN THE A.O.A. THE CONTRACTOR SHALL NOTIFY THE RESIDENT ENGINEER AND AIRPORT DIRECTOR TWO (2) WORKING DAYS IN ADVANCE OF ANY PLANNED CONSTRUCTION WITHIN THESE LIMITS.

30. AT TIMES WHEN THE TAXIWAYS ARE REQUIRED TO BE CLOSED THE CONTRACTOR SHALL PLACE TEMPORARY BARRICADES AS SHOWN. AT THE END OF EACH WORKING DAY THE TAXIWAY SHALL BE REOPENED. THE COST OF REMOVING AND REPLACING BARRICADES IS INCIDENTAL.



CONSTRUCTION EQUIPMENT AND TRUCK SIGNAL FLAG
NOT TO SCALE

DESIGN AIRCRAFT APPROACH CATEGORY: D
DESIGN AIRCRAFT GROUP: III
CLOSEST POINT ON CONSTRUCTION SITE TO RUNWAY 2L/20R
POINT "A"
LATITUDE: 41°54'04.03" N. (NAD 83)
LONGITUDE: 88°15'09.19" W.
ELEVATION: 753





NOTE
ALL EXISTING TAXIWAY LIGHTING CIRCUITS, BEACON CIRCUIT, FAA CABLES, VAULT EQUIPMENT AND OTHER AIRPORT ELECTRICAL CABLES SHALL REMAIN IN SERVICE UNTIL REPLACED AS DIRECTED BY THE ENGINEER. ALL NECESSARY TEMPORARY CABLING, JUMPERS AND SPLICING SHALL BE CONSIDERED INCIDENTAL TO CONTRACT.

CONTRACTOR SHALL PLAN AND PERFORM HIS WORK SO AS NOT TO INTERFERE OR HINDER THE PROGRESS, WORK OR HAUL ROAD ACCESS OF OTHER CONTRACTORS (SEE SPECIAL PROVISIONS SECTION 30-05). THE PRIME CONTRACTOR WILL BE RESPONSIBLE TO COORDINATE CONSTRUCTION ACTIVITIES AND ACCESS BETWEEN ALL ON-SITE CONTRACTORS/SUBCONTRACTORS. IT IS ANTICIPATED THE FOLLOWING PROJECTS MAY BE UNDER CONSTRUCTION CONCURRENTLY WITH THIS PROJECT:

- HANGAR CONSTRUCTION
- AIRFIELD SIGNAGE UPDATES

SEQUENCE NOTES

- WORK WITHIN THE TAXIWAY A.O.A. SHALL BE LIMITED TO 15 DAILY CLOSURES.
- THE CONTRACTOR SHALL NOT REMOVE THE EXISTING FENCE UNTIL THE NEW FENCE IS CONSTRUCTED. IN LIEU OF THE NEW FENCE, AT THE CONTRACTOR'S COST, TEMPORARY 6' CHAIN LINK FENCE WITH POSTS DRIVEN EVERY 10' (MAX.) MAY BE INSTALLED TO SECURE THE AIRFIELD.



DU071
K:\dupage\0425704-Apron_Ph4\Draw\Sheets\FILE: D4_apron-seq.dwg
LAYOUT: Layout1
UPDATE BY: jilinke
SURVEY BOOK #
DATE: Mon 2/23/09 7:53pm
XREF DWG: tbcint.dwg
apronbase.dwg
tb.dwg

REVISIONS

NUMBER	BY	DATE

0 1 2
THIS BAR IS EQUAL TO 2" AT FULL SCALE (34X22).



DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS
SOUTH FLIGHT CENTER APRON - PHASE 4
GENERAL NOTES / SEQUENCE OF CONSTRUCTION PER AC 150/5370-2E

© Copyright CMT, Inc.
CMT
CRAWFORD, MURPHY & TILLY, INC.
CONSULTING ENGINEERS
License No. 184-000613

DESIGN BY: JWD/JRL
DRAWN BY: JRO
CHECKED BY: MJS / DKP
APPROVED BY: MJS
DATE: 01/30/09
JOB No: 04257-04-00-00
A.I.P. PROJECT: 3-17-0017-B18
ILLINOIS PROJECT: DPA-3391
SHEET 4 OF 31 SHEETS

NOTES FOR EROSION CONTROL

- BALES SHALL BE PLACED AROUND ALL STORM SEWER INLETS AS DETAILED ON THE PLANS TO MINIMIZE SOIL INTRUSION INTO THE STORM SEWER SYSTEM. (SEE DETAIL)
- THE CONTRACTOR SHALL BE REQUIRED TO COMPLY WITH THE REQUIREMENTS OF THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) STORM WATER PERMIT FOR CONSTRUCTION SITE ACTIVITIES.
- ALL PROJECT AREAS, INCLUDING STOCKPILES, ABANDONED HAUL ROADS AND STAGING AREAS, AS SHOWN ON THE PLANS, SHALL HAVE 4 INCHES OF TOPSOIL PLACED AND BE SEEDED AND SOIL GUARDED IN ACCORDANCE WITH THE SPECIFICATIONS. AREAS DISTURBED OUTSIDE THE PROJECT LIMITS WILL BE SEEDED AND SOIL GUARDED BY THE CONTRACTOR AT HIS COST AND RESTORED TO ORIGINAL CONDITIONS.
- FOR DETAILS, SEE STORMWATER POLLUTION PREVENTION NOTES AND DETAILS SHEET.
- FOR EXACT LOCATIONS OF INLETS, SEE EXISTING CONDITIONS/PROPOSED REMOVALS SHEET AND GRADING AND DRAINAGE PLAN.
- SEDIMENT AND EROSION CONTROL MEASURES SHALL BE INSPECTED ON A WEEKLY BASIS AND AFTER EACH 1/2" RAIN EVENT.
- THE CONTRACTOR SHALL HAVE A COPY OF THE APPROVED EROSION AND SEDIMENT CONTROL PLAN ON THE SITE AT ALL TIMES.
- DURING DEWATERING OPERATION, WATER SHALL BE PUMPED INTO SEDIMENT BASINS OR SILT TRAPS.
- FOR ADDITIONAL INFORMATION ON LANDSCAPING LIMITS SEE GRADING PLAN.
- ANY FIELD/DRAIN TILES THAT ARE DAMAGED IN ANY WAY SHALL BE IMMEDIATELY REPAIRED ACCORDING TO THE PLANS/SPECIFICATIONS AND SHALL BE PROTECTED FROM SEDIMENT-LADEN WATER.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLATION OF ANY ADDITIONAL EROSION CONTROL MEASURES NECESSARY TO PREVENT EROSION AND SEDIMENTATION AROUND STOCKPILES, STORAGE AREAS AND ANY OTHER AREAS PER THE CITY OF WEST CHICAGO OR ENGINEER.
- DURING DEWATERING OPERATION, WATER SHALL BE PUMPED INTO SEDIMENT BASINS OR SILT TRAPS.
- IF ONLY THE BASE BID IS AWARDED, THE ADDITIVE ALTERNATE APRON AREA WILL BE SEEDED AND MULCHED.




LEGEND

- NEW LIMITS OF SEEDING AND MULCHING
- NEW LIMITS OF SEEDING AND SOIL GUARD
- NEW SILT FENCE
- NEW BALE INLET PROTECTION
- NEW BALE DITCH CHECK
- EXISTING FENCE
- NEW FENCE
- LIMITS OF GRADING

DU071
 K:\Dupage\0425704-Apron_PhA\Draw\Sheets\FILE: 05_apron-stormplan.dwg
 LAYOUT: Layout1
 UPDATE BY: jfinke
 SURVEY BOOK #
 DATE: Mon 1/19/09 9:12am
 XREF DWG: apronbase.dwg
 tbcont.dwg
 tb.dwg

REVISIONS		
NUMBER	BY	DATE



**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4
 STORM WATER POLLUTION
 PREVENTION PLAN**

© Copyright CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 184-000513



DESIGN BY:	JWD/JRL
DRAWN BY:	JWD/JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	5 OF 31 SHEETS

STORM WATER POLLUTION PREVENTION PLAN

DU071

K:\Duppap\0425704-Apron_PhA\Draw\Sheets\FILE: 06_apron--stormnotes.dwg
 LAYOUT: Layout1
 UPDATE BY: jjinke
 SURVEY BOOK #
 DATE: Mon 1/19/09 9:12am
 XREF DWG: tbcint.dwg
 tb.dwg

THE FOLLOWING PLAN IS ESTABLISHED AND INCORPORATED IN THE PROJECT TO DIRECT THE CONTRACTOR IN THE PLACEMENT OF TEMPORARY EROSION CONTROL SYSTEMS AND TO PROVIDE A STORM WATER POLLUTION PREVENTION PLAN FOR COMPLIANCE WITH NPDES.

THE PURPOSE OF THIS PLAN IS TO MINIMIZE EROSION WITHIN THE CONSTRUCTION SITE AND TO LIMIT SEDIMENTS FROM LEAVING THE SITE BY UTILIZING PROPER TEMPORARY EROSION CONTROL SYSTEMS AND PROVIDING GROUND COVER WITHIN A REASONABLE AMOUNT OF TIME.

CERTAIN EROSION CONTROL FACILITIES SHALL BE INSTALLED BY THE CONTRACTOR AT THE BEGINNING OF CONSTRUCTION. OTHER ITEMS SHALL BE INSTALLED BY THE CONTRACTOR AS DIRECTED BY THE ENGINEER ON A CASE BY CASE SITUATION DEPENDING ON THE CONTRACTOR'S SEQUENCE OF ACTIVITIES, TIME OF YEAR, AND EXPECTED WEATHER CONDITIONS.

THE CONTRACTOR SHALL INSTALL PERMANENT EROSION CONTROL SYSTEMS AND SEEDING WITHIN A TIMEFRAME SPECIFIED HEREIN AND AS DIRECTED BY THE ENGINEER, THEREFORE MINIMIZING THE AMOUNT OF AREA SUSCEPTIBLE TO EROSION AND REDUCING THE AMOUNT OF TEMPORARY SEEDING, WHICH WILL BE THE CONTRACTOR'S COST. THE ENGINEER WILL DETERMINE IF ANY TEMPORARY EROSION CONTROL SYSTEMS SHOWN IN THE PLAN CAN BE DELETED AND IF ANY ADDITIONAL TEMPORARY EROSION CONTROL SYSTEMS, WHICH ARE NOT INCLUDED IN THIS PLAN, SHALL BE ADDED. THE CONTRACTOR SHALL PERFORM ALL WORK AS DIRECTED BY THE ENGINEER AND AS SHOWN ON THE PLANS.

SITE DESCRIPTION

THE FOLLOWING IS A DESCRIPTION OF THE CONSTRUCTION ACTIVITY WHICH IS THE SUBJECT OF THIS PLAN:

THIS PROJECT CONSISTS OF CONSTRUCTING A NEW APRON AT THE DUPAGE AIRPORT. THE PROJECT INCLUDES EXCAVATION, EMBANKMENT, DRAINAGE, VARIOUS PAVEMENT ITEMS, FENCING, ELECTRICAL IMPROVEMENTS AND OTHER MISCELLANEOUS CONSTRUCTION WORK.

THE FOLLOWING IS A DESCRIPTION OF THE INTENDED SEQUENCE OF MAJOR ACTIVITIES WHICH WILL DISTURB SOILS FOR MAJOR PORTIONS OF THE CONSTRUCTION SITE, SUCH AS EXCAVATION AND GRADING:

- EXCAVATION AND EMBANKMENT WILL BE COMPLETED WITHIN THE PROJECT LIMITS TO GRADE OUT FOR THE PROPOSED DRAINAGE AND PAVEMENT IMPROVEMENTS.
- UNDERDRAIN INSTALLATION AND MANHOLE ADJUSTMENTS.
- PLACEMENT, MAINTENANCE, REMOVAL AND PROPER CLEAN-UP OF TEMPORARY EROSION CONTROL, SUCH AS PERIMETER SILT FENCE AND INLET PROTECTION.
- PAVEMENT CONSTRUCTION.
- FENCING AND ELECTRICAL IMPROVEMENTS.
- FINAL GRADING AND OTHER MISCELLANEOUS ITEMS.
- PLACEMENT OF PERMANENT EROSION CONTROL, SUCH AS SEEDING AND MULCHING.

AREA OF CONSTRUCTION SITE

THE TOTAL AREA OF THE CONSTRUCTION SITE IS ESTIMATED TO BE 29 ACRES OF WHICH 29 ACRES WILL BE DISTURBED BY EXCAVATION, GRADING AND OTHER ACTIVITIES.

OTHER REPORTS, STUDIES AND PLANS WHICH AID IN THE DEVELOPMENT OF THE STORM WATER POLLUTION PREVENTION PLAN AS REFERENCED DOCUMENTS:

- INFORMATION OF THE SOILS AND TERRAIN WITHIN THE SITE WAS OBTAINED FROM TOPOGRAPHIC SURVEYS AND SOIL BORINGS THAT WERE UTILIZED FOR THE DEVELOPMENT OF THE PROPOSED TEMPORARY EROSION CONTROL SYSTEMS.
- PROJECT PLAN DOCUMENTS, SPECIFICATION AND SPECIAL PROVISIONS, AND PLAN DRAWINGS INDICATING DRAINAGE PATTERNS AND APPROXIMATE SLOPES ANTICIPATED AFTER GRADING ACTIVITIES WERE UTILIZED FOR THE PROPOSED PLACEMENT OF THE TEMPORARY EROSION CONTROL SYSTEMS.

DRAINAGE TRIBUTARIES AND SENSITIVE AREAS RECEIVING RUNOFF FROM THIS CONSTRUCTION SITE:

THE CONSTRUCTION SITE DRAINS INTO THE KRESS CREEK THROUGH A STORM SEWER SYSTEM.

CONTROLS-EROSION CONTROLS AND SEDIMENT CONTROL

DESCRIPTION OF STABILIZATION PRACTICES AT THE BEGINNING OF CONSTRUCTION

- THE DRAWINGS, SPECIFICATIONS AND SPECIAL PROVISIONS WILL ENSURE THAT EXISTING VEGETATION IS PRESERVED WHERE ATTAINABLE AND DISTURBED PORTIONS OF THE SITE WILL BE STABILIZED. STABILIZATION PRACTICES INCLUDE SEEDING AND MULCHING AS DIRECTED BY THE ENGINEER. STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS POSSIBLE IN PORTIONS OF THE SITE WHERE CONSTRUCTION ACTIVITIES HAVE TEMPORARILY OR PERMANENTLY CEASED, BUT IN NO CASE MORE THAN 7 DAYS AFTER THE CONSTRUCTION ACTIVITY IN THAT PORTION OF THE SITE HAS TEMPORARILY OR PERMANENTLY CEASED.

AS SOON AS REASONABLE ACCESS IS AVAILABLE TO ALL LOCATIONS WHERE WATER DRAINS AWAY FROM THE PROJECT, INLET PROTECTION AND PERIMETER SILT FENCE SHALL BE INSTALLED AS CALLED OUT IN THE PLANS OR AS DIRECTED BY THE ENGINEER.

THIS PLAN HAS BEEN PREPARED TO COMPLY WITH THE PROVISIONS OF THE NPDES PERMIT NUMBER 1LR10, ISSUED BY THE ILLINOIS ENVIRONMENTAL PROTECTION AGENCY FOR STORM WATER DISCHARGES FROM CONSTRUCTION SITE ACTIVITIES.

DESCRIPTION OF STABILIZATION PRACTICES DURING CONSTRUCTION:

DURING CONSTRUCTION, AREAS OUTSIDE THE CONSTRUCTION LIMITS AS OUTLINED PREVIOUSLY HEREIN SHALL BE PROTECTED. THE CONTRACTOR SHALL NOT USE THIS AREA FOR STAGING (EXCEPT AS DESCRIBED ON THE PLANS AND DIRECTED BY THE ENGINEER), PARKING OF VEHICLES OR CONSTRUCTION EQUIPMENT, STORAGE OF MATERIALS, OR OTHER CONSTRUCTION RELATED ACTIVITIES.

- WITHIN THE CONSTRUCTION LIMITS, AREAS WHICH MAY BE SUSCEPTIBLE TO EROSION AS DETERMINED BY THE ENGINEER SHALL REMAIN UNDISTURBED UNTIL FULL SCALE CONSTRUCTION IS UNDERWAY TO PREVENT UNNECESSARY SOIL EROSION.
- EARTH STOCKPILES SHALL BE TEMPORARILY SEEDED, AT THE CONTRACTORS EXPENSE, IF THEY ARE TO REMAIN UNUSED FOR MORE THAN THREE DAYS. STOCKPILES SHALL NOT BE LOCATED IN SPECIAL MANAGEMENT AREAS.
- AS CONSTRUCTION PROCEEDS, THE CONTRACTOR SHALL INSTITUTE THE FOLLOWING AS DIRECTED BY THE ENGINEER:
 - PLACE TEMPORARY EROSION CONTROL FACILITIES AT LOCATIONS SHOWN ON THE PLANS.
 - CONSTRUCT DITCHES AND PROVIDE TEMPORARY EROSION CONTROL SYSTEMS.
 - BUILD NECESSARY EMBANKMENT AT CULVERT/STORM SEWER LOCATIONS AND THEN EXCAVATE AND PLACE PIPE.
 - EXCAVATED AREAS AND EMBANKMENT AREAS SHALL BE PERMANENTLY SEEDED IMMEDIATELY AFTER FINAL GRADING. IF NOT, THEY SHALL BE TEMPORARILY SEEDED, AT THE CONTRACTOR'S COST, IF NO CONSTRUCTION ACTIVITY IN THE AREA IS PLANNED FOR SEVEN DAYS.
 - ANY WATER PUMPED OR OTHERWISE DISCHARGED FROM THE SITE DURING CONSTRUCTION SHALL BE FILTERED.

- CONSTRUCTION EQUIPMENT SHALL BE STORED AND FUELED ONLY AT DESIGNATED LOCATIONS. ALL NECESSARY MEASURES SHALL BE TAKEN TO CONTAIN ANY FUEL OR POLLUTANT IN ACCORDANCE WITH EPA WATER QUALITY REGULATIONS. LEAKING EQUIPMENT OR SUPPLIES SHALL BE IMMEDIATELY REPAIRED OR REMOVED FROM THE SITE.
- THE RESIDENT ENGINEER SHALL INSPECT THE PROJECT DAILY DURING CONSTRUCTION ACTIVITIES. INSPECTION SHALL ALSO BE DONE WEEKLY AND AFTER RAINS OF 1/2 INCH OR GREATER OR EQUIVALENT SNOWFALL AND DURING WINTER SHUTDOWN PERIOD.
- SEDIMENT COLLECTED DURING CONSTRUCTION OF THE VARIOUS TEMPORARY EROSION CONTROL SYSTEMS SHALL BE DISPOSED OF ON SITE ON A REGULAR BASIS AS DIRECTED BY THE ENGINEER. THE COST OF THIS MAINTENANCE SHALL BE INCLUDED IN THE UNIT BID PRICE FOR UNCLASSIFIED EXCAVATION AND EROSION CONTROL ITEMS.
- THE TEMPORARY EROSION CONTROL SYSTEMS SHALL BE REMOVED AS DIRECTED BY THE ENGINEER AFTER USE IS NO LONGER NEEDED OR NO LONGER FUNCTIONING. THE COST OF THIS REMOVAL SHALL BE INCLUDED IN THE UNIT BID PRICE FOR VARIOUS TEMPORARY EROSION CONTROL PAY ITEMS.

DESCRIPTION OF STRUCTURAL PRACTICES AFTER FINAL GRADING:

TEMPORARY EROSION CONTROL SYSTEMS SHALL BE LEFT IN PLACE WITH PROPER MAINTENANCE UNTIL PERMANENT EROSION CONTROL IS IN PLACE AND WORKING PROPERLY AND ALL PROPOSED TURF AREAS ARE SEEDED AND ESTABLISHED.

ONCE PERMANENT EROSION CONTROL SYSTEMS AS PROPOSED IN THE PLANS ARE FUNCTIONAL AND ESTABLISHED, TEMPORARY ITEMS SHALL BE REMOVED, CLEANED UP, AND DISTURBED TURF RESEEDED.

MAINTENANCE AFTER CONSTRUCTION

CONSTRUCTION IS COMPLETE AFTER FINAL ACCEPTANCE BY THE ILLINOIS DIVISION OF AERONAUTICS. MAINTENANCE UP TO THIS DATE WILL BE REQUIRED BY THE CONTRACTOR.

CONTRACTORS

- THE STORM WATER POLLUTION PREVENTION PLAN MUST CLEARLY IDENTIFY FOR EACH MEASURE IDENTIFIED IN THE PLAN, THE CONTRACTOR(S) OR SUBCONTRACTOR(S) THAT WILL IMPLEMENT THE MEASURE. ALL CONTRACTORS AND SUBCONTRACTORS IDENTIFIED IN THE PLAN MUST SIGN A COPY OF THE CERTIFICATION STATEMENT IN PARAGRAPH 2 BELOW IN ACCORDANCE WITH PART VI.G (SIGNATORY REQUIREMENTS) OF THIS PERMIT. ALL CERTIFICATIONS MUST BE INCLUDED IN THE STORM WATER POLLUTION PREVENTION PLAN EXCEPT FOR OWNERS THAT ARE ACTING AS CONTRACTOR.
- CERTIFICATION STATEMENT. ALL CONTRACTORS AND SUBCONTRACTORS IDENTIFIED IN A STORM WATER POLLUTION PREVENTION PLAN IN ACCORDANCE WITH PARAGRAPH 1 ABOVE SHALL SIGN A COPY OF THE FOLLOWING CERTIFICATION STATEMENT BEFORE CONDUCTING ANY PROFESSIONAL SERVICE AT THE SITE IDENTIFIED IN THE STORM WATER POLLUTION PREVENTION PLAN:

"I CERTIFY UNDER PENALTY OF LAW THAT I UNDERSTAND THE TERMS AND CONDITIONS OF THE GENERAL NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT (1LR10) THAT AUTHORIZES THE STORM WATER DISCHARGES ASSOCIATED WITH INDUSTRIAL ACTIVITY FROM THE CONSTRUCTION SITE IDENTIFIED AS PART OF THIS CERTIFICATION."

THE CERTIFICATION MUST INCLUDE THE NAME AND TITLE OF THE PERSON PROVIDING THE SIGNATURE IN ACCORDANCE WITH PART VI.G OF THIS PERMIT: THE NAME, ADDRESS AND TELEPHONE NUMBER OF THE CONTRACTING FIRM; THE ADDRESS (OR OTHER IDENTIFYING DESCRIPTION) OF THE SITE; AND THE DATE THE CERTIFICATION IS MADE.

CONTRACTOR CERTIFICATION

"I CERTIFY UNDER PENALTY OF LAW THAT I UNDERSTAND THE TERMS AND CONDITIONS OF THE GENERAL NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT (1LR10) THAT AUTHORIZES THE STORM WATER DISCHARGES ASSOCIATED WITH INDUSTRIAL ACTIVITY FROM THE CONSTRUCTION SITE IDENTIFIED AS PART OF THIS CERTIFICATION."

GENERAL CONTRACTOR

SIGNATURE _____ TITLE _____ DATE _____

COMPANY _____



NOTICE OF INTENT (NOI) GENERAL PERMIT TO DISCHARGE STORM SEWER CONSTRUCTION SITE ACTIVITIES

IMPORTANT: FORM MUST BE TYPED TO ENABLE AUTOMATED OPTICAL PROCESSING.
SUBMIT ORIGINAL - DO NOT SUBMIT PHOTOCOPIES

OWNER INFORMATION		OWNER TYPE (SELECT ONE AND TYPE "X")	
NAME: LAST FIRST MI. (SEE INSTRUCTIONS)	DUPAGE AIRPORT AUTHORITY	<input type="checkbox"/> PRIVATE	<input type="checkbox"/> COUNTY
Mailing Address:	2700 INTERNATIONAL DRIVE, SUITE 200	<input type="checkbox"/> CITY	<input checked="" type="checkbox"/> SPECIAL DISTRICT
CITY:	WEST CHICAGO	ST. IL	ZIP: 60185
CONTACT PERSON:	BYRON MILLER	TELEPHONE NUMBER:	AREA CODE NUMBER 630 208-6172

CONTRACTOR INFORMATION		TELEPHONE NUMBER:	AREA CODE	NUMBER
NAME: LAST FIRST MI. (SEE INSTRUCTIONS)				
Mailing Address:		CITY	ST.	ZIP:

CONSTRUCTION SITE INFORMATION		USE OF NPDES PERMIT NUMBER (If Applicable)	
<input type="checkbox"/> SELECT OWNER AND TYPE "X"	<input checked="" type="checkbox"/> EXISTING SITE	<input type="checkbox"/> NEW SITE	<input type="checkbox"/> CHANGE OF INFORMATION
FACILITY NAME:	DUPAGE AIRPORT	TELEPHONE NUMBER:	AREA CODE NUMBER 630 208-6172
Mailing Address:	2700 INTERNATIONAL DRIVE, SUITE 200	CITY:	WEST CHICAGO
CITY:	WEST CHICAGO	ST. IL	ZIP: 60185
COUNTY:	DUPAGE	SECTION: 29 31 & 32	TOWNSHIP: 40 NORTH
STATE CONSTRUCTION DATE:	MM/DD/YY	PERMIT CONSTRUCTION DATE:	MM/DD/YY
TOTAL SIZE OF CONSTRUCTION SITE IN ACRES:		RANGE: 9 EAST	

TYPE OF CONSTRUCTION	
<input type="checkbox"/> RESIDENTIAL	<input type="checkbox"/> COMMERCIAL
<input type="checkbox"/> INDUSTRIAL	<input type="checkbox"/> RECONSTRUCTION
<input checked="" type="checkbox"/> TRANSPORTATION	<input type="checkbox"/> OTHER

RECEIVING WATER INFORMATION	
DOES YOUR STORM WATER DISCHARGE DIRECTLY TO: (SELECT ONE AND TYPE "X")	
<input type="checkbox"/> WATER OF THE STATE	<input checked="" type="checkbox"/> STORM SEWER
NAME OF RECEIVING WATER (IF KNOWN):	KRESS CREEK
DOES THE QUANTITATIVE DATA CURRENTLY EXIST WHICH DESCRIBES THE CONCENTRATION OF POLLUTANTS IN THE STORM WATER DISCHARGE?	
<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO

"I certify under penalty of law that this document and all statements were prepared under my direction and supervision in accordance with a system designed to ensure that qualified personnel gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment." In addition, I certify that the provisions of the permit, including the development and implementation of a Storm Water Pollution Prevention Plan and a Monitoring Program Plan, will be complied with.

OWNER SIGNATURE:	DATE:	FOR OFFICE USE ONLY	
MAIL COMPLETED FORM TO: (DO NOT SUBMIT ADDITIONAL DOCUMENTATION UNLESS REQUESTED)	ILLINOIS ENVIRONMENTAL PROTECTION AGENCY DIVISION OF WATER POLLUTION CONTROL ATTN: PERMIT SECTION 2200 CHURCHILL ROAD POST OFFICE BOX 16276 SPRINGFIELD, IL 62716-9276	LOG	PERMIT
		DATE:	

This Agency is authorized to require this information under Illinois Revised Statutes, 1991, Chapter 111 1/2, section 1030. Information is required under that Section. Failure to do so may prevent this form from being processed and could result in your application being denied. This form has been approved by the Forms Management Center.

REVISIONS

NUMBER	BY	DATE

0 1 2
THIS BAR IS EQUAL TO 2" AT FULL SCALE (34X22).


DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS
SOUTH FLIGHT CENTER APRON - PHASE 4

STORM WATER POLLUTION
PREVENTION PLAN
NOTES

© Copyright CMT, Inc.
CMT
CRAWFORD, MARRHY & TILLY, INC.
CONSULTING ENGINEERS
License No. 184-000613



DESIGN BY:	CAL/JRL
DRAWN BY:	JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	6 OF 31 SHEETS




NOTES:

1. FILTER WRAP TO BE PLACED IN ALL SLOPE BOXES, INLETS, MANHOLES, TRENCH DRAINS AND CATCH BASINS LOCATED IN PAVED AREAS AND NONPAVED AREAS.
2. FABRIC SHALL BE IN CONFORMANCE WITH MATERIALS SPECIFIED FOR FABRIC FENCE.
3. FABRIC SHALL OVERLAY FRAME BY 2-INCH (MINIMUM).
4. CONTRACTOR SHALL CLEAR DEBRIS AND SILT AS REQUIRED FROM FABRIC TO MAINTAIN DRAINAGE THROUGH THE STRUCTURE.
5. FABRIC SHALL REMAIN IN PLACE UNTIL TURFED AREAS HAVE DEVELOPED A MINIMUM OF 80% OF COVERAGE.
6. COST OF FILTER WRAP SHALL BE CONSIDERED INCIDENTAL TO INLET PROTECTION.

DRAINAGE STRUCTURE FILTER WRAP


N.T.S.



PERSPECTIVE VIEW

CONSTRUCTION NOTES FOR SILT (FABRIC) FENCE

1. WHEN TWO SECTIONS OF FILTER CLOTH ADJOIN EACH OTHER THEY SHALL BE OVERLAPPED BY 6-INCH MIN. AND FOLDED.
2. MAINTENANCE SHALL BE PERFORMED AS NEEDED AND MATERIAL REMOVED WHEN "BULGES" DEVELOP IN THE SILT FENCE. MAINTENANCE, WHICH INCLUDES THE REPLACEMENT OF DAMAGED FENCE, SHALL BE CONSIDERED INCIDENTAL TO THE COST OF THE EROSION CONTROL FENCE.
3. SILT FENCE SHALL BE INSTALLED PER STORM WATER POLLUTION PREVENTION PLAN OR AS DIRECTED BY THE ENGINEER.




SECTION

EROSION CONTROL FABRIC FENCE DETAIL


N.T.S.

NOTES

1. BALES SHALL BE PLACED AT THE TOE OF SLOPE OR ON A CONTOUR AND IN A ROW WITH ENDS TIGHTLY ABUTTING THE ADJACENT BALES.
2. EACH BALE SHALL BE EMBEDDED IN THE SOIL A MINIMUM OF 4 INCHES, AND PLACED SO THE BINDINGS ARE HORIZONTAL.
3. BALES SHALL BE SECURELY ANCHORED IN PLACE BY EITHER TWO STAKES OR REBARS DRIVEN THROUGH THE BALE. THE FIRST STAKE IN EACH BALE SHALL BE DRIVEN TOWARD THE PREVIOUSLY LAID BALE AT AN ANGLE TO FORCE THE BALES TOGETHER. STAKES SHALL BE DRIVEN FLUSH WITH THE BALE.
4. INSPECTION SHALL BE FREQUENT AND REPAIR / REPLACEMENT SHALL BE MADE PROMPTLY AS NEEDED.
5. BALES SHALL BE REMOVED WHEN THEY HAVE SERVED THEIR USEFULNESS SO AS NOT TO BLOCK OR IMPEDE STORM FLOW OR DRAINAGE. COST OF REMOVAL / REPLACEMENT TO BE INCLUDED IN UNIT PRICE FOR BALES.
6. AFTER FINAL APPROVAL OF THE ENGINEER, STRAW BALES MAY BE REMOVED. CONTRACTOR SHALL PLACE SOD, EXCELSIOR BLANKET WITH SEED OR KNITTED STRAW MAT WITH SEED OVER THE DISTURBED AREAS. COST INCIDENTAL TO INLET PROTECTION.



SECTION A-A



PLAN VIEW

HAY OR STRAW DITCH CHECK

N.T.S.

DU071

K:\Dwg\0425704-Apron_PkA\Draw\Sheets\FILE: 07_apron-stormerosdtl.dwg
 LAYOUT: Layout1
 UPDATE BY: jinke
 SURVEY BOOK #
 DATE: Mon 1/19/09 9:12am
 XREF DWG: tbcont.dwg
 tb.dwg

REVISIONS

NUMBER	BY	DATE


0 1 2
 THIS BAR IS EQUAL TO 2" AT FULL SCALE (34X22).

DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4


STORM WATER POLLUTION PREVENTION PLAN DETAILS

NOTES

1. BALES SHALL BE PLACED AT THE TOE OF SLOPE OR ON A CONTOUR AND IN A ROW WITH ENDS TIGHTLY ABUTTING THE ADJACENT BALES.
2. EACH BALE SHALL BE EMBEDDED IN THE SOIL A MINIMUM OF 4 INCHES, AND PLACED SO THE BINDINGS ARE HORIZONTAL.
3. BALES SHALL BE SECURELY ANCHORED IN PLACE BY EITHER TWO STAKES OR REBARS DRIVEN THROUGH THE BALE. THE FIRST STAKE IN EACH BALE SHALL BE DRIVEN TOWARD THE PREVIOUSLY LAID BALE AT AN ANGLE TO FORCE THE BALES TOGETHER. STAKES SHALL BE DRIVEN FLUSH WITH THE BALE.
4. INSPECTION SHALL BE FREQUENT AND REPAIR / REPLACEMENT SHALL BE MADE PROMPTLY AS NEEDED.
5. BALES SHALL BE REMOVED WHEN THEY HAVE SERVED THEIR USEFULNESS SO AS NOT TO BLOCK OR IMPEDE STORM FLOW OR DRAINAGE. COST OF REMOVAL / REPLACEMENT TO BE INCLUDED IN UNIT PRICE FOR BALES.
6. AFTER FINAL APPROVAL OF THE ENGINEER, STRAW BALES MAY BE REMOVED. CONTRACTOR SHALL PLACE SOD, EXCELSIOR BLANKET WITH SEED OR KNITTED STRAW MAT WITH SEED OVER THE DISTURBED AREAS. COST INCIDENTAL TO INLET PROTECTION.



SECTION B-B




INLET PROTECTION (END SECTION)

N.T.S.


NOTES

1. BALES SHALL BE PLACED AT THE TOE OF SLOPE OR ON A CONTOUR AND IN A ROW WITH ENDS TIGHTLY ABUTTING THE ADJACENT BALES.
2. EACH BALE SHALL BE EMBEDDED IN THE SOIL A MINIMUM OF 4 INCHES, AND PLACED SO THE BINDINGS ARE HORIZONTAL.
3. BALES SHALL BE SECURELY ANCHORED IN PLACE BY EITHER TWO STAKES OR REBARS DRIVEN THROUGH THE BALE. THE FIRST STAKE IN EACH BALE SHALL BE DRIVEN TOWARD THE PREVIOUSLY LAID BALE AT AN ANGLE TO FORCE THE BALES TOGETHER. STAKES SHALL BE DRIVEN FLUSH WITH THE BALE.
4. INSPECTION SHALL BE FREQUENT AND REPAIR / REPLACEMENT SHALL BE MADE PROMPTLY AS NEEDED.
5. BALES SHALL BE REMOVED WHEN THEY HAVE SERVED THEIR USEFULNESS SO AS NOT TO BLOCK OR IMPEDE STORM FLOW OR DRAINAGE. COST OF REMOVAL / REPLACEMENT TO BE INCLUDED IN UNIT PRICE FOR BALES.
6. AFTER FINAL APPROVAL OF THE ENGINEER, STRAW BALES MAY BE REMOVED. CONTRACTOR SHALL PLACE SOD, EXCELSIOR BLANKET WITH SEED OR KNITTED STRAW MAT WITH SEED OVER THE DISTURBED AREAS. COST INCIDENTAL TO INLET PROTECTION.




INLET PROTECTION (SLOPE BOX)

N.T.S.




INLET PLACEMENT



INLET PLACEMENT

NOTES

1. BALES SHALL BE PLACED AT THE TOE OF SLOPE OR ON A CONTOUR AND IN A ROW WITH ENDS TIGHTLY ABUTTING THE ADJACENT BALES.
2. EACH BALE SHALL BE EMBEDDED IN THE SOIL A MINIMUM OF 4 INCHES, AND PLACED SO THE BINDINGS ARE HORIZONTAL.
3. BALES SHALL BE SECURELY ANCHORED IN PLACE BY EITHER TWO STAKES OR REBARS DRIVEN THROUGH THE BALE. THE FIRST STAKE IN EACH BALE SHALL BE DRIVEN TOWARD THE PREVIOUSLY LAID BALE AT AN ANGLE TO FORCE THE BALES TOGETHER. STAKES SHALL BE DRIVEN FLUSH WITH THE BALE.
4. INSPECTION SHALL BE FREQUENT AND REPAIR / REPLACEMENT SHALL BE MADE PROMPTLY AS NEEDED.
5. BALES SHALL BE REMOVED WHEN THEY HAVE SERVED THEIR USEFULNESS SO AS NOT TO BLOCK OR IMPEDE STORM FLOW OR DRAINAGE. COST OF REMOVAL / REPLACEMENT TO BE INCLUDED IN UNIT PRICE FOR BALES.
6. AFTER FINAL APPROVAL OF THE ENGINEER, STRAW BALES MAY BE REMOVED. CONTRACTOR SHALL PLACE SOD AND MULCH OVER THE DISTURBED AREAS. COST INCIDENTAL TO BALES.



BEDDING DETAIL

INLET PROTECTION (INLET/MANHOLES)

N.T.S.

© Copyright CMT, Inc.

CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 184-000613



DESIGN BY: JWD / JRL

DRAWN BY: JWD

CHECKED BY: MJS / DKP

APPROVED BY: MJS

DATE: 01/30/09

JOB No: 04257-04-00-00


A.I.P. PROJECT: 3-17-0017-B18

ILLINOIS PROJECT: DPA-3391


SHEET 7 OF 31 SHEETS

NOTES

- AT ALL EMBANKMENT FILL LOCATIONS, INCLUDING BUT NOT LIMITED TO UNDER PROPOSED AND FUTURE PAVEMENTS AND HANGARS, FILL SHALL BE COMPACTED TO 95% MODIFIED PROCTOR.




KEY MAP




TYPICAL SECTION APRON A-A

STA. 20+00 TO STA. 32+60 IF ADDITIVE ALTERNATE IS AWARDED
 STA. 22+85 TO STA. 32+80 IF ADDITIVE ALTERNATE IS NOT AWARDED
 NOT TO SCALE




TYPICAL SECTION APRON D-D

STA. 20+00 TO STA. 22+85 IF ADDITIVE ALTERNATE IS NOT AWARDED
 IF ADDITIVE ALTERNATE IS AWARDED SEE SECTION A-A
 NOT TO SCALE




TYPICAL SECTION TAXIWAY B-B

STA. 32+60 TO STA. 35+60
 NOT TO SCALE



UNDERDRAIN AND TYPICAL EDGE DETAIL

NOT TO SCALE



TYPICAL SECTION TAXIWAY C-C


STA. 35+61 TO STA. 39+85
 NOT TO SCALE

DU071

K:\Dups\ap\0425704-Apron_PhA\Draw\Sheets\FILE: 08_apron-typsec.dwg
 LAYOUT: Layout1
 UPDATE BY: jlink
 SURVEY BOOK #
 DATE: Mon 1/19/09 2:46pm
 XREF DWG: tbcont.dwg
 apronbase.dwg
 tb.dwg

REVISIONS

NUMBER	BY	DATE



DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS
SOUTH FLIGHT CENTER APRON - PHASE 4
TYPICAL SECTIONS

© Copyright CMT, Inc.



DESIGN BY:	MJS/JRL
DRAWN BY:	JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	8 OF 31 SHEETS

DU071

PATH: K:\DupageAp\0425704-Apron...h4\Draw
FILE: apron-econd1.dwg
UPDATE BY: johse
SURVEY BOOK #
XREF DWG:
XREF DWG:
DATE: Mon 12/6/04 3:49pm

REVISIONS

NUMBER	BY	DATE



0 1 2
THIS BAR IS EQUAL TO 2"
AT FULL SCALE (34X22).

DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS
SOUTH FLIGHT CENTER APRON - PHASE 4
EXISTING CONDITIONS/PROPOSED REMOVALS
SHEET 1

© Copyright CMT, Inc.
CMT
CRAWFORD MURPHY & TILLY, INC.
CONSULTING ENGINEERS
License No. 184-000613



DESIGN BY: MJS/JRL
DRAWN BY: JRO
CHECKED BY: MJS / DKP
APPROVED BY: MJS
DATE: 01/30/09
JOB No: 04257-04-00-00
A.I.P. PROJECT: 3-17-0017-B18
ILLINOIS PROJECT: DPA-3391
SHEET 9 OF 31 SHEETS



NOTES

1. THE EXISTING PAVEMENT TO BE REMOVED SHALL BE SAWED FULL DEPTH AROUND THE PERIMETER OF THE REMOVAL LIMITS. COST OF SAWCUTTING AND DISPOSAL OF PAVEMENT SHALL BE CONSIDERED INCIDENTAL TO THE ITEM.
2. SEE GRADING PLAN FOR FINAL ELEVATIONS OF ADJUSTED AND RECONSTRUCTED STRUCTURES.
3. THE TAXIWAY LIGHTS AND TRANSFORMER TO BE REMOVED SHALL BE TURNED OVER TO THE AIRPORT. LIGHT CAN CONCRETE BASES SHALL BE DISPOSED OF OFF-SITE. COST OF DISPOSAL SHALL BE CONSIDERED INCIDENTAL TO THE ITEM.
4. SEE ENGINEERING INFORMATION SHEETS FOR BORING LOGS.
5. BITUMINOUS PAVEMENT REMOVAL SHALL INCLUDE THE REMOVAL OF EXISTING ±4" THICK BITUMINOUS PAVEMENT. THE UNDERLYING AGGREGATE BASE SHALL BE PAID FOR AS UNCLASSIFIED EXCAVATION IN AREAS THAT NEED TO BE REMOVED.
6. THE CONTRACTOR SHALL NOT REMOVE THE EXISTING FENCE UNTIL THE NEW FENCE HAS BEEN SATISFACTORILY CONSTRUCTED.
7. THE CONTRACTOR SHALL TURN OVER ALL REMOVED FENCE AND REFLECTORS TO THE AIRPORT UNLESS THE ENGINEER OR AIRPORT INFORMS THE CONTRACTOR OTHERWISE.

THE INFORMATION SHOWN ON THESE PLANS HAS BEEN OBTAINED FROM AVAILABLE RECORDS. NEITHER THE OWNER NOR THE ENGINEER ASSUMES ANY RESPONSIBILITY WHATEVER IN RESPECT TO THE ACCURACY OR SUFFICIENCY OF THE INFORMATION AND THERE IS NO GUARANTEE EITHER EXPRESSED OR IMPLIED THAT THE CONDITIONS INDICATED ARE REPRESENTATIVE OF THOSE TO BE ENCOUNTERED IN THE FIELD. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VISIT THE SITE AND ACQUAINT HIMSELF WITH THE EXISTING CONDITIONS.

LEGEND

- PAVEMENT TO BE REMOVED
- EXISTING BASE MOUNTED TAXI LIGHT
- EXISTING DUCT BANK
- EXISTING AIRFIELD LIGHTING CIRCUIT
- EXISTING WATERMAIN
- EXISTING FIRE HYDRANT
- EXISTING GAS LINE
- EXISTING SANITARY SEWER
- EXISTING STORM SEWER
- EXISTING MANHOLE/INLET
- EXISTING FENCE
- EXISTING ROADWAY REFLECTOR OR SIGN
- ITEM TO BE REMOVED
- EXISTING CONTOURS



DU071

PATH: K:\DupageAp\0425704-Apron_1\4\Draw
FILE: apron-econd2.dwg
UPDATE BY: johse
SURVEY BOOK #
XREF DWG:
XREF DWG:
DATE: Fri 12/10/04 9:51am

REVISIONS

NUMBER	BY	DATE

0 1 2
THIS BAR IS EQUAL TO 2"
AT FULL SCALE (34X22).



THE INFORMATION SHOWN ON THESE PLANS HAS BEEN OBTAINED FROM AVAILABLE RECORDS. NEITHER THE OWNER NOR THE ENGINEER ASSUMES ANY RESPONSIBILITY WHATSOEVER IN RESPECT TO THE ACCURACY OR SUFFICIENCY OF THE INFORMATION AND THERE IS NO GUARANTEE EITHER EXPRESSED OR IMPLIED THAT THE CONDITIONS INDICATED ARE REPRESENTATIVE OF THOSE TO BE ENCOUNTERED IN THE FIELD. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VISIT THE SITE AND ACQUAINT HIMSELF WITH THE EXISTING CONDITIONS.

MATCHLINE STA. 30+75

NOTES

1. THE EXISTING PAVEMENT TO BE REMOVED SHALL BE SAWED FULL DEPTH AROUND THE PERIMETER OF THE REMOVAL LIMITS. COST OF SAWCUTTING AND DISPOSAL OF PAVEMENT SHALL BE CONSIDERED INCIDENTAL TO THE ITEM.
2. SEE GRADING PLAN FOR FINAL ELEVATIONS OF ADJUSTED STRUCTURES.
3. THE TAXIWAY LIGHTS AND TRANSFORMER TO BE REMOVED SHALL BE TURNED OVER TO THE AIRPORT. LIGHT CAN CONCRETE BASES SHALL BE DISPOSED OF OFF-SITE. COST OF DISPOSAL SHALL BE CONSIDERED INCIDENTAL TO THE ITEM.
4. SEE ENGINEERING INFORMATION SHEETS FOR BORING LOGS.
5. BITUMINOUS PAVEMENT REMOVAL SHALL INCLUDE THE REMOVAL OF EXISTING ±4" THICK BITUMINOUS PAVEMENT. THE UNDERLYING AGGREGATE BASE SHALL BE PAID FOR AS UNCLASSIFIED EXCAVATION IN AREAS THAT NEED TO BE REMOVED.
6. THE CONTRACTOR SHALL NOT REMOVE THE EXISTING FENCE UNTIL THE NEW FENCE HAS BEEN SATISFACTORILY CONSTRUCTED.
7. THE CONTRACTOR SHALL TURN OVER ALL REMOVED FENCE AND REFLECTORS TO THE AIRPORT UNLESS THE ENGINEER OR AIRPORT INFORMS THE CONTRACTOR OTHERWISE.

LEGEND

- PAVEMENT TO BE REMOVED
- EXISTING BASE MOUNTED TAXI LIGHT
- EXISTING DUCT BANK
- EXISTING AIRFIELD LIGHTING CIRCUIT
- EXISTING WATERMAIN
- EXISTING FIRE HYDRANT
- EXISTING GAS LINE
- EXISTING SANITARY SEWER
- EXISTING STORM SEWER
- EXISTING MANHOLE/INLET
- EXISTING FENCE
- EXISTING ROADWAY REFLECTOR OR SIGN
- EXISTING CONTOURS

DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS

SOUTH FLIGHT CENTER APRON - PHASE 4

EXISTING CONDITIONS/PROPOSED REMOVALS SHEET 2

© Copyright GMT, Inc.


GMT
CRAWFORD, MURPHY & TILLY, INC.
CONSULTING ENGINEERS
License No. 184-000613

DPA
DuPage Airport

DESIGN BY:	MJS/JRL
DRAWN BY:	JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	10 OF 31 SHEETS

REVISIONS

NUMBER	BY	DATE



DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS
SOUTH FLIGHT CENTER APRON - PHASE 4




PAVEMENT JOINTING PLAN

© Copyright CMT, Inc.

CMT
CRAWFORD, MURPHY & TILLY, INC.
CONSULTING ENGINEERS
License No. 184-000613



DESIGN BY:	MJS/JRL
DRAWN BY:	JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	11 OF 31 SHEETS



APRON PAVEMENT BLOCKOUT
DETAIL FOR MANHOLES


N.T.S.
NOTE: ABOVE BLOCKOUT SHALL BE CONSTRUCTED FOR ALL APRON MANHOLES

LEGEND

- (B) ——— TYPE B - EXPANSION JOINT
- (D) -X-X-X- TYPE D - DOWELED CONSTRUCTION JOINT
- (F) -X-X-X- TYPE F - DOWELED CONTRACTION JOINT
- (G) -|-|-|- TYPE G - HINGED CONTRACTION JOINT
- (H) - - - - TYPE H - DUMMY CONTRACTION JOINT
- R REINFORCED PANEL (SEE JOINT DETAILS)
- THICKENED EDGE
- NEW APRON PAVEMENT BLOCKOUT

NOTES


- ORANGE CONES SHALL BE PLACED AT 25' CENTERS ALONG THE PAVEMENT EDGE DURING CONCRETE POURING OPERATIONS OF THE CLOSURE LANES TO PREVENT VEHICLES FROM ENTERING PLASTIC CONCRETE. IN THE EVENT A VEHICLE ENTERS THE CONCRETE BEFORE A MINIMUM COMPRESSIVE STRENGTH OF 3,500 PSI HAS BEEN OBTAINED, SAID PAVEMENT SHALL BE REMOVED AND REPLACED AT THE CONTRACTOR'S EXPENSE.
- CONTRACTOR SHALL INSTALL DOWEL BARS INTO THE EXISTING CONCRETE PAVEMENT EDGE. COST INCIDENTAL TO 12" P.C.C. PAVEMENT.
- IF ONLY THE BASE BID IS AWARDED, THE TRANSVERSE JOINTS AT STATION 23+00, 23+15 AND 23+30 SHALL BE TYPE F - DOWELED CONTRACTION JOINT.



DU071

PATH: K:\0425704-Apron_Ph4\Sheet
 FILE: apron-grade1.dwg
 UPDATE BY: johse
 SURVEY BOOK #
 XREF DWG:
 XREF DWG:
 DATE: Wed 12/8/04 1:08pm

REVISIONS		
NUMBER	BY	DATE



**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4**

GRADING PLAN - SHEET 1

© Copyright CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 84-000613



DESIGN BY:	MJS / JRL
DRAWN BY:	JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET 12 OF 31 SHEETS	



NOTES

1. A QUANTITY OF TOPSOIL TO BE DETERMINED IN THE FIELD MAY BE SPREAD EAST OF FREEDOM DRIVE AND GRADED TO DRAIN BY THE CONTRACTOR. (COST INCLUDED TO UNCLASSIFIED EXCAVATION) ANY EXCESS TOPSOIL SHALL BE HAULED OFFSITE BY THE CONTRACTOR. (COST INCLUDED TO UNCLASSIFIED EXCAVATION)
2. IF ONLY THE BASE BID IS AWARDED, THE ENGINEER MAY PROVIDE THE CONTRACTOR WITH A REVISED GRADING PLAN.

LEGEND

- NEW ELEVATION
- NEW CONTOUR
- EXISTING CONTOUR
- NEW MANHOLE
- NEW GRADING LIMITS
- FLOW DIRECTION
- NEW FENCE

DU071


PATH: K:\0425704-Apron_Ph4\Sheets\
FILE: apron-grade2.dwg
UPDATE BY: johse
SURVEY BOOK #
XREF DWG:
XREF DWG:
DATE: Wed 12/8/04 1:22pm

NOTES

- 1. A QUANTITY OF TOPSOIL TO BE DETERMINED IN THE FIELD...
2. IF ONLY THE BASE BID IS AWARDED, THE ENGINEER MAY PROVIDE THE CONTRACTOR WITH A REVISED GRADING PLAN.

LEGEND

- NEW ELEVATION
NEW CONTOUR
EXISTING CONTOUR
NEW MANHOLE
NEW GRADING LIMITS
FLOW DIRECTION
NEW FENCE



REVISIONS

Table with columns: NUMBER, BY, DATE

0 1 2
THIS BAR IS EQUAL TO 2" AT FULL SCALE (34X22).

DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS

SOUTH FLIGHT CENTER APRON - PHASE 4

GRADING PLAN - SHEET 2





Table with project details: DESIGN BY: MJS / JRL, DRAWN BY: JRO, CHECKED BY: MJS / DKP, APPROVED BY: MJS, DATE: 01/30/09, JOB No: 04257-04-00-00, A.I.P. PROJECT: 3-17-0017-B18, ILLINOIS PROJECT: DPA-3391, SHEET 13 OF 31 SHEETS

VERTICAL CURVE DATA

VPC STA. = 37+60
VPC ELEVATION = 752.12
VPI STA. = 38+50
VPI ELEVATION = 751.86
VPT STA. = 39+40
VPT ELEVATION = 752.32
LOW POINT STA. = 38+37.44
LOW POINT ELEV. = 751.85
LENGTH = 180'
K = 113.13
E = 0.358



SEE NOTE 1



RELOCATED FENCE

MATCHLINE STA. 31+00

NEW APRON PHASE 4 (BASE BID)(SEE NOTE 2)

VARIES

REVISIONS		
NUMBER	BY	DATE



STRUCTURE NO.	STATION/OFFSET	STRUCTURE DESCRIPTION	RIM	INVERT
A1	20+60, 50' RT	7' MANHOLE W/ NEENAH R-3492-CG FRAME AND GRATE	753.03	60" E = 741.25 60" W = 741.25
A2	21+80, 50' RT	7' MANHOLE W/ NEENAH R-3492-CG FRAME AND GRATE	753.03	60" E = 741.49 60" W = 741.49
A3	23+00, 50' RT	7' MANHOLE W/ NEENAH R-3492-CG FRAME AND GRATE	753.03	60" E = 741.73 60" W = 741.73
A4	24+20, 50' RT	9' MANHOLE W/ R-3492-CG FRAME AND GRATE	753.03	54" E = 741.97 42" S = 741.97 60" W = 741.97
A5	25+40, 50' RT	6' MANHOLE W/ NEENAH R-3492-CG FRAME AND GRATE	753.03	54" E = 742.21 54" W = 742.21
A6	26+60, 50' RT	6' MANHOLE W/ NEENAH R-3492-CG FRAME AND GRATE	753.03	54" E = 752.45 54" W = 752.45
A7	27+80, 50' RT	6' MANHOLE W/ NEENAH R-3492-CG FRAME AND GRATE	753.03	54" E = 742.69 54" W = 742.69
A8	29+00, 50' RT	9' MANHOLE W/ R-3492-CG FRAME AND GRATE	753.03	42" E = 742.93 54" W = 742.93 42" S = 742.93
A9	30+20, 50' RT	5' MANHOLE W/ NEENAH R-3492-CG FRAME AND GRATE	753.03	42" E = 743.17 42" W = 743.17
A10	31+40, 50' RT	5' MANHOLE W/ NEENAH R-3492-CG FRAME AND GRATE	753.03	42" E = 743.41 42" W = 743.41
A11	32+60, 50' RT	5' MANHOLE W/ NEENAH R-3492-CG FRAME AND GRATE	753.03	30" E = 744.29 42" W = 743.65
A12	33+80, 50' RT	5' MANHOLE W/ NEENAH R-3492-CG FRAME AND GRATE	752.10	30" W = 743.89 12" N = 744.10 12" S = 744.10
B1	39+36, 408' RT	EXIST. TYPE 2 INLET	750.7	24" N = 742.50 EXIST 30" SE = 742.11
B2	38+86, 125' RT	NEW 5' MANHOLE W/ TYPE 1 FRAME AND OPEN GRATE	747.00	24" N = 742.97 24" S = 742.97
B3	38+50, 200' RT	NEW 5' MANHOLE W/ TYPE 1 FRAME AND OPEN GRATE	748.00	24" S = 743.50
A12A	33+80, 80' LT.	NEW TYPE A INLET W/ TYPE 1 FRAME AND OPEN GRATE	747.00	12" S = 744.75
A12B	33+80, 95' RT.	NEW 12" CONCRETE FLARED END SECTION	N/A	12" N = 745.20
D1	19+25, 50' LT.	EXISTING MANHOLE TO BE RECONSTRUCTED	EXISTING 755.80 NEW 753.70	EXISTING INVERTS TO REMAIN
D2	19+00, 20' LT.	EXISTING MANHOLE TO BE RECONSTRUCTED	EXISTING 756.73 NEW 743.45	EXISTING INVERTS TO REMAIN
A4A	24+20, 74' RT.	NEW TYPE A INLET TYPE 1 FRAME AND OPEN GRATE	749.00	12" N = 744.32


LIGHTING NOTES

- CONNECT NEW CABLE TO EXISTING CABLE AT GUIDANCE SIGN, TAXIWAY LIGHT, RUNWAY LIGHT, MANHOLE OR SPLICE CAN. THE COST OF SPLICING SHALL BE INCIDENTAL TO AIRFIELD LIGHTING CABLE INSTALLATION.
- THE CONTRACTOR SHALL VERIFY THAT THE EXISTING RUNWAY/TAXIWAY LIGHTING CIRCUITS ARE OPERATIONAL AT THE END OF EACH WORKING DAY.
- THE ROUTING OF NEW AND EXISTING CABLE SHOWN IS FOR INFORMATION ONLY. THE EXACT ROUTING SHALL BE COORDINATED WITH THE ENGINEER.
- ANY EXISTING CABLE MARKERS THAT ARE DISTURBED ARE TO BE REMOVED AND REINSTALLED AT THE SAME LOCATION. COST SHALL BE INCIDENTAL TO GRADING.
- ALL EXISTING TAXIWAY AND RUNWAY AIRFIELD LIGHTING CIRCUITS, FAA CABLES AND OTHER AIRPORT ELECTRICAL CABLES SHALL REMAIN IN SERVICE UNTIL REPLACED AS DIRECTED BY THE ENGINEER. ALL TEMPORARY CABLING AND SPLICING SHALL BE CONSIDERED INCIDENTAL TO CONTRACT.
- AT ANY LOCATION WHERE THE NEW DUCT OR CABLE ROUTE CROSSES AN EXISTING UTILITY, THE CONTRACTOR SHALL HAND DIG AND LOCATE THE EXISTING UTILITY PRIOR TO TRENCHING. COST OF LOCATING ALL EXISTING UTILITIES SHALL BE INCIDENTAL TO THE CONTRACT.
- CONTRACTOR SHALL PROVIDE PULL WIRE FOR ALL DUCT BANKS AND CAP THE UNUSED DUCT BANKS FOR FUTURE USE.
- ALL SPLICES SHALL BE INSTALLED INSIDE HANDHOLE OR LIGHT BASES. NO DIRECT BURIED SPLICE SHALL BE ALLOWED.
- CONTRACTOR SHALL BE RESPONSIBLE FOR RESTORATION OF ANY LANDSCAPING AS A RESULT OF CABLE INSTALLATION. COST SHALL BE INCIDENTAL TO CABLE INSTALLATION.
- ALL AIRFIELD LIGHTING CIRCUIT CABLE SHALL BE 1/C #8, 5KV, L-824 TYPE C IN 3/4" UNIT DUCT (DIRECT BURIED).

NOTES

- NEW UNDERDRAIN SHALL BE A MINIMUM OF 36" BELOW FINISHED PAVEMENT GRADE AND SHALL FOLLOW SLOPE OF ADJACENT PAVEMENT EXCEPT WHERE A SPECIFIC SLOPE IS GIVEN.
- IF ONLY THE BASE BID IS AWARDED, THE ENGINEER SHALL PROVIDE THE CONTRACTOR WITH A REVISED ELEVATED RETROREFLECTIVE MARKER AND UNDERDRAIN PLAN.
- ALL UNDERDRAIN ENDS SHALL BE CAPPED (INCIDENTAL TO 6" UNDERDRAIN).
- CONTRACTOR SHALL FIELD VERIFY EXISTING UNDERDRAIN INVERTS BEFORE INSTALLING NEW UNDERDRAIN CONNECTIONS.
- ALL UNDERDRAIN CONNECTIONS, CORING INTO STRUCTURES, TEES, BENDS, ETC. SHALL BE CONSIDERED INCIDENTAL TO THE COST OF THE UNDERDRAIN.
- INSTALL NEW ELECTRICAL DUCTS/CONDUITS TO BE CLEAR OF UNDERDRAIN, COST INCIDENTAL.
- UNDERDRAIN CONFLICTS WITH EXISTING CONDITIONS SHALL BE RESOLVED AND COST SHALL BE INCIDENTAL TO UNDERDRAIN.
- REMOVAL OF EXISTING STORM SEWER MANHOLE/INLET CONCRETE BENCHES, CORING AND CONCRETE COLLARS TO FACILITATE CONNECTIONS OF NEW STORM SEWER PIPE SHALL BE CONSIDERED INCIDENTAL TO THE COST OF THE PIPE.
- 9' MANHOLE TO BE PAID FOR AS AR751570 MANHOLE - SPECIAL.
- CONTRACTOR SHALL GET APPROVAL FROM ENGINEER AND AIRPORT BEFORE NEW FENCE IS CONSTRUCTED.

LEGEND



**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4
 LIGHTING/PAVEMENT MARKING/ FENCING/
 DRAINAGE PLAN - SHEET 1**

© Copyright G.M.T. Inc.
G.M.T.
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 984-008913

DESIGN BY:	MJS/JRL
DRAWN BY:	JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00

REVISIONS

NUMBER	BY	DATE



THIS BAR IS EQUAL TO 2" AT FULL SCALE (34X22).

PROPOSED SIGN NUMBER	PROPOSED SIGN FACE	PROPOSED SIGN LEGEND	PROPOSED SIGN TYPE	PROPOSED SIGN LOCATION
S1	N S	Blank	3,2 0	328+96.65, 75' LT. CENTERLINE TAXIWAY W
S2	E W	Blank	0 2,3	39+11.53, 67' LT. BASELINE APRON
S3	N S	Blank	0 3,2	327+23.41, 75' LT. CENTERLINE TAXIWAY W

PROPOSED SIGN TYPE LEGEND

- 0— BLANK PANEL — BLACK
- 1— RUNWAY/TAXIWAY HOLDLINE — WHITE LEGEND ON RED BACKGROUND
- 2— LOCATION SIGN — YELLOW LEGEND ON BLACK BACKGROUND
- 3— DIRECTION SIGN — BLACK LEGEND ON YELLOW BACKGROUND

NOTES

- NEW UNDERDRAIN SHALL BE A MINIMUM OF 36" BELOW FINISHED PAVEMENT GRADE AND SHALL FOLLOW SLOPE OF ADJACENT PAVEMENT EXCEPT WHERE A SPECIFIC SLOPE IS GIVEN.
- IF ONLY THE BASE BID IS AWARDED, THE ENGINEER SHALL PROVIDE THE CONTRACTOR WITH A REVISED ELEVATED RETROREFLECTIVE MARKER AND UNDERDRAIN PLAN.
- ALL UNDERDRAIN ENDS SHALL BE CAPPED (INCIDENTAL TO 6" UNDERDRAIN).
- CONTRACTOR SHALL FIELD VERIFY EXISTING UNDERDRAIN INVERTS BEFORE INSTALLING NEW UNDERDRAIN CONNECTIONS.
- ALL UNDERDRAIN CONNECTIONS, CORING INTO STRUCTURES, TEES, BENDS, ETC. SHALL BE CONSIDERED INCIDENTAL TO THE COST OF THE UNDERDRAIN.
- INSTALL NEW ELECTRICAL DUCTS/CONDUITS TO BE CLEAR OF UNDERDRAIN, COST INCIDENTAL.
- UNDERDRAIN CONFLICTS WITH EXISTING CONDITIONS SHALL BE RESOLVED AND COST SHALL BE INCIDENTAL TO UNDERDRAIN.
- REMOVAL OF EXISTING STORM SEWER MANHOLE/INLET CONCRETE BENCHES, CORING AND CONCRETE COLLARS TO FACILITATE CONNECTIONS OF NEW STORM SEWER PIPE SHALL BE CONSIDERED INCIDENTAL TO THE COST OF THE PIPE.

LEGEND

- [Symbol] NEW P.C.C. PAVEMENT
- [Symbol] NEW BITUMINOUS PAVEMENT
- [Symbol] EXISTING STORM SEWER
- [Symbol] NEW STORM SEWER
- [Symbol] NEW 6" PERFORATED UNDERDRAIN W/ SOCK (SEE NOTE 2)
- [Symbol] EXISTING MANHOLE/INLET
- [Symbol] NEW MANHOLE/FLARED END SECTION/INLET
- [Symbol] NEW AIRFIELD GUIDANCE SIGN
- [Symbol] NEW ELEVATED RETROREFLECTIVE MARKER (SEE NOTE 2)
- [Symbol] NEW CONCRETE ENCASED DUCT BANK
- [Symbol] EXISTING DUCT BANK
- [Symbol] EXISTING BASE MOUNTED TAXI LIGHT
- [Symbol] NEW BASE MOUNTED TAXIWAY LIGHT
- [Symbol] NEW 1/2" #8, 5KV L-824, TYPE C IN 3/4" UNIT DUCT
- [Symbol] EXISTING FENCE
- [Symbol] NEW 8' CLASS E FENCE


**DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS
SOUTH FLIGHT CENTER APRON - PHASE 4
LIGHTING/PAVEMENT MARKING/FENCING/
DRAINAGE PLAN - SHEET 2**

© Copyright CMT, Inc.




DESIGN BY:	MJS/JRL
DRAWN BY:	JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	15 OF 31 SHEETS

MATCHLINE STA. 30+75




LIGHTING NOTES


- CONNECT NEW CABLE TO EXISTING CABLE AT GUIDANCE SIGN, TAXIWAY LIGHT, RUNWAY LIGHT, MANHOLE OR SPLICE CAN. THE COST OF SPLICING SHALL BE INCIDENTAL TO AIRFIELD LIGHTING CABLE INSTALLATION.
- THE CONTRACTOR SHALL VERIFY THAT THE EXISTING RUNWAY/TAXIWAY LIGHTING CIRCUITS ARE OPERATIONAL AT THE END OF EACH WORKING DAY.
- THE ROUTING OF NEW AND EXISTING CABLE SHOWN IS FOR INFORMATION ONLY. THE EXACT ROUTING SHALL BE COORDINATED WITH THE ENGINEER.
- ANY EXISTING CABLE MARKERS THAT ARE DISTURBED ARE TO BE REMOVED AND REINSTALLED AT THE SAME LOCATION. COST SHALL BE INCIDENTAL TO GRADING.
- ALL EXISTING TAXIWAY AND RUNWAY AIRFIELD LIGHTING CIRCUITS, FAA CABLES AND OTHER AIRPORT ELECTRICAL CABLES SHALL REMAIN IN SERVICE UNTIL REPLACED AS DIRECTED BY THE ENGINEER. ALL TEMPORARY CABLING AND SPLICING SHALL BE CONSIDERED INCIDENTAL TO CONTRACT.
- AT ANY LOCATION WHERE THE NEW DUCT OR CABLE ROUTE CROSSES AN EXISTING UTILITY, THE CONTRACTOR SHALL HAND DIG AND LOCATE THE EXISTING UTILITY PRIOR TO TRENCHING. COST OF LOCATING ALL EXISTING UTILITIES SHALL BE INCIDENTAL TO THE CONTRACT.
- CONTRACTOR SHALL PROVIDE PULL WIRE FOR ALL DUCT BANKS AND CAP THE UNUSED DUCT BANKS FOR FUTURE USE.
- ALL SPLICES SHALL BE INSTALLED INSIDE HANDHOLE OR LIGHT BASES. NO DIRECT BURIED SPLICE SHALL BE ALLOWED.
- CONTRACTOR SHALL BE RESPONSIBLE FOR RESTORATION OF ANY LANDSCAPING AS A RESULT OF CABLE INSTALLATION. COST SHALL BE INCIDENTAL TO CABLE INSTALLATION.
- ALL AIRFIELD LIGHTING CIRCUIT CABLE SHALL BE 1/2" #8, 5KV, L-824 TYPE C IN 3/4" UNIT DUCT (DIRECT BURIED).
- EXISTING FENCE SHALL BE REMOVED AND REPLACED IN ORIGINAL LOCATION AFTER GRADING OPERATIONS ARE COMPLETED. TEMPORARY CONSTRUCTION FENCING SHALL BE USED TO KEEP THE AIRPORT SECURE.



MAIN A




MAIN A (CONT.)



LATERAL A

REVISIONS

NUMBER	BY	DATE




DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4
 STORM SEWER PROFILES
 SHEET 1

© Copyright CMT, Inc.




DESIGN BY:	MJS/JRL
DRAWN BY:	MJS
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	16 OF 31 SHEETS



DU071

K:\dupage\0425704-Apron_Ph4\Draw\Sheets\FILE:17_apron--sprofiles2.dwg
 LAYOUT: Layout1
 UPDATE BY: jimke
 SURVEY BOOK #
 DATE: Mon 1/19/09 9:20am
 XREF DWG: tbcint.dwg
 tb.dwg

REVISIONS		
NUMBER	BY	DATE





**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4
 STORM SEWER PROFILES
 SHEET 2**

© Copyright CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 184-000813



DESIGN BY:	MJS
DRAWN BY:	MJS
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	17 OF 31 SHEETS

REVISIONS		
NUMBER	BY	DATE




NOTE: COST OF COLLAR CUTTING INTO BOX/MANHOLE AND CONCRETE COLLAR ARE INCIDENTAL TO INSTALLATION OF PROPOSED PIPE

IF SUBGRADE IS DISTURBED, OVER EXCAVATE AND FILL "HAUNCH" WITH GRANULAR BACKFILL (COST INCIDENTAL TO PROPOSED STORM SEWER INSTALLATION)


CONCRETE COLLAR - STORM SEWER
 NOT TO SCALE

NOTE: IF EXISTING STRUCTURE THAT IS BEING CORED INTO HAS A BENCH THE CONTRACTOR MUST CUT NEW FLOWLINE. (COST INCIDENTAL TO PROPOSED STORM SEWER INSTALLATION).

INSIDE DIAMETER OF STORM SEWER (INCHES)	MAXIMUM TRENCH WIDTH
6	3'-7"
8	3'-9"
12	4'-2"
15	4'-6"
18	4'-9"
21	5'-0"
24	5'-4"
27	5'-7"
30	5'-11"
36	6'-6"
42	7'-1"




NON-PAVED AREAS



PAVED AREAS

TRENCH DETAILS - STORM SEWER AND WATERMAIN
 N.T.S.



UNDERDRAIN CONNECTION DETAILS

N.T.S.

NOTE: UNDERDRAIN CONNECTIONS AND FITTINGS, TEES AND ELBOWS USED FOR CONNECTIONS TO NEW STRUCTURES / EXISTING STORM SEWERS SHALL BE CONSIDERED INCIDENTAL TO THE NEW UNDERDRAIN.


**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4**

STORM SEWER DETAILS

© Copyright CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 184-000613



DESIGN BY:	CAL/JRL
DRAWN BY:	JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	18 OF 31 SHEETS




CONTRACTION JOINTS

SYMBOL —|— TYPE G HINGED (TIED)
SYMBOL — — — TYPE H DUMMY

SYMBOL —x— TYPE F DOWELED


NOTE: CONTRACTOR SHALL HAVE THE OPTION OF USING DETAIL A OR DETAIL B BUT NOT A COMBINATION OF BOTH.



CONSTRUCTION JOINTS


SYMBOL —|— TYPE E HINGED (KEYED)

SYMBOL —x—x—x— TYPE D DOWELED




FILLET DETAIL AND FILLET REINFORCING LAYOUT
N.T.S.

R DENOTES ODD SHAPED REINFORCED PANELS TO BE REINFORCED WITH DEFORMED WIRE FABRIC AS SHOWN ON THIS SHEET. ALL NON RECTANGULAR SHAPED PANELS SHALL BE REINFORCED. (REINFORCEMENT NOT SHOWN)



CHAMFER/BEVEL JOINT DETAIL
N.T.S.



TYPE B THICKENED EDGE

SYMBOL [Symbol]


EXPANSION JOINTS

- JOINT NOTES DU071**
- ALL EDGES OF NEW SLABS, FREE STANDING OR CLOSURE, SHALL BE EDGED WITH AN APPROVED TOOL HAVING A RADIUS OF 1/8" TO 1/4" TO FACILITATE SAWING OF THE SEALANT RESERVOIR. A RADIUS > 1/4" WILL NOT BE ACCEPTABLE.
 - THE INITIAL SAWCUT FOR ALL LONGITUDINAL AND TRANSVERSE CONTRACTION JOINTS SHALL BE SAWS AS SOON AS POSSIBLE AFTER PLACEMENT OF THE PAVEMENT. SAWING OF LONGITUDINAL CONTRACTION JOINTS ADJACENT TO THE THICKENED EDGES SHALL BE GIVEN PRIORITY OVER OTHER LONGITUDINAL JOINT SAWING.
 - ALL DOWEL BARS SHALL BE SECURELY HELD IN PLACE BY MEANS OF A DOWEL BAR ASSEMBLY OR MECHANICALLY INSTALL PER ARTICLE 420.10 JOINTS OF THE ILLINOIS DEPARTMENT OF TRANSPORTATION "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION," WHICH WILL INSURE THAT THEY WILL REMAIN PARALLEL TO THE PAVEMENT LANES. THE DOWEL BAR ASSEMBLY OR MECHANICAL METHOD SHALL BE APPROVED BY THE ENGINEER PRIOR TO INSTALLATION.
 - ALL TIE BARS AND MESH SHALL BE SECURELY HELD IN PLACE BY SUPPORT PINS OR PLACED BY OTHER APPROVED METHODS TO PREVENT SHIFTING DURING AND AFTER CONCRETE PLACEMENT.
 - TIE BARS SHALL BE DEFORMED BARS IN CONFORMANCE WITH ASTM A615 OR ASTM A616, EXCEPT THAT RAIL STEEL BARS, GRADE 50 OR 60 SHALL NOT BE USED FOR THE BARS THAT ARE TO BE BENT OR RESTRAIGHTENED DURING CONSTRUCTION. TIE BARS DESIGNATED AS GRADE 40 IN ASTM A615 CAN BE USED FOR CONSTRUCTION REGARDING BENT BARS.
 - THE INITIAL SAWCUT SHALL BE MADE TO THE 1/8" WIDTH INDICATED. INITIAL SAWING TO THE DIMENSION OF THE SECOND SAWCUT WILL NOT BE ALLOWED.
 - JOINTS SHALL BE DRY AND CLEAN BEFORE SEALING OPERATIONS BEGIN.
 - COST OF ALL JOINT SAWING, CLEANING AND SEALING OF NEW CONCRETE PAVEMENT SHALL BE CONSIDERED INCIDENTAL TO THE ASSOCIATED PAY ITEM AND NO SEPARATE PAYMENT SHALL BE MADE.
 - SHOULD THE POURING OPERATIONS REQUIRE THE INSERTION OF AN INTERMEDIATE HEADER, A DOWEL BASKET ASSEMBLY OR OTHER APPROVED METHOD OF DOWEL BAR PLACEMENT SHALL BE REQUIRED.
 - DOWEL BASKET ASSEMBLIES MEETING IDOT APPROVAL MAY BE PROPOSED BY THE CONTRACTOR TO BE APPROVED BY THE ENGINEER. DOWELS IN THE APPROVED BASKET ASSEMBLIES SHALL CONFORM TO TABLE 2.
 - CONTRACTOR SHALL CONSTRUCT A 1/4" CHAMFER ON ALL CONCRETE JOINTS AT NO ADDITIONAL COST.
 - WHEN TIE BARS ARE USED FOR SLIP-FORM LONGITUDINAL CONTRACTION JOINTS, ONE END OF THE TIE BAR SHALL BE BENT AND INSERTED INTO THE KEYWAY OF THE JOINT. THE BENT BARS SHALL BE STRAIGHTENED TO RIGHT ANGLES WITH LONGITUDINAL JOINT AND SHALL EXTEND INTO THE ADJACENT LANE PARALLEL TO THE PAVEMENT SURFACE.
 - METAL FORMS USED FOR KEYED JOINTS SHALL BE REMOVED UNLESS OTHERWISE APPROVED BY THE ENGINEER.
 - FROM CENTERLINE ALL LONGITUDINAL JOINTS TO BE HOT-POUR JOINT SEAL AND TRANSVERSE JOINTS TO BE PREFORMED JOINT SEAL PER THESE DETAILS.


K:\dupage\0425704-Apron_PhA\Draw\Sheets\FILE:19_apron-jntdtl.dwg
LAYOUT: Layout1
UPDATE BY: jlinke
SURVEY BOOK #
DATE: Fri 1/23/09 9:32am
XREF DWG: tbcint.dwg
tb.dwg

REVISIONS


NUMBER	BY	DATE




DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS
SOUTH FLIGHT CENTER APRON - PHASE 4
PAVEMENT JOINTING DETAILS



ODD SHAPED PANEL REINFORCEMENT
SYMBOL "R"



THICKENED EDGE
SYMBOL [Symbol]



TAPER STUB DETAIL
N.T.S.

TABLE 1

PAVEMENT THICKNESS T - INCHES	DEPTH OF CONTRACTION JOINT INITIAL SAW CUT T, INCHES T=(T/4) ±1/4"
6	1.50"
7	1.75"
8	2.00"
9	2.25"
10	2.50"
11	2.75"
12	3.00"

TABLE 2


PAVEMENT THICKNESS T - INCHES	DOWEL BAR DETAILS			TIE BAR DETAILS		
	DIA. (d)	LENGTH	SPACING	BAR SIZE	LENGTH	SPACING
6	3/4"	18"	12"	#5	30"	30"
7	3/4"	18"	12"	#5	30"	30"
8	1"	19"	12"	#5	30"	30"
9	1"	19"	12"	#5	30"	30"
10	1"	19"	12"	#5	30"	30"
11	1"	19"	12"	#5	30"	30"
12	1"	19"	12"	#5	30"	30"

DIMENSION TABLES

© Copyright: CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 984-000813
DDM
 DuPage Airport
 DESIGN BY: CAL/JRL
 DRAWN BY: JRO
 CHECKED BY: MJS / DKP
 APPROVED BY: MJS
 DATE: 01/30/09
 JOB No: 04257-04-00-00
 A.I.P. PROJECT: 3-17-0017-B18
 ILLINOIS PROJECT: DPA-3391
 SHEET 19 OF 31 SHEETS

NOTES

1. ALL SIGNS ARE 2 - SIDED SIGNS.
2. TRANSFORMER WATTAGE AS RECOMMENDED BY MANUFACTURER FOR LED SIGNS.
3. LIGHTED SIGNS SHALL BE BASE MOUNTED ONLY.
4. UNIT DUCT SHALL BE TERMINATED IN THE CAN AND SEALED TO THE CABLE WITH HEAT SHRINK AS SPECIFIED.
5. ALL NEW SIGNS SHALL BE LED TYPE, L-858 APPROVED BY FAA, AS MANUFACTURED BY AGM OR EQUAL.
6. PERPENDICULAR DISTANCES FOR TAXIWAY INTERSECTION SIGNS FROM CENTERLINE OF CROSSING TAXIWAY IS 93'




HOLD LINE/TAXIWAY GUIDANCE SIGN LED L-858, SIZE 2, STYLE 2, CLASS 2

NOT TO SCALE

CONTRACTOR SHALL SUBMIT DETAILED SHOP DRAWING INCLUDING SIGN, COLOR, SIZE, PROPOSED LEGEND, IN ENOUGH DETAIL AND DETERMINE NEW SPACING AND OTHER INFORMATION REQUIRED BY SPECIAL PROVISIONS. CONTRACTOR TO VERIFY NEW SIGN LOCATIONS AND ORIENTATIONS WITH RESIDENT ENGINEER PRIOR TO INSTALLATION. SIGN SHALL BE FAA APPROVED LED TYPE SIGN.

NEW 1/C #8 L-824, TYPE C, 5KV AIRFIELD LIGHTING CABLE IN 3/4" UNIT DUCT OR GRS CONDUIT (TYP.) FROM LAST NEW TAXIWAY LIGHT





RUNWAY/TAXIWAY LIGHTING CIRCUIT CONNECTION DETAIL

NOT TO SCALE


GENERAL NOTES:

1. THE CONCRETE BASE FOR BASE MTD. LIGHTS AND SIGNS SHALL BE TROWEL FINISHED WITH A 45° BEVELED EDGE. SLOPE TO DRAIN (610).
2. TRANSFORMER HOLDER SHALL BE ANY COMMERCIALY AVAILABLE BRICK.
3. BREAKING GROOVE COUPLINGS SHALL NOT BE OVER 1" ABOVE GROUND LINE.
4. ISOLATION TRANSFORMERS COME WITH A FACTORY INSTALLED PLUG (TYPE 1, CLASS A, STYLE 2) AND RECEPTACLE (TYPE 1, CLASS A, STYLE 9). A TYPE 1, CLASS B, STYLE 3 PLUG AND TYPE 1, CLASS B, STYLE 10 RECEPTACLE SHALL BE INSTALLED ON THE 1/C, No. 8, 5000 V., L-824 TYPE C CABLES FOR CONNECTION TO EACH TRANSFORMER.
5. TO FURTHER REDUCE THE POSSIBILITY OF WATER/MOISTURE ENTRANCE INTO THE CONNECTOR BETWEEN THE CABLE AND THE FIELD ATTACHED CONNECTOR, IT IS REQUIRED THAT A HEAT SHRINKABLE TUBING WITH INTERNAL ADHESIVE BE APPLIED OVER THE ENTIRE CABLE CONNECTOR.
6. ALL SIGNS, LIGHTS, CABLES AND TRANSFORMERS TO BE REMOVED SHALL REMAIN THE PROPERTY OF THE AIRPORT. AT THE DISCRETION OF THE AIRPORT DIRECTOR, THE CONTRACTOR MAY BE REQUIRED TO DISPOSE OF THESE MATERIALS OFFSITE.
7. CONTRACTOR SHALL HAVE THE OPTION TO TRENCH OR PLOW UNIT DUCT. NO ADDITIONAL PAYMENT SHALL BE MADE FOR TRENCHING.
8. ALL RUNWAY/TAXIWAY EDGE LIGHTS SHALL HAVE 2" DIA. COLUMN AND FRANGIBLE COUPLINGS, UNLESS NOTED OTHERWISE.



DUCT MARKER DETAIL

NOT TO SCALE




NEW BASE MOUNTED MEDIUM INTENSITY TAXIWAY LIGHT

NOT TO SCALE

NOTES

1. BASE MOUNTED MITLS THAT ARE WITHIN THE LIMITS OF THE NEW PAVED SHOULDER PAVEMENT SHALL FOLLOW THE BASE MOUNTED HIRL DETAIL.




TAXIWAY RETROREFLECTIVE MARKER DETAIL

NOT TO SCALE

NOTE: RETROREFLECTIVE MARKER SHALL BE UNIPAR, INC. EVAFLEX OR APPROVED EQUAL.

REVISIONS

NUMBER	BY	DATE
1	DLP	03/07/06



DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS
SOUTH FLIGHT CENTER APRON - PHASE 4

ELECTRICAL DETAILS
SHEET 1

Copyright: CMT, Inc.

CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 084-000813



DESIGN BY: AB

DRAWN BY: JRO

CHECKED BY: AB

APPROVED BY: MJS

DATE: 01/30/09

JOB No: 04257-04-00-00




A.I.P. PROJECT: 3-17-0017-B18

ILLINOIS PROJECT: DPA-3391

SHEET 20 OF 31 SHEETS




NOTES:

1. INSTALL A NONCORROSIVE DISC OF 2" MINIMUM DIAMETER WITH THE NUMBER PERMANENTLY STAMPED, CUT OUT, OR ENGRAVED UNDER THE HEAD OF THE BASE PLATE BOLT OR ATTACHED TO LIGHT FLANGE WITH A SET SCREW.
2. NUMERALS SHOWN ARE FOR ILLUSTRATIVE PURPOSES ONLY. ALL EXISTING AND NEW TAXIWAY LIGHTS SHALL BE TAGGED AS DIRECTED BY THE RESIDENT ENGINEER. ALL LIGHTS ON EXISTING CIRCUITS THAT HAVE LIGHTING IMPROVEMENTS (NEW OR RELOCATED LIGHTS) SHALL BE RETAGGED.
3. COST OF TAGGING LIGHTS SHALL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT.





NOTES:

1. DIMENSIONS ARE MINIMUM.
2. CONCRETE SHALL CONFORM TO ITEM 610.
3. ALL CONDUIT SHALL BE SCHEDULE 40 PVC.
4. TOP OF CONCRETE ENCASEMENT IN TURF AREAS SHALL NOT BE LESS THAN 24" BELOW FINISHED GRADE.
5. 4" SPLIT DUCT SHALL BE CONCRETE ENCASED WITH 3" MINIMUM CONCRETE SURROUNDING 4" CONDUIT. COST INCIDENTAL TO SPLIT DUCT.



CABLE SPLICE NOTES


1. INSIDE DIAMETER OF CONNECTOR SHALL PROPERLY MATCH THE OUTSIDE DIAMETER OF CABLE.
2. WRAP WITH AT LEAST ONE LAYER OF RUBBER OR SYNTHETIC RUBBER TAPE AND ONE LAYER OF PLASTIC TAPE, ONE-HALF LAPPED, EXTENDING AT LEAST 1-1/2 INCHES ON EACH SIDE OF JOINT.
3. THE COST OF FURNISHING AND INSTALLING ALL SPLICE MATERIALS SHALL BE INCIDENTAL TO THE ASSOCIATED CABLE ITEMS.
4. THE CONTRACTOR SHALL HAVE A MINIMUM OF TWO (2) TYPE A SPLICE KITS ON THE JOB SITE AT ALL TIMES FOR EMERGENCY REPAIRS.



NOTES:

1. TRENCHES WITH MORE THAN 2 CABLES SHALL BE INCREASED 3" IN WIDTH FOR EACH ADDITIONAL CABLE. IF SPECIFIED ON PLANS, TWO PARALLEL TRENCHES MAY BE CONSTRUCTED.
2. DEPTH OF TRENCHES SHALL BE AS SHOWN UNLESS OTHERWISE SPECIFIED ON THE PLANS.
3. SAND BACKFILL SHALL BE USED IF THE EXISTING SOIL DOES NOT MEET THE BACKFILL REQUIREMENTS.
4. ALL DISTURBED SURFACES SHALL BE RESTORED TO THEIR ORIGINAL CONDITION. COST IS INCIDENTAL.


NOTE: AT CONTRACTOR'S OPTION, CABLE PLOWING MAY BE USED IN LIEU OF TRENCHING.



CONTRACTOR SHALL HAVE THE OPTION TO TRENCH OR PLOW UNIT DUCT. NO ADDITIONAL PAYMENT SHALL BE MADE FOR TRENCHING.

REVISIONS

NUMBER	BY	DATE



DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS
SOUTH FLIGHT CENTER APRON - PHASE 4

ELECTRICAL DETAILS
SHEET 2

Copyright: CMT, Inc.

CMT
CRAWFORD, MURPHY & TILLY, INC.
CONSULTING ENGINEERS
License No. 784-000813



DESIGN BY: AB

DRAWN BY: JRO

CHECKED BY: AB

APPROVED BY: MJS

DATE: 01/30/09


JOB No: 04257-04-00-00

A.I.P. PROJECT: 3-17-0017-B18
ILLINOIS PROJECT: DPA-3391


IMAGE FILES

DU071

K:\dupage\0425704-Apron_Ph\Draw\Sheets\
 FILE: 27_apron-fendtl.dwg
 LAYOUT: Layout1
 UPDATE BY: jlinke
 SURVEY BOOK #
 DATE: Fri 1/23/09 10:19am
 XREF DWG: tbclnt.dwg
 tb.dwg



REVISIONS		
NUMBER	BY	DATE



- NOTES:
- PULL POSTS SHALL BE PLACED AT LOCATIONS DETERMINED BY THE ENGINEER THEY SHALL BE PLACED AT 660-FOOT INTERVALS BETWEEN POSTS, TO WHICH THE ENDS OF THE FABRIC ARE CLAMPED OR MIDWAY BETWEEN SUCH POSTS WHEN THE DISTANCE IS LESS THAN 1320' AND GREATER THAN 660'
 - WHERE FENCE HAS A CHANGE IN DIRECTION OF 15° OR MORE, A TERMINAL POST SHALL BE PLACED AS SHOWN ABOVE.


PEDESTRIAN GATE ARRANGEMENT

VEHICLE GATE ARRANGEMENT

PULL POST ARRANGEMENT

LINE POST ARRANGEMENT


CORNER OF END POST ARRANGEMENT




FOOTING FOR TERMINAL POST

FOOTING FOR GATE POST


FOOTING FOR LINE POST




SIGN DETAIL



METHOD OF FASTENING STRETCHER BAR TO POST



FENCE INSTALLATION ON SLOPES



ROLLER ASSEMBLY FOR SLIDING GATE


NOTE: GATE AND ROLLERS SHALL BE MOUNTED INBOARD
 CONTRACTOR SHALL SUBMIT SHOP DRAWINGS ENCLOSED
 TRUCK ROLLER ASSEMBLY FOR SLIDING DRIVEWAY GATES.
 (PAGE-FORTRESS GATE OR EQUAL)



METHOD OF TYING FABRIC TO TENSION WIRE



METHOD OF TYING FABRIC TO PIPE



PROTECTIVE ELECTRICAL GROUND

- NOTES:
- CONTINUOUS FENCE SHALL BE GROUNDED AT INTERVALS NOT EXCEEDING 1000' EXCEPT THERE SHALL BE A GROUND NOT EXCEEDING 100 FT. FROM A GATE IN EACH SECTION OF THE FENCE ADJACENT TO THE GATE.
 - FENCE UNDER POWER LINE SHALL BE GROUNDED BY THREE GROUNDS, ONE DIRECTLY UNDER THE CROSSING AND ONE ON EACH SIDE 25 TO 50 FT. AWAY. A SINGLE GROUND SHALL BE LOCATED DIRECTLY UNDER EACH TELEPHONE WIRE OR CABLE CROSSING.
 - THE COUNTERPOISE SHALL BE USED ONLY WHERE IT IS IMPOSSIBLE TO DRIVE A GROUND ROD BECAUSE OF AN IMPERVIOUS EARTH STRUCTURES.
 - THE GROUND WIRE SHALL BE CONNECTED TO FABRIC, TENSION WIRE, AND THE GROUND ROD BY A MECHANICAL CLAMP OF CAST BRONZE BODY AND BRONZE OR STAINLESS STEEL BOLTS AND WASHERS.

DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4

FENCING DETAILS

© Copyright: CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 984-000613




DESIGN BY:	CAL
DRAWN BY:	JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No.:	04257-04-00-00

A.I.P. PROJECT: 3-17-0017-B18
 ILLINOIS PROJECT: DPA-3391


LOCATION	TOPSOIL STRIPPING INITIAL POSITION (CUBIC YARDS)	TOPSOIL PLACEMENT FINAL POSITION (CUBIC YARDS)	SHOULDER FILL FINAL POSITION (CUBIC YARDS)	UNCLASSIFIED EXCAVATION INITIAL POSITION (CUBIC YARDS)	EMBANKMENT FILL FINAL POSITION (CUBIC YARDS)
APRON	30,297	7,258	7,789	34,165	43,410
DITCH	3,072	1,630	-	14,438	-
TOTAL	33,369	8,888	7,789	48,603	43,410

NUMBER	BY	DATE



EARTHWORK NOTES

- ALL EARTHWORK QUANTITIES ARE CALCULATED BASED ON THE MATERIAL IN ITS INITIAL OR FINAL POSITION AS SHOWN IN THE PLANS AND QUANTIFIED BY THE METHOD OF AVERAGE END AREAS.
- AREAS OF UNSUITABLE MATERIAL (UNCLASSIFIED EXCAVATION) SHALL BE AS DESIGNATED BY THE ENGINEER. THE QUANTITY OF UNSUITABLE MATERIAL SHALL NOT BE USED AS EMBANKMENT FILL MATERIAL UNLESS AUTHORIZED BY THE ENGINEER.
- UNCLASSIFIED EXCAVATION IS THE SUM OF TOPSOIL STRIPPING AND UNCLASSIFIED EXCAVATION AND IS TO BE PAID FOR UNDER ITEM NO. AR152410 IN ITS INITIAL POSITION.
- ALL HAUL ROADS TO BE CONSTRUCTED FOR THE PROJECT WILL NOT BE MEASURED FOR PAYMENT BUT SHALL BE CONSIDERED INCIDENTAL TO THE PROJECT.
- SURPLUS MATERIAL SUITABLE FOR USE AS SELECT FILL CAN BE STOCKPILED ON-SITE. EXACT LOCATION SHALL BE DETERMINED BY THE ENGINEER.
- CONTRACTOR'S HAUL ROADS TO THE SITE SHALL BE RESTORED WITH 4" MINIMUM OF TOPSOIL PLACED. ALL HAUL ROAD RESTORATION SHALL BE INCIDENTAL TO THE CONTRACT AND NO SEPERATE PAYMENT SHALL BE MADE.
- TOPSOIL PLACEMENT, EMBANKMENT FILL AND SHOULDER FILL ARE INCIDENTAL TO UNCLASSIFIED EXCAVATION (ITEM AR152410). NO SEPERATE PAYMENT WILL BE MADE FOR TOPSOIL PLACEMENT AND SHOULDER FILL.
- IT IS THE INTENT OF THE EARTHWORK / GRADING TO PLACE ALL USEABLE CLAY AS EMBANKMENT FILL. DEPENDING ON ACTUAL SWELL / SHRINK FACTORS OBSERVED IN THE FIELD, THE ENGINEER MAY MODIFY THE GRADING PLAN TO BALANCE CLAY. A QUANTITY OF TOPSOIL TO BE DETERMINED IN THE FIELD MAY BE SPREAD EAST OF FREEDOM DRIVE AND GRADED TO DRAIN BY THE CONTRACTOR. (COST INCLUDED TO UNCLASSIFIED EXCAVATION) ANY EXCESS TOPSOIL SHALL BE HAULED OFFSITE BY THE CONTRACTOR. (COST INCLUDED TO UNCLASSIFIED EXCAVATION)
- IF ONLY THE BASE BID IS AWARDED, THE ENGINEER MAY PROVIDE THE CONTRACTOR WITH REVISED CROSS SECTIONS AND EARTHWORK SUMMARY.




**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS**
SOUTH FLIGHT CENTER APRON - PHASE 4
INDEX TO CROSS SECTIONS

© Copyright CMT, Inc.

CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 184-000693


DPA
 DuPage Airport

DESIGN BY:	JWD / JRL
DRAWN BY:	JRO
CHECKED BY:	MJS / DKP
APPROVED BY:	MJS
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	23 OF 31 SHEETS



PATH: K:\0425704-Apron_Ph4\EGPT\
 FILE: rc001001.dwg
 UPDATE BY: johse
 SURVEY BOOK #
 XREF DWG:
 XREF DWG:
 DATE: Wed 12/8/04 12:47pm


REVISIONS		
NUMBER	BY	DATE



DUPAGE AIRPORT
WEST CHICAGO, ILLINOIS
SOUTH FLIGHT CENTER APRON - PHASE 4
CROSS SECTIONS - APRON
SHEET 1

© Copyright CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 954-000513

DESIGN BY:	
DRAWN BY:	
CHECKED BY:	
APPROVED BY:	
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT: 3-17-0017-818 ILLINOIS PROJECT: DPA-3391	
SHEET 24 OF 31 SHEETS	



27 + 80

TOPSOIL STRIPPING	= 485 SF
UNCLASSIFIED EXCAVATION	= 485 SF
EMBANKMENT FILL	= 565 SF
SHOULDER FILL	= 100 SF
TOPSOIL PLACEMENT	= 98 SF

27 + 20

TOPSOIL STRIPPING	= 450 SF
UNCLASSIFIED EXCAVATION	= 215 SF
EMBANKMENT FILL	= 375 SF
SHOULDER FILL	= 100 SF
TOPSOIL PLACEMENT	= 95 SF

26 + 60

TOPSOIL STRIPPING	= 450 SF
UNCLASSIFIED EXCAVATION	= 205 SF
EMBANKMENT FILL	= 305 SF
SHOULDER FILL	= 100 SF
TOPSOIL PLACEMENT	= 90 SF

26 + 00

TOPSOIL STRIPPING	= 450 SF
UNCLASSIFIED EXCAVATION	= 200 SF
EMBANKMENT FILL	= 0 SF
SHOULDER FILL	= 0 SF
TOPSOIL PLACEMENT	= 85 SF

25 + 40

TOPSOIL STRIPPING	= 0 SF
UNCLASSIFIED EXCAVATION	= 675 SF
EMBANKMENT FILL	= 0 SF
SHOULDER FILL	= 0 SF
TOPSOIL PLACEMENT	= 0 SF

24 + 80

TOPSOIL STRIPPING	= 485 SF
UNCLASSIFIED EXCAVATION	= 1030 SF
EMBANKMENT FILL	= 0 SF
SHOULDER FILL	= 0 SF
TOPSOIL PLACEMENT	= 110 SF


24 + 20

TOPSOIL STRIPPING	= 505 SF
UNCLASSIFIED EXCAVATION	= 1300 SF
EMBANKMENT FILL	= 0 SF
SHOULDER FILL	= 0 SF
TOPSOIL PLACEMENT	= 120 SF

DU071
 PATH: K:\0425704-Apron_Ph4\EGPT\
 FILE: rc002001.dwg
 UPDATE BY: johse
 SURVEY BOOK #
 XREF DWG:
 XREF DWG:
 DATE: Wed 12/8/04 12:44pm

REVISIONS

NUMBER	BY	DATE




**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4
 CROSS SECTIONS - APRON
 SHEET 2**

© Copyright CMT, Inc.

CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 94-000913

DESIGN BY:	JRL
DRAWN BY:	JRO
CHECKED BY:	
APPROVED BY:	
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	25 OF 31 SHEETS



DU071

PATH: K:\0425704-Apron_Ph4\EGPT\ FILE: rc003001.dwg
 UPDATE BY: johse
 SURVEY BOOK #
 XREF DWG:
 XREF DWG:
 DATE: Wed 12/8/04 12:43pm

REVISIONS		
NUMBER	BY	DATE

0 1 2
 THIS BAR IS EQUAL TO 2" AT FULL SCALE (34X22).

**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4**

**CROSS SECTIONS - APRON
 SHEET 3**


© Copyright CMT, Inc.

CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 84-000813

DDM
 DuPage Airport

DESIGN BY:	JRL
DRAWN BY:	JRO
CHECKED BY:	
APPROVED BY:	
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391

SHEET 26 OF 31 SHEETS



DU071

PATH: K:\0425704-Apron_Ph4\EGPT\ FILE: rc004001.dwg
 UPDATE BY: johse
 SURVEY BOOK #
 XREF DWG:
 XREF DWG:
 DATE: Wed 12/8/04 12:41pm

REVISIONS		
NUMBER	BY	DATE

0 1 2
 THIS BAR IS EQUAL TO 2" AT FULL SCALE (34X22).


**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4
 CROSS SECTIONS - APRON
 SHEET 4**

© Copyright, CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 984-000813

DDMI
 DuPage Airport

DESIGN BY:	JRL
DRAWN BY:	JRO
CHECKED BY:	
APPROVED BY:	
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391

SHEET 27 OF 31 SHEETS



DU071

PATH: K:\0425704-Apron_Ph4\EGPT\FILE: rc005001.dwg
 UPDATE BY: johse
 SURVEY BOOK #
 XREF DWG:
 XREF DWG:
 DATE: Wed 12/8/04 12:40pm

REVISIONS		
NUMBER	BY	DATE

0 1 2
 THIS BAR IS EQUAL TO 2'
 AT FULL SCALE (34X22).

**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS**

SOUTH FLIGHT CENTER APRON - PHASE 4

**CROSS SECTIONS - APRON
 SHEET 5**

© copyright cmt, inc.

CMT
 CRAWFORD, MARRY & TLLY, INC.
 CONSULTING ENGINEERS
 License No. 184-000613


DDA
 DuPage Airport

DESIGN BY: JRL
 DRAWN BY: JRO
 CHECKED BY:
 APPROVED BY:

DATE: 01/30/09
 JOB No: 04257-04-00-00


A.I.P. PROJECT: 3-17-0017-B18
 ILLINOIS PROJECT: DPA-3391

SHEET 28 OF 31 SHEETS



PATH: RC001002.DWG
 UPDATE BY: .
 SURVEY BOOK #
 XREF DWG:
 XREF DWG:
 DATE: .

REVISIONS		
NUMBER	BY	DATE



**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4
 CROSS SECTIONS - DITCH**

© Copyright CMT, Inc.








CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 984-000613



DPA
 DuPage Airport


DESIGN BY:	JRL
DRAWN BY:	JRO
CHECKED BY:	
APPROVED BY:	
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET 29 OF 31 SHEETS	




PATH: K:\DupageAp\0425704-Apron...h4\Draw
 FILE: apron-logs.dwg
 UPDATE BY: johse
 SURVEY BOOK #
 XREF DWG:
 XREF DWG:
 DATE: Fri 12/10/04 10:34am

REVISIONS

NUMBER	BY	DATE







BORING NO.	NORTHING	EASTING
B-1	1906807.45	521850.36
B-2	1906848.98	521479.86
B-3	1906861.15	521078.67
B-4	1906954.90	520722.44
B-5	1906857.35	520381.25
B-6	1906892.40	520128.67
B-7	1906817.40	519903.67
B-8	1907084.40	519953.82
B-9	1906917.06	519787.27



**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4
 ENGINEERING INFO
 SHEET 1**

© Copyright CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 94-000693

DESIGN BY:	MJS
DRAWN BY:	JRO
CHECKED BY:	MJS
APPROVED BY:	
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT: 3-17-0017-B18 ILLINOIS PROJECT: DPA-3391	
SHEET 30 OF 31 SHEETS	




DU071

PATH: K:\DupageAp\0425704-Apron_Ph4\Draw
 FILE: apron-logs.dwg
 UPDATE BY: johse
 SURVEY BOOK #
 XREF DWG:
 XREF DWG:
 DATE: Fri 12/10/04 10:34am

REVISIONS

NUMBER	BY	DATE



**DUPAGE AIRPORT
 WEST CHICAGO, ILLINOIS
 SOUTH FLIGHT CENTER APRON - PHASE 4
 ENGINEERING INFO
 SHEET 2**

© Copyright CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 84-000653

DESIGN BY:	MJS
DRAWN BY:	JRO
CHECKED BY:	MJS
APPROVED BY:	
DATE:	01/30/09
JOB No:	04257-04-00-00
A.I.P. PROJECT:	3-17-0017-B18
ILLINOIS PROJECT:	DPA-3391
SHEET	31 OF 31 SHEETS