



- NOTES**
- See Sheets S17 thru S19 for Sections, Deck Details, Parapet Reinforcement and Bill of Material.
 - Cut Longitudinal Reinforcement to clear Drainage Scuppers.
 - *Expansion Joint dimensions are based on Rolled Rail Joint. If the Contractor elects to use the Welded Rail Joint, deck dimensions may require adjustments to satisfy the details on Sheet S24.
 - ***Scupper locations shall be determined by the Drainage System pipe supports at the piers. See Sheet S-48.
 - Bars indicated thus 12x11- #5 etc. indicates 12 lines of bars with 11 lengths per line.

MINIMUM BAR LAP
#5 bar = 3'-3"

PARTIAL PLAN

H:\projects\2011\0223\CAD\AS+structure\dwg\06-1149-Final\00\160J15-s16-deck-p2.dgn
 3/27/2014 4:56:22 PM

| | | |
|------------------|-----------------|-----------|
| USER NAME = | DESIGNED - J.Z. | REVISED - |
| CHECKED - J.A.Z. | REVISED - | |
| DRAWN - E.E.J. | REVISED - | |
| DATE - 3/31/2014 | REVISED - | |

| F.A.I. RTE. | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. |
|---------------------------|---------|--------|--------------|-----------|
| 94 | 1920-B | COOK | 142 | 80 |
| CONTRACT NO. 60J15 | | | | |
| ILLINOIS FED. AID PROJECT | | | | |