

HOT MIX ASPHALT SCHEDULE (EASTBOUND)

STATIONING	REMARKS	HMA SHOULDER					X4060115 P BIT MATLS PR CT 1APPL. POUND	40603310 1", HMA SC, "C" N50 TON	40603310 1/2", HMA SC, "C" N50 TON	44000153 HMA SURF REM 1" SQ YD	AGGREGATE SHOULDER					48102100 AGG WEDGE SHLD T-B TON
		LENGTH FEET	OUTSIDE (RT)		INSIDE (LT)						OUT (RT)	IN (LT)	LENGTH FEET	WIDTH FEET	DEPTH FEET	
			WIDTH FEET	AREA SQ. YD.	WIDTH FEET	AREA SQ. YD.										
MAINLINE ROCK ISLAND CO.																
805+01.00 - 811+76.00	Normal	675.00	10.50	787.50	6.00	450.00	835.31		103.95	1237.50	X	X	675.00	4.00	0.13	76.88
811+76.00 - 818+49.00	Normal (I80 SW R2)	673.00			6.00	448.67	302.85		37.69	448.67		X	673.00	4.00	0.13	38.32
818+49.00 - 826+38.00	Normal	789.00	10.50	920.50	7.00	613.67	1035.56		128.87	1534.17	X	X	789.00	4.00	0.13	89.86
826+38.00 - 828+76.00	Normal (I80 SW R1)	238.00			7.00	185.11	124.95		15.55	185.11						
828+76.00 - 832+25.00	Normal (Start S Weave 1)	349.00			7.00	271.44	183.23		22.80	271.44						
832+25.00 = +.00	STA EQUATION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
+00 - 3+14.00	Normal (End S Weave 1)	314.00			7.00	244.22	164.85		20.51	244.22						
3+14.00 - 4+43.00	Normal (I80 SE R1)	129.00			7.00	100.33	67.73		8.43	100.33						
4+43.00 - 12+19.00	Normal	776.00	11.00	948.44	7.00	603.56	1047.60		130.37	1552.00	X		776.00	4.00	0.13	44.19
12+19.00 - 14+26.00	Normal (I80 SE R2)	207.00			6.00	138.00	93.15		11.59	138.00		X	207.00	4.00	0.13	11.79
14+26.00 - 23+57.00	Normal (S Weave 2)	931.00			6.00	620.67	418.95		52.14	620.67		X	931.00	4.00	0.13	53.02
23+57.00 - 27+00.00	Normal (Old IL2 SW R)	343.00			6.00	228.67	154.35		19.21	228.67		X	343.00	4.00	0.13	19.53
27+00.00 - 38+30.00	Normal	1130.00	10.00	1255.56	6.00	753.33	1356.00		168.75	2008.89	X	X	1130.00	4.00	0.13	128.69
38+30.00 - 41+30.00	Normal (Under Old IL 2)	300.00	10.00	333.33	6.00	200.00	360.00		44.80	533.33	X	X	300.00	4.00	0.13	34.17
41+30.00 - 51+38.00	Normal	1008.00	10.00	1120.00	6.00	672.00	1209.60		150.53	1792.00	X	X	1008.00	4.00	0.13	114.80
51+38.00 - 63+00.00	Normal (Old IL2 SE R)	1162.00			6.00	774.67	522.90		65.07	774.67		X	1162.00	4.00	0.13	66.17
63+00.00 - 85+67.00	Normal	2267.00	10.00	2518.89	6.00	1511.33	2720.40		338.54	4030.22	X	X	2267.00	4.00	0.13	258.19
85+67.00 - 88+67.00	Normal (Under 226th St.)	300.00	10.00	333.33	6.00	200.00	360.00		44.80	533.33	X	X	300.00	4.00	0.13	34.17
88+67.00 - 182+05.00	Normal	9338.00	10.00	10375.56	6.00	6225.33	11205.60		1394.47	16600.89	X	X	9338.00	4.00	0.13	1063.49
182+05.00 - 185+05.00	Normal (Under 248th St.)	300.00	10.00	333.33	6.00	200.00	360.00		44.80	533.33	X	X	300.00	4.00	0.13	34.17
185+05.00 - 194+42.50	Normal	937.50	10.00	1041.67	6.00	625.00	1125.00		140.00	1666.67	X	X	937.50	4.00	0.13	106.77
194+42.50 - 195+55.00	Normal (Taper 3.75"-1.5")	112.50	10.00	125.00	6.00	75.00	135.00		16.80	200.00	X	X	112.50	4.00	0.13	12.81
195+55.00 - 195+95.00	Normal (Mill & Res 1.5")	40.00	10.00	44.44	6.00	26.67	48.00	3.98		71.11	X	X	40.00	4.00	0.08	3.04
195+95.00 - 196+73.00	Bridge Omission	78.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196+73.00 - 197+13.00	Normal (Mill & Res 1.5")	40.00	10.00	44.44	6.00	26.67	48.00	3.98		71.11	X	X	40.00	4.00	0.08	3.04
197+13.00 - 198+25.50	Normal (Taper 1.5"-3.75")	112.50	10.00	125.00	6.00	75.00	135.00		16.80	200.00	X	X	112.50	4.00	0.13	12.81
198+25.50 - 253+85.00	Normal	5559.50	10.00	6177.22	6.00	3706.33	6671.40		830.22	9883.56	X	X	5559.50	4.00	0.13	633.17
253+85.00 - 256+85.00	Normal (Under 265th St.)	300.00	10.00	333.33	6.00	200.00	360.00		44.80	533.33	X	X	300.00	4.00	0.13	34.17
256+85.00 - 284+35.00	Normal	2750.00	10.00	3055.56	6.00	1833.33	3300.00		410.67	4888.89	X	X	2750.00	4.00	0.13	313.19
284+35.00 - 290+98.00	Normal (IL92 SE R)	663.00			6.00	442.00	298.35		37.13	442.00		X	663.00	4.00	0.13	37.75
290+98.00 - 299+72.00	Normal	874.00	10.00	971.11	6.00	582.67	1048.80		130.52	1553.78	X	X	874.00	4.00	0.13	99.54
299+72.00 - 302+72.00	Normal (Under IL 92)	300.00	10.00	333.33	6.00	200.00	360.00		44.80	533.33	X	X	300.00	4.00	0.13	34.17
302+72.00 - 314+60.00	Normal	1188.00	10.00	1320.00	6.00	792.00	1425.60		177.41	2112.00	X	X	1188.00	4.00	0.13	135.30
314+60.00 - 326+20.00	Normal (IL92 NE R)	1160.00			6.00	773.33	522.00		64.96	773.33		X	1160.00	4.00	0.13	66.06
326+20.00 - 369+65.00	Normal	4345.00	10.00	4827.78	6.00	2896.67	5214.00		648.85	7724.44	X	X	4345.00	4.00	0.13	494.85
369+65.00 - 372+65.00	Normal (Under 286th St.)	300.00	10.00	333.33	6.00	200.00	360.00		44.80	533.33	X	X	300.00	4.00	0.13	34.17
372+65.00 - 434+58.00	Normal	6193.00	10.00	6881.11	6.00	4128.67	7431.60		924.82	11009.78	X	X	6193.00	4.00	0.13	705.31
434+58.00 - 437+58.00	Normal (Under 66th Ave.)	300.00	10.00	333.33	6.00	200.00	360.00		44.80	533.33	X	X	300.00	4.00	0.13	34.17
437+58.00 - 471+25.00	Normal	3367.00	10.00	3741.11	6.00	2244.67	4040.40		502.81	5985.78	X	X	3367.00	4.00	0.13	383.46
471+25.00 - 476+37.50	Superelevated	512.50	10.00	569.44	6.00	341.67	615.00		76.53	911.11	X	X	512.50	4.00	0.13	58.37
476+37.50 - 477+50.00	Super (Taper 3.75"-1.5")	112.50	10.00	125.00	6.00	75.00	135.00		16.80	200.00	X	X	112.50	4.00	0.13	12.81
477+50.00 - 477+90.00	Super (Mill & Res 1.5")	40.00	10.00	44.44	6.00	26.67	48.00	3.98		71.11	X	X	40.00	4.00	0.08	3.04
477+90.00 - 478+73.00	Bridge Omission	83.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
478+73.00 - 479+13.00	Super (Mill & Res 1.5")	40.00	10.00	44.44	6.00	26.67	48.00	3.98		71.11	X	X	40.00	4.00	0.08	3.04
479+13.00 - 480+25.50	Super (Taper 1.5"-3.75")	112.50	10.00	125.00	6.00	75.00	135.00		16.80	200.00	X	X	112.50	4.00	0.13	12.81
480+25.50 - 525+03.00	Superelevated	4477.50	10.00	4975.00	6.00	2985.00	5373.00		668.64	7960.00	X	X	4477.50	4.00	0.13	509.94
525+03.00 - 531+71.00	Normal (Moline Rd SE R)	668.00			6.00	445.33	300.60		37.41	445.33		X	668.00	4.00	0.13	38.04
531+71.00 - 539+02.50	Normal	731.50	10.00	812.78	6.00	487.67	877.80		109.24	1300.44	X	X	731.50	4.00	0.13	83.31
539+02.50 - 540+90.00	Normal (Taper 3.75"-0")	187.50	10.00	208.33	6.00	125.00	225.00		28.00	333.33	X	X	187.50	4.00	0.13	21.35
540+90.00 - 543+90.00	Omission Under Moline Rd.	300.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543+90.00 - 545+77.50	Normal (Taper 0"-3.75")	187.50	10.00	208.33	6.00	125.00	225.00		28.00	333.33	X	X	187.50	4.00	0.13	21.35
545+77.50 - 553+20.00	Normal	742.50	10.00	825.00	6.00	495.00	891.00		110.88	1320.00	X	X	742.50	4.00	0.13	84.56
553+20.00 - 558+07.50	Normal (Start Moline NE R)	487.50			6.00	325.00	219.38		27.30	325.00		X	487.50	4.00	0.13	27.76
558+07.50 - 559+20.00	Normal (Taper 3.75"-1.5")	112.50			6.00	75.00	50.63		6.30	75.00		X	112.50	4.00	0.13	6.41
559+20.00 - 561+70.00	Normal (Under 94th, 1.5")	250.00			6.00	166.67	112.50	9.33		166.67		X	250.00	4.00	0.08	9.49
561+70.00 - 562+82.50	Normal (Taper 1.5"-3.75")	112.50			6.00	75.00	50.63		6.30	75.00		X	112.50	4.00	0.13	6.41
562+82.50 - 564+81.00	Normal (End Moline NE R)	198.50			6.00	132.33	89.33		11.12	132.33		X	198.50	4.00	0.13	11.30
564+81.00 - 571+64.00	Normal	683.00	10.00	758.89	6.00	455.33	819.60		101.99	1214.22	X	X	683.00	4.00	0.13	77.79
571+64.00 - 620+81.00	Superelevated	4917.00	10.00	5463.33	6.00	3278.00	5900.40		734.27	8741.33	X	X	4917.00	4.00	0.13	559.99
620+81.00 - 630+16.50	Normal	935.50	10.00	1039.44	6.00	623.67	1122.60		139.70	1663.11	X	X	935.50	4.00	0.13	106.54
630+16.50 - 632+04.00	Normal (Taper 3.75"-0")	187.50	10.00	208.33	6.00	125.00	225.00		28.00	333.33	X	X	187.50	4.00	0.13	21.35
632+04.00 - 634+54.00	Omission Under 317th St.	250.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
634+54.00 - 636+41.50	Normal (Taper 0"-3.75")	187.50	10.00	208.33	6.00	125.00	225.00		28.00	333.33	X	X	187.50	4.00	0.13	21.35
636+41.50 - 673+35.00	Normal	3693.50	10.00	4103.89	6.00	2462.33	4432.20		551.56	6566.22	X	X	3693.50	4.00	0.13	420.65
686+37.00 - 702+01.00	Normal	1564.00	10.00	1737.78	6.00	1042.67	1876.80		233.56	2780.44	X	X	1564.00	4.00	0.13	178.12
702+01.00 - 703+93.00	Superelevated	192.00	10.00	213.33	6.00	128.00	230.40		28.67	341.33	X	X	192.00	4.00	0.13	21.87
703+93.00 - 706+93.00	Super (Under 122nd Ave.)	300.00	10.00	333.33	6.00	200.00	360.00		44.80	533.33	X	X	300.00	4.00	0.13	34.17
706+93.00 - 708+88.50	Superelevated	195.50	10.00	217.22	6.00	130.33	234.60		29.19	347.56	X	X	195.50	4.00	0.13	22.27
708+88.50 - 710+01.00	Super (Taper 3.75"-1.5")	112.50	10.00	125.00	6.00	75.00	135.00		16.80	200.00	X	X	112.50	4.00	0.13	12.81
710+01.00 - 710+41.00	Super (Mill & Res 1.5")	40.00	10.00	44.44	6.00	26.67	48.00	3.98								