



VIEW A-A

From Sta. 9+99.75 to Sta. 10+75.79

**PART SECTION THRU PARAPET
FOR PANEL POINTS 0 THRU 3**

Notes:

- See existing parapet erection plans and sheet S31 for additional details.
- Drilled and set dowel bars shall be installed according to Article 584 of the Standard Specifications.
- Non shrink grout according to Article 1024 of the Standard Specifications shall be used for the grout pad.
- Dowel bars shall be threaded and the material shall conform to the requirements of ASTM A307.
- The cost of grout pad, dowel bars, chemical adhesive and installation shall be included in the cost of Steel Post, Attached to Structure.



USER NAME =	DESIGNED - ZJB	REVISED
	CHECKED - YSS	REVISED
PLOT SCALE =	DRAWN - PRC	REVISED
PLOT DATE = 05/02/2014	CHECKED - ZJB	REVISED

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**MAIN SPANS ALUMINUM PARAPET DETAILS - CONCRETE DECK-2
S.N. 082-6001 MLK BRIDGE OVER MISSISSIPPI RIVER**

SHEET NO. S32 OF S138 SHEETS

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
799	IBR, DRS-2	ST. CLAIR	156	50
CONTRACT NO. 76B03				
ILLINOIS FED. AID PROJECT				