

HIGH FRICTION SURFACE TREATMENT SCHEDULE

LOCATION STATION TO STATION	EXIST. PAVEMENT LENGTH (INFOR. ONLY) FOOT	EXIST. PAVEMENT WIDTH FOOT	HIGH FRICTION SURFACE TREATMENT GALLON	PAVEMENT MARKING REMOVAL (SEE NOTE 2) SQ FT	PAINT PAVEMENT MARKING - 4"		CRACK FILLING (SEE NOTE 1) POUND
					WHITE FOOT	YELLOW FOOT	
LOCATION 1 - US 45 IN GALLATIN CO.							
STA. 802+96.00 TO STA. 821+73.00	1,877	26	5422	1,056	3,754	469	1,341
GALLATIN CO TOTALS			5422	1,056	3754	469	1341
LOCATION 4 - IL 14 IN FRANKLIN CO. (NEAR BENTON)							
STA. 20+71.00 TO STA. 30+30.80 BK	960	24	2559	540	1,920	240	686
STA. 30+32.90 AH TO STA. 33+41.00 BK	308	24	822	174	616	77	220
FRANKLIN CO TOTALS			3381	714	2,536	317	906
LOCATION 6 - IL 148 IN JEFFERSON CO. (WALTONVILLE RD.)							
STA. 203+93.00 TO STA. 231+21.45 BK	2,728	24	7276	1,535	5,456	682	1,949
STA. 235+78.70 AH TO STA. 236+80.00	101	24	270	57	202	25	72
JEFFERSON CO TOTALS			7546	1,592	5,658	707	2021
LOCATION 7 - OLD IL 13 IN WILLIAMSON CO. (WEST OF IL 148)							
STA. 528+44.00 TO STA. 534+25.90 BK	582	23	1487	327	1,164	145	416
STA. 534+35.60 AH TO STA. 535+36.00	100	23	257	56	200	25	72
STA. 554+50.00 TO STA. 560+10.50 BK	561	23	1433	316	1,122	140	400
STA. 560+51.40 AH TO STA. 561+51.00	100	23	255	56	200	25	71
WILLIAMSON CO. TOTALS			3432	755	2,686	335	959
LOCATION 8 - IL 146 IN HARDIN CO. (WEST OF ELIZABETHTOWN)							
STA. 187+37.00 TO STA. 200+07.00	1,270	26	3669	715	2,540	318	907
HARDIN CO. TOTALS			3669	715	2,540	318	907
PROJECT TOTAL							
		47,347		23,450	4,832	19,320	6,134

NOTE 1: CRACK FILLING IS CALCULATED USING 1 LB. OF MATERIAL PER 2.8 LINEAL FOOT. USED 1 STRIP FOR EACH LANE THROUGH THE LENGTH OF THE CURVES, UNLESS OTHERWISE NOTED ON THE PLANS.
 NOTE 2: QUANTITIES AT EACH LOCATION INCLUDE EDGE OF PAVEMENT STRIPING AND CENTERLINE STRIPING.

• VARIOUS ROUTES
 •• VARIOUS COUNTIES