

| EARTHWORK SCHEDULE             |          |                 |                  |                                              |                                                      |                                     |
|--------------------------------|----------|-----------------|------------------|----------------------------------------------|------------------------------------------------------|-------------------------------------|
| LOCATION<br>STATION TO STATION | LOCATION | CUT<br>(CU YDS) | FILL<br>(CU YDS) | EARTH EX.<br>ADJ. FOR<br>SHRINKAGE<br>(CUYD) | FURNISHED EX.<br>WASTE (+)<br>SHORTAGE (-)<br>(CUYD) | TEMPORARY<br>DITCH CHECKS<br>(FOOT) |
| WEIGH STATION ROAD             |          |                 |                  |                                              |                                                      |                                     |
| STA. 10+00.00 TO STA. 49+50.00 | RT & LT  | 16,140          | 13,471           | 12,105                                       | 1366 (-)                                             | 395                                 |
| TOTAL                          |          | 16,140          | 13,471           | 12,105                                       | 1366 (-)                                             | 395                                 |

| SUB-BASE GRANULAR MATERIAL TYPE A 12" |                |                                              |  |  |
|---------------------------------------|----------------|----------------------------------------------|--|--|
| LOCATION<br>STATION TO STATION        | LENGTH<br>(FT) | SUB-BASE<br>GRAN MAT,<br>TY A 12"<br>(SQ YD) |  |  |
| WEIGH STATION ROAD                    |                |                                              |  |  |
| STA. 10+00.00 TO STA. 12+03.45        | 203            | 701                                          |  |  |
| STA. 12+03.45 TO STA. 17+27.10        | 524            | 2,327                                        |  |  |
| STUB AT 16+20.72                      |                | VARIES                                       |  |  |
| STA. 17+27.10 TO STA. 19+56.00        | 229            | 1,246                                        |  |  |
| STA. 19+56.00 TO STA. 20+35.26        | 79             | 432                                          |  |  |
| STA. 20+35.26 TO STA. 21+47.55        | 112            | 462                                          |  |  |
| STA. 21+47.55 TO STA. 31+60.00        | 1,012          | 285                                          |  |  |
| STUB AT 25+42.00                      |                | VARIES                                       |  |  |
| STA. 31+60.00 TO STA. 34+18.62        | 259            | 1,150                                        |  |  |
| STA. 34+18.62 TO STA. 34+55.63        | 37             | 128                                          |  |  |
| STA. 34+55.63 TO STA. 44+07.35        | 952            | 3,278                                        |  |  |
| STA. 44+07.35 TO STA. 49+92.55        | 585            | 2,165                                        |  |  |
| TOTAL                                 |                | 17,852                                       |  |  |

| SEEDING SCHEDULE               |                |                              |                                   |                                     |                                    |                             |  |
|--------------------------------|----------------|------------------------------|-----------------------------------|-------------------------------------|------------------------------------|-----------------------------|--|
| LOCATION<br>STATION TO STATION | LENGTH<br>(FT) | SEEDING<br>CLASS 2<br>(ACRE) | NITROGEN<br>FERTILIZER<br>(POUND) | PHOSPHORUS<br>FERTILIZER<br>(POUND) | POTASSIUM<br>FERTILIZER<br>(POUND) | MULCH<br>METHOD 2<br>(ACRE) |  |
| WEIGH STATION ROAD             |                |                              |                                   |                                     |                                    |                             |  |
| 10+00.00 TO 49+92.55           | 3992.55        | 7.50                         | 675                               | 675                                 | 675                                | 7.50                        |  |
| TOTAL                          |                | 7.50                         | 675                               | 675                                 | 675                                | 7.50                        |  |

| SUB-BASE GRANULAR MATERIAL TYPE C |                |                                        |  |  |
|-----------------------------------|----------------|----------------------------------------|--|--|
| LOCATION<br>STATION TO STATION    | LENGTH<br>(FT) | SUB-BASE<br>GRAN MAT,<br>TY C<br>(TON) |  |  |
| WEIGH STATION ROAD                |                |                                        |  |  |
| STA. 10+00.00 TO STA. 12+03.45    | 203            | 70                                     |  |  |
| STA. 12+03.45 TO STA. 17+27.10    | 524            | 179                                    |  |  |
| STUB AT 16+20.72                  |                | VARIES                                 |  |  |
| STA. 17+27.10 TO STA. 19+56.00    | 229            | 78                                     |  |  |
| STA. 19+56.00 TO STA. 20+35.26    | 79             | 27                                     |  |  |
| STA. 20+35.26 TO STA. 21+47.55    | 112            | 38                                     |  |  |
| STA. 21+47.55 TO STA. 31+60.00    | 1,012          | 347                                    |  |  |
| STUB AT 25+42.00                  |                | VARIES                                 |  |  |
| STA. 31+60.00 TO STA. 34+18.62    | 259            | 89                                     |  |  |
| STA. 34+18.62 TO STA. 44+07.35    | 989            | 339                                    |  |  |
| STA. 44+07.35 TO STA. 47+89.43    | 382            | 83                                     |  |  |
| STA. 47+89.43 TO STA. 49+92.55    | 203            | 44                                     |  |  |
| TOTAL                             |                | 1,337                                  |  |  |

| STABILIZED SUBBASE 4"          |                |               |                 |     |
|--------------------------------|----------------|---------------|-----------------|-----|
| LOCATION<br>STATION TO STATION | LENGTH<br>(FT) | WIDTH<br>(FT) | AREA<br>(SQ YD) |     |
| WEIGHT STATION ROAD            |                |               |                 |     |
| STA. 10+00.00 TO STA. 12+03.45 | 203            | 19            | 430             |     |
| STA. 12+03.45 TO STA. 17+27.10 | 524            | 19.0 TO 37.0  | 1,629           |     |
| STUB AT 16+20.72               |                | VARIES        |                 | 187 |
| STA. 17+27.10 TO STA. 19+56.00 | 229            | 37            | 941             |     |
| STA. 19+56.00 TO STA. 20+35.26 | 79             | 37            | 326             |     |
| STA. 20+35.26 TO STA. 21+47.55 | 112            | 24            | 293             |     |
| STA. 21+47.55 TO STA. 31+60.00 | 1,012          | 37            | 4,162           |     |
| STUB AT 25+42.00               |                | VARIES        |                 | 298 |
| STA. 31+60.00 TO STA. 34+18.62 | 259            | 19.0 TO 37.0  | 805             |     |
| STA. 34+18.62 TO STA. 44+07.35 | 989            | 19            | 2,087           |     |
| STA. 44+07.35 TO STA. 47+89.43 | 382            | 18.5 TO 48.1  | 1,414           |     |
| STA. 47+89.43 TO STA. 49+92.55 | 203            | 2.5 TO 18.5   | 237             |     |
| TOTAL                          |                | 12,808        |                 |     |