

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
55	99 (I&2) WRS	WILL	334	23
STA.		TO STA.		
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		

**SCHEDULE OF QUANTITIES**

CLASS D PATCHES, TYPE II, 10 INCH						TOTAL	SQ YD
STATION	LENGTH (FT)	ADJ LENGTH (FT)	WIDTH (FT)	TYPE II (SQ YD)		Sub	totals
224+13.29	8.00	9.60	12.00				12.80
217+16.22	6.00	7.20	12.00				9.60
208+08.29	5.00	6.00	12.00				8.00
206+76.49	4.00	4.80	12.00				6.40
206+07.25	8.00	9.60	12.00				12.80
193+60.32	7.00	8.40	12.00				11.20
190+87.87	4.00	4.80	12.00				6.40
<b>N.B. LANE 1</b>							
230+01.61	4.00	4.80	12.00				6.40
230+74.54	4.00	4.80	12.00				6.40
231+31.54	4.00	4.80	12.00				6.40
231+37.00	4.00	4.80	12.00				6.40
<b>N.B. LANE 2</b>							
132+65.04	4.00	4.80	12.00				6.40
133+93.26	8.00	9.60	12.00				12.80
134+14.05	4.00	4.80	12.00				6.40
134+33.28	6.00	7.20	12.00				9.60
134+47.09	4.00	4.80	12.00				6.40
134+83.43	4.00	4.80	12.00				6.40
135+44.59	4.00	4.80	12.00				6.40
136+38.66	4.00	4.80	12.00				6.40
137+99.02	8.00	9.60	12.00				12.80
140+80.14	5.00	6.00	12.00				8.00
142+47.19	12.00	14.40	6.00				9.60
190+51.36	4.00	4.80	12.00				6.40
191+20.25	4.00	4.80	12.00				6.40
209+72.70	4.00	4.80	12.00				6.40
211+24.58	4.00	4.80	12.00				6.40
221+68.48	4.00	4.80	12.00				6.40
228+15.09	4.00	4.80	12.00				6.40
228+98.87	4.00	4.80	12.00				6.40
230+01.61	4.00	4.80	12.00				6.40
230+84.19	4.00	4.80	12.00				6.40
231+31.54	4.00	4.80	12.00				6.40
233+65.91	4.00	4.80	12.00				6.40
236+29.37	4.00	4.80	12.00				6.40
280+26.21	8.00	9.60	12.00				12.80
299+19.33	4.00	4.80	12.00				6.40
320+45.42	4.00	4.80	12.00				6.40
321+50.94	8.00	9.60	12.00				12.80
323+47.01	4.00	4.80	12.00				6.40
323+96.57	4.00	4.80	12.00				6.40
338+61.45	4.00	4.80	12.00				6.40
340+55.31	8.00	9.60	12.00				12.80
381+60.95	4.00	4.80	12.00				6.40
382+09.65	4.00	4.80	12.00				6.40
390+57.78	4.00	4.80	12.00				6.40
Incr Qty of Patch by 60% (20%/Yr Sinc Patch Surv Comple In 2005)							669.12

FOR SEWER LATERALS ONLY						LOCATION	STA.	OFFSET FT	STA.	OFFSET FT	
S.B.	195+93.08	0.00 LT	195+93.19	16.00 LT							10.67
S.B.	195+93.10	10.84 RT	195+93.08	0.00 RT							7.22
S.B.	195+93.19	14.00 LT	195+93.31	24.00 LT							6.66
S.B.	195+93.31	24.00 LT	195+93.39	37.30 LT							8.80
S.B.	202+93.06	11.41 RT	202+92.97	0.00 RT							7.54
S.B.	202+92.97	0.00 LT	202+92.89	16.00 LT							10.67
S.B.	202+92.89	14.00 LT	202+92.77	27.47 LT							8.99
S.B.	202+92.77	27.47 LT	202+92.69	37.80 LT							6.88
M.L.	220+54.06	9.88 LT	220+54.04	20.00 LT							8.21
M.L.	220+54.04	20.00 LT	220+54.07	36.00 LT							12.96
M.L.	220+54.07	34.00 LT	220+54.11	44.00 LT							8.09
M.L.	220+54.11	44.00 LT	220+54.15	56.89 LT							10.44
M.L.	258+91.81	13.06 LT	258+91.68	20.00 LT							9.44
M.L.	258+91.81	34.00 LT	258+91.68	44.00 LT							13.61
M.L.	258+91.53	44.00 LT	258+91.42	53.73 LT							13.24
M.L.	335+86.70	20.00 RT	335+86.70	36.00 RT							14.37
M.L.	335+86.43	34.00 RT	335+86.70	44.00 RT							8.98
M.L.	335+79.00	82.10 RT	335+83.00	71.67 RT							10.04
M.L.	335+76.10	89.50 RT	335+79.80	80.00 RT							9.15
M.L.	342+39.34	20.00 RT	342+39.68	36.00 RT							12.30
M.L.	342+39.60	34.00 RT	342+39.86	44.00 RT							7.69
M.L.	342+39.86	44.00 RT	342+39.50	55.60 RT							8.91
M.L.	350+48.82	20.00 LT	350+48.73	36.00 LT							14.30
M.L.	350+48.73	34.00 LT	350+48.57	44.00 LT							8.94
M.L.	350+48.57	44.00 LT	350+48.75	56.74 LT							11.38
M.L.	353+17.00	20.00 LT	353+17.00	36.00 LT							13.33
M.L.	353+17.00	34.00 LT	353+17.00	44.00 LT							8.33
M.L.	353+17.00	44.00 LT	353+17.00	59.75 LT							13.13
M.L.	353+17.00	59.75 LT	353+17.00	75.00 LT							12.71
M.L.	384+90.00	20.00 LT	384+90.00	36.00 LT							12.30
M.L.	384+90.00	34.00 LT	384+90.00	44.00 LT							7.69
M.L.	384+90.00	44.00 LT	384+90.00	54.90 LT							8.38
M.L.	389+36.00	9.70 LT	389+36.00	20.00 LT							7.92
M.L.	389+36.00	20.00 LT	389+36.00	36.00 LT							12.30
M.L.	389+36.00	34.00 LT	389+36.00	44.00 LT							7.69
M.L.	389+36.00	44.00 LT	389+36.00	55.5 LT							8.84

CLASS D PATCHES, TYPE III, 10 INCH						TOTAL	SQ YD
STATION	LENGTH (FT)	ADJ LENGTH (FT)	WIDTH (FT)			Sub	totals
<b>S.B. LANE 1</b>							
TOTAL LENGTH	0.00	0.00	0.00				0.00
<b>S.B. LANE 2</b>							
401+62.86	30.00	36.00	4.00				16.00
378+98.30	10.00	12.00	12.00				16.00
351+84.43	10.00	12.00	12.00				16.00
349+81.74	13.00	15.60	12.00				20.80
329+66.66	13.00	15.60	12.00				20.80
281+40.57	13.00	15.60	12.00				20.80
272+34.94	11.00	13.20	12.00				17.60
256+28.97	11.00	13.20	12.00				17.60
245+23.59	9.50	11.40	12.00				15.20
<b>N.B. LANE 1</b>							
TOTAL LENGTH	0.00	0.00	0.00				0.00
<b>N.B. LANE 2</b>							
337+70.04	10.00	12.00	12.00				16.00
Incr Qty of Patch by 60% (20%/Yr Sinc Patch Surv Comple In 2005)							106.08

FOR SEWER LATERALS ONLY							LOCATION	STATION	OFFSET (FT)	STATION	OFFSET (FT)	AREA (SQ YD)	SQ YD
M.L.	258+91.68	20.00 LT	258+91.53	36.00 LT								21.77	
M.L.	335+83.00	71.67 RT	335+86.43	44.00 RT								20.53	

CLASS D PATCHES, TYPE IV, 10 INCH						TOTAL	SQ YD
STATION	LENGTH (FT)	ADJ LENGTH (FT)	WIDTH (FT)			Sub	totals
<b>S.B. LANE 1</b>							
TOTAL LENGTH	0.00	0.00	0.00				0.00
<b>S.B. LANE 2</b>							
215+02.79	17.00	20.40	12.00				27.20
<b>N.B. LANE 1</b>							
TOTAL LENGTH	0.00	0.00	0.00				0.00
<b>N.B. LANE 2</b>							
TOTAL LENGTH	0.00	0.00	0.00				0.00
Incr Qty of Patch by 60% (20%/Yr Sinc Patch Surv Comple In 2005)							16.32

STRIP REFLECTIVE CRACK CONTROL TREATMENT						TOTAL	FOOT
FROM STATION	TO STATION	NO. OF JOINTS	LENGTH			Sub	totals
<b>I-55 SB</b>							
186+03.63	196+42.58	2	1038.95				2,078
196+42.58	205+67.58	3	925.00				2,775
205+67.58	240+90.04	2	3522.46				7,045
<b>I-55 NB</b>							
187+28.31	240+90.04	2	5361.73				10,723
<b>ML ( N.B. &amp; S.B. )</b>							
240+90.04	402+65.07	6	16175.03				97,050
<b>MAINLINE S.B.</b>							
275+92.91	281+99.83	1	606.92				607
281+99.83	284+71.83	2	272.00				544
<b>MAINLINE N.B.</b>							
268+90.03	278+82.30	1	992.27				992
278+82.30	280+91.46	2	209.16				418
<b>MAINLINE S.B.</b>							
325+13.92	336+41.41	1	1127.49				1,127
336+41.41	337+09.19	2	67.78				136
<b>MAINLINE N.B.</b>							
327+60.78	335+01.87	1	741.09				741
335+01.87	336+12.34	2	110.47				221
<b>MAINLINE S.B.</b>							
352+08.72	353+49.50	2	140.78				282
353+49.50	361+21.03	1	771.53				772
<b>MAINLINE N.B.</b>							
350+69.77	352+98.78	2	229.01				458
352+98.78	362+64.43	1	965.65				966

AGGREGATE SHOULDERS, TYPE B 8"								TOTAL	1662	SQ YD
LOCATION	FROM STATION	FROM OFFSET	TO STATION	TO OFFSET	LENGTH (FT)	WIDTH (FT)	AREA (SQ FT)	Sub	totals	
S.B.	186+03.63		188+18.16		214.5	3	643.5		71.5	
N.B.	187+28.31		190+15.37		287.1	3	861.2		95.7	
ML	194+65.40	38.88LT	205+07.66	48LT	1042.3	3	3126.8		347.4	
	0+00.00		6+70.00		670.0	3	2010.0			
RAMP H	2+60.38		6+70.00		409.6	3	1228.9		223.3	
	2+60.38		6+70.00		409.6	3	1228.9		136.5	
FROM STA. FROM STA. MEASURE AREA SQ FT										
<b>S.B. Accident Investigation Site</b>										
					2,833.00				315.00	
<b>N.B. Accident Investigation Site</b>										
	5210+72.55	5216+56.58			4,260.00				473.00	

PIPE CULVERT REMOVAL							TOTAL	576	FOOT
LOCATION	STATION	OFFSET	STATION	SIZE	DIRECTION		Sub	totals	
I-55	202+93.00	17.0	202+92.70	-60.0			24	77	
I-55	233+92.00	-2.6	233+92.00	-20.0			18	18	
I-55	241+81.50	0.0	242+54.50	0.0			18	72	
I-55	245+20.60	0.0	245+20.60	20.0			24	20	
I-55	245+20.60	0.0	245+20.60	-20.0			24	20	
I-55	258+92.00	1.0	258+92.00	61.0			2		