



F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
505	110RS-1, 111RS-3	STEPHENSON	174	16
STA.	TO STA.			
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		CONTRACT NO. 64C32



* VARIES - SEE TURF SHOULDER SCHEDULE FOR WIDTHS.

TYPICAL SECTION - RESURFACING


STA 10138+30 TO 10171+23	STA 10398+26 TO 10429+92
STA 10175+74 TO 10209+00	STA 10437+48 TO 10441+07
STA 10213+50 TO 10221+82	STA 10451+73 TO 10460+96
STA 10232+28 TO 10237+37	STA 10470+54 TO 10473+44
STA 10253+50 TO 10260+00	STA 10480+16 TO 10492+56
STA 10265+50 TO 10281+09	STA 10497+79 TO 10513+78
STA 10286+52 TO 10298+63	STA 10527+52 TO 10582+29
STA 10309+00 TO 10328+50	STA 10586+29 TO 10588+25
STA 10337+00 TO 10354+00	STA 10591+44 TO 10600+00
STA 10372+00 TO 10395+26	



* VARIES - SEE TURF SHOULDER SCHEDULE FOR WIDTHS.

TYPICAL SECTION - RESURFACING SUPERELEVATED LEFT

STA 10242+65 TO 10246+00
STA 10360+00 TO 10367+00
STA 10441+07 TO 10447+00
STA 10449+56 TO 10451+73




* VARIES - SEE TURF SHOULDER SCHEDULE FOR WIDTHS.

TYPICAL SECTION - RESURFACING SUPERELEVATED RIGHT

STA 10221+82 TO 10225+00
STA 10228+50 TO 10232+28
STA 10298+63 TO 10303+50
STA 10429+92 TO 10437+48
STA 10460+96 TO 10470+54
STA 10473+44 TO 10480+16
STA 10513+78 TO 10515+50
STA 10520+00 TO 10527+52

LEGEND

- | | |
|---|--|
| ① 1/2" HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50 | ⑧ PAVEMENT REMOVAL, EXISTING +/-7" PCC PAVEMENT WITH +/-7" BITUMINOUS OVERLAY (REPLACE WITH ⑩) |
| ② 2" HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50 | ⑨ SUB-BASE GRANULAR MATERIAL, TYPE A 4" |
| ③ 3/4" LEVELING BINDER (MACHINE METHOD), N50 | ⑩ PORTLAND CEMENT CONCRETE BASE COURSE 9 3/4" |
| ④ HOT-MIX ASPHALT SHOULDERS, 6" | ⑪ 6" TOPSOIL |
| ⑤ AGGREGATE SHOULDERS, TYPE B | ⑫ 6", AGGREGATE SHOULDERS, TYPE B |
| ⑥ EXISTING +/-7" PCC PAVEMENT WITH +/-7" BITUMINOUS OVERLAY | ⑬ SUITABLE EMBANKMENT |
| ⑦ TURF SHOULDER (SEE TURF SHOULDER SCHEDULE) | |




TYPICAL SECTION - DETOUR ROUTE RESTORATION

- NOTES: 1. HOT-MIX ASPHALT SURFACE REMOVAL (VARIABLE DEPTH) WILL BE ALLOWED IN AREAS WHERE SURFACE IRREGULARITIES EXIST. GRINDING AREAS MUST BE APPROVED BY THE ENGINEER.
2. SURFACE AND BINDER COURSE QUANTITIES ARE CALCULATED AT A RATE OF 112 LBS./S.Y.-IN.
3. PAY ITEMS FOR TURF SHOULDER ⑦ SHALL INCLUDE:

CODE NUMBER	PAY ITEM	UNIT
21101600	TOPSOIL FURNISH AND PLACE, VARIABLE DEPTH	SO YD
25000210	SEEDING, CLASS 2A	ACRE
25000400	NITROGEN FERTILIZER NUTRIENT	POUND
25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND
25000600	POTASSIUM FERTILIZER NUTRIENT	POUND
25100115	MULCH, METHOD 2	ACRE

4. PAVE LEVEL BINDER AND HOT-MIX ASPHALT SURFACE COURSES. PLACE AGGREGATE SHOULDERS, TYPE B AT 9%. MOW EXISTING VEGETATION TO A HEIGHT NO GREATER THAN 2". SPREAD TOPSOIL TO WIDTHS SHOWN ON TURF SHOULDER SCHEDULE. ADD FERTILIZERS, SEEDING AND MULCH.



TURF SHOULDER

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION
F.A.P. ROUTE 505 (IL 75)

**ILLINOIS ROUTE 75
TYPICAL SECTIONS**

SCALE:
DATE: 12/20/06

DRAWN BY JMC
CHECKED BY DWB