F.A.P. RTE.	SECTION	1 0	OUNT	′	TOTAL	SHEET NO.
310	87 RS-3	so	HUYLE	R	26	2
STA.	69+70	TO	STA, 3	370+	-00	********
FEO. R	DAD DIST. NO. 6	ILLINOIS	FED.	AID	PROJECT	
				CO	NTRACT	72839

GENERAL NOTES

- 1. ANY REFERENCE TO THE STANDARDS THROUGHOUT THE PLANS SHALL BE INTERPRETED TO BE THE LATEST STANDARDS OF THE DEPARTMENT AS INCLUDED IN THE PLANS.
- NO EXCAVATION ANTICIPATED ON THIS PROJECT WHICH WOULD AFFECT UTILITIES. SHOULD ANY EXCAVATION BE REQUIRED, J. U. L. I. E. SHALL BE NOTIFIED A MINIMUM OF 48 HOURS IN ADVANCE - (800) 892-0123.
- 3. THE FOLLOWING APPLICATION RATES WERE USED FOR QUANTITY CALCULATIONS:

LEVELING BINDER
HMA CONC. SURF. CSE.
PRIME COAT (BIT) - ON PAVEMENT
PRIME COAT (BIT) - ON SHOULDERS
PRIME COAT (AGG)

O. 056 T / SY*IN
0. 0038 T / SY
001425 T / SY
001425 T / SY
002 T / SY
002 T / SY

- 4. ACTUAL SIZE AND LOCATIONS OF PATCHES WILL BE DETERMINED IN THE FIELD BY THE RESIDENT ENGINEER.
- 5. IN ADDITION TO FIELD SURVEYS AND AERIAL SURVEYS. PLAN DIMENSIONS AND DETAILS RELATIVE TO THE EXISTING FACILITIES HAVE BEEN TAKEN FROM EXISTING PLANS AND ARE SUBJECT TO CONSTRUCTION VARIATIONS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY SUCH DIMENSIONS AND DETAILS IN THE FIELD. SUCH VARIATIONS SHALL NOT BE A CAUSE FOR ADDITIONAL COMPENSATION DUE TO A CHANGE IN THE SCOPE OF THE WORK. HOWEVER, THE CONTRACTOR WILL BE PAID FOR THE OUANTITY ACTUALLY FURNISHED AT THE BID PRICE FOR THE WORK.
- 6. THE LOCATION OF ANY NO PASSING ZONES WILL BE NOTED PRIOR TO RESURFACING. NOTIFY THE BUREAU OF OPERATIONS TWO WEEKS PRIOR TO STRIPING SO NO PASSING ZONES CAN BE FIELD VERIFIED.
- ALL REFERENCES IN THE PLANS TO "BITUMINOUS" SHALL BE INTERPRETED TO MEAN "HOT-MIX ASPHALT"

COMMITMENTS

 FIELD/RESIDENT ENGINEER SHALL CONTACT STUDIES & PLANS CONCERNING ANY MAJOR PLAN CHANGE TO MAKE SURE NO PREVIOUS COMMITMENTS (NOT LISTED) WERE MADE AFFECTING THE DESIGN AND ALLOW AN IMPROVED DESIGN FOR FUTURE PROJECTS.

INDEX OF SHEETS

1 COVER SHEET
2 GENERAL NOTES
3-4 SUMMARY OF QUANTITIES
RESURFACING SCHEDULE
5-6 ENTRANCE SCHEDULES
7-9 TYPICAL CROSS SECTIONS
10-22 ALIGNMENT SCHEMATICS
23 BUTT JOINT DETAILS
24-26 SIDEROAD, ENTRANCE AND
MAILBOX TURNOUT DETAILS

LIST OF STANDARDS

000001-04 442201-02 630301-04 635006-02 635011-01 701001-01 701006-02 701011-01 701201-02 701306-01 701311-02 702001-06 780001-01 DISTRICT SIX

EXAMINED 20 OT

OPERATIONS ENGINEER

EXAMINED 20 OT

PROGRAM IMPLEMENTATION ENGINEER

EXAMINED 20 OT

PROGRAM DEVELOPMENT ENGINEER

THE FOLLOWING MIXTURE REQUIREMENTS ARE APPLICABLE TO THIS PROJECT:

MIXTURE USES: INCIDENTAL BINDER CSE. SURF. CSE. HMA SURFACING LOCATION US 67 US 67 SIDEROADS & ENTRANCES PG 64-22 PG 64-22 PG 64-22 DESIGN AIR VOIDS: 4.0% @ N DESIGN=50 4.0% @ N DESIGN=50
MIXTURE COMPOSTION: IL 19.0 II 9.5 OR 12.5 4.0% @ N DESIGN≈50 IL 19.0 IL 9.5 OR 12.5 IL 9.5 or IL 12.5 (GRADATION MIXTURE) FRICTION AGGREGATE: MIX C MIX C

				
REVISIONS NAME DATE	ILLINOIS DEPARTMENT	OF TRANSPORTATION		
	GENERAL NOTES			
	F.A.P. ROUTE	310 (US 67)		
	SECTION 87 RS-3			
	SCHUYLER COUNTY			
	SCALE: NONE	DRAWN BY: AGG		
	DATE: NOV. 2003	CHECKED BY: MJS		