



REFER TO CIP RETAINING WALL
PLAN & PROFILE FOR RETAINING
WALL DETAILS

36" STORM SEWER
ELEV. = 572.35

4" PERFORATED UNDERDRAIN
8" PCC PAVEMENT
CRUSHED AGGREGATE BASE COURSE - 4"
SEPARATION FABRIC

IL. PROJ: MLI-3673 AIP PROJ: 3-17-0068-XX

QUAD CITY INTERNATIONAL AIRPORT
Moline, IL



REVISIONS		
NO.	ITEM	DATE

PLOTTING SCALE: 1" = 10'
DRAWN BY: BLH
CHECKED BY: SAS
DATE: APRIL 2007

McClure
Engineering Associates, Inc.
4700 Kennedy Drive
East Moline, Illinois 61244
Fax (309) 792-8974
Design Firm License: Illinois 184-000816
Copyright 2007 By McClure Engineering Associates, Inc.

CROSS SECTION ENTRANCE ROAD
ENTRANCE ROAD RELOCATION
AND PARKING LOT EXPANSION
MOLINE, ILLINOIS
FILE NAME: Z:\MOI07.001\DWG\07001_cross_sections.dwg
JOB NUMBER: 01-29-07-001

SHEET NO.
35
OF 41