

**BEAM 1**

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elev Adj for Dead Load Deflection
Bk. S Abut.	131+54.59	-36.00	774.03	774.03
⊕ Brg. S Abut.	131+58.35	-36.00	774.07	774.07
A	131+68.35	-36.00	774.18	774.29
B	131+78.35	-36.00	774.29	774.50
C	131+88.35	-36.00	774.40	774.71
D	131+98.35	-36.00	774.51	774.89
E	132+08.35	-36.00	774.62	775.05
F	132+18.35	-36.00	774.73	775.21
G	132+28.35	-36.00	774.84	775.33
H	132+38.35	-36.00	774.95	775.44
I	132+48.35	-36.00	775.06	775.53
J	132+58.35	-36.00	775.17	775.59
K	132+68.35	-36.00	775.28	775.64
L	132+78.35	-36.00	775.39	775.67
M	132+88.35	-36.00	775.50	775.69
N	132+98.35	-36.00	775.61	775.69
⊕ Brg. N Abut.	133+05.35	-36.00	775.69	775.69
Bk. N Abut.	133+09.11	-36.00	775.73	775.73

**BEAM 2**

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elev Adj for Dead Load Deflection
Bk. S Abut.	131+51.47	-28.00	774.17	774.17
⊕ Brg. S Abut.	131+55.23	-28.00	774.21	774.21
A	131+65.23	-28.00	774.32	774.43
B	131+75.23	-28.00	774.43	774.64
C	131+85.23	-28.00	774.54	774.84
D	131+95.23	-28.00	774.65	775.02
E	132+05.23	-28.00	774.76	775.19
F	132+15.23	-28.00	774.87	775.34
G	132+25.23	-28.00	774.98	775.46
H	132+35.23	-28.00	775.09	775.57
I	132+45.23	-28.00	775.20	775.66
J	132+55.23	-28.00	775.31	775.72
K	132+65.23	-28.00	775.42	775.77
L	132+75.23	-28.00	775.53	775.80
M	132+85.23	-28.00	775.64	775.82
N	132+95.23	-28.00	775.75	775.82
⊕ Brg. N Abut.	133+02.23	-28.00	775.82	775.82
Bk. N Abut.	133+05.99	-28.00	775.87	775.87

**BEAM 3**

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elev Adj for Dead Load Deflection
Bk. S Abut.	131+48.35	-20.00	774.30	774.30
⊕ Brg. S Abut.	131+52.11	-20.00	774.34	774.34
A	131+62.11	-20.00	774.45	774.56
B	131+72.11	-20.00	774.56	774.77
C	131+82.11	-20.00	774.67	774.97
D	131+92.11	-20.00	774.78	775.15
E	132+02.11	-20.00	774.89	775.32
F	132+12.11	-20.00	775.00	775.47
G	132+22.11	-20.00	775.11	775.60
H	132+32.11	-20.00	775.22	775.70
I	132+42.11	-20.00	775.33	775.79
J	132+52.11	-20.00	775.44	775.86
K	132+62.11	-20.00	775.55	775.90
L	132+72.11	-20.00	775.66	775.94
M	132+82.11	-20.00	775.77	775.95
N	132+92.11	-20.00	775.88	775.96
⊕ Brg. N Abut.	132+99.11	-20.00	775.96	775.96
Bk. N Abut.	133+02.87	-20.00	776.00	776.00

**BEAM 4**

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elev Adj for Dead Load Deflection
Bk. S Abut.	131+45.23	-12.00	774.43	774.43
⊕ Brg. S Abut.	131+48.99	-12.00	774.47	774.47
A	131+58.99	-12.00	774.58	774.69
B	131+68.99	-12.00	774.69	774.90
C	131+78.99	-12.00	774.80	775.10
D	131+88.99	-12.00	774.91	775.29
E	131+98.99	-12.00	775.02	775.45
F	132+08.99	-12.00	775.13	775.60
G	132+18.99	-12.00	775.24	775.73
H	132+28.99	-12.00	775.35	775.83
I	132+38.99	-12.00	775.46	775.92
J	132+48.99	-12.00	775.57	775.99
K	132+58.99	-12.00	775.68	776.03
L	132+68.99	-12.00	775.79	776.07
M	132+78.99	-12.00	775.90	776.08
N	132+88.99	-12.00	776.01	776.09
⊕ Brg. N Abut.	132+95.99	-12.00	776.09	776.09
Bk. N Abut.	132+99.75	-12.00	776.13	776.13

**BEAM 5**

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elev Adj for Dead Load Deflection
Bk. S Abut.	131+42.11	-4.00	774.56	774.56
⊕ Brg. S Abut.	131+45.87	-4.00	774.60	774.60
A	131+55.87	-4.00	774.71	774.82
B	131+65.87	-4.00	774.82	775.03
C	131+75.87	-4.00	774.93	775.24
D	131+85.87	-4.00	775.04	775.42
E	131+95.87	-4.00	775.15	775.58
F	132+05.87	-4.00	775.26	775.74
G	132+15.87	-4.00	775.37	775.86
H	132+25.87	-4.00	775.48	775.97
I	132+35.87	-4.00	775.59	776.06
J	132+45.87	-4.00	775.70	776.12
K	132+55.87	-4.00	775.81	776.17
L	132+65.87	-4.00	775.92	776.20
M	132+75.87	-4.00	776.03	776.22
N	132+85.87	-4.00	776.14	776.22
⊕ Brg. N Abut.	132+92.87	-4.00	776.22	776.22
Bk. N Abut.	132+96.63	-4.00	776.26	776.26

**SB PGL**

Location	Station	Offset	Theoretical Grade Elevation	Theoretical Grade Elev Adj for Dead Load Deflection
Bk. S Abut.	131+41.92	-3.50	774.57	774.57
⊕ Brg. S Abut.	131+45.68	-3.50	774.61	774.61
A	131+55.68	-3.50	774.72	774.83
B	131+65.68	-3.50	774.83	775.04
C	131+75.68	-3.50	774.94	775.25
D	131+85.68	-3.50	775.05	775.43
E	131+95.68	-3.50	775.16	775.59
F	132+05.68	-3.50	775.27	775.74
G	132+15.68	-3.50	775.38	775.87
H	132+25.68	-3.50	775.49	775.97
I	132+35.68	-3.50	775.60	776.06
J	132+45.68	-3.50	775.71	776.13
K	132+55.68	-3.50	775.82	776.18
L	132+65.68	-3.50	775.93	776.21
M	132+75.68	-3.50	776.04	776.22
N	132+85.68	-3.50	776.15	776.23
⊕ Brg. N Abut.	132+92.68	-3.50	776.23	776.23
Bk. N Abut.	132+96.43	-3.50	776.27	776.27

I:\2154\Cad\sheet\Roadway\20-Structures & Walls\02-SN\_056-008\056008-60F72-04-TSE.dgn  
 4/17/18 PM  
 5/2/2012