



LEGEND:
 ● = NON LOCK-IN TYPE ANNUNCIATOR POINT
 ALL ANNUNCIATOR POINTS SHALL BE SET AS LOCK-IN TYPE UNLESS OTHERWISE INDICATED AS NON LOCK-IN TYPE.

- NOTES:**
- SEE SHEETS GI-1 AND GI-2 FOR INSTRUMENTATION SYMBOL LIST, ABBREVIATIONS, AND GENERAL NOTES.
 - REFER TO AEGIS/INTRUSION ALARM CIRCUIT DETAIL ON SHEET E10A FOR ADDITIONAL DETAILS.
 - REFER TO FIRE ALARM SYSTEM BLOCK DIAGRAM ON SHEET E10A FOR ADDITIONAL DETAILS.
 - REFER TO COMBUSTIBLE GAS MONITOR SYSTEM BLOCK DIAGRAM ON SHEET E10A FOR ADDITIONAL DETAILS.
 - ALL INTERCONNECTING WIRES/CABLES BETWEEN PANELS SHALL TERMINATE ON TERMINAL STRIPS AND SHOULD NOT BE DIRECTLY CONNECTED TO DEVICES LOCATED IN THE PANELS.

CPD-2

McDonough Associates Inc. Engineers/Architects 130 East Randolph Street - Suite 1000 Chicago, Illinois 60601 Phone: (312) 946-6000	DESIGNED <i>DKC</i>	REVISED - <i>4-19-2012</i>	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	I & C CONTROL PANEL SCHEMATIC PUMP STATION 47	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
	CHECKED <i>KMY</i>	REVISED -			338/IL 59	2011-035-1	DUPAGE	181	142	
	SCALE	DRAWN <i>CJM</i>			REVISED -	CONTRACT NO. 60P41				
	DATE <i>03/22/2012</i>	CHECKED <i>KMY</i>			REVISED -	ILLINOIS FED. AID PROJECT				