



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

June 5, 2012

SUBJECT: FAP Route 372 (IL 171)
Section (0102-683K, ETC & 0507-635K)RS-1
Cook County
Contract No. 60T38
Item No. 100, June 15, 2012 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page 38 of the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John D. Baranzelli, P. E.
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger P.E.".

By: Ted B. Walschleger, P. E.
Engineer of Project Management

cc: John Fortmann, Region 1, District 1; Mike Renner; Estimates

TBW/MS/ks

Basis of Payment. This work will be paid for at the contract unit price per EACH for CHAIN LINK FENCE POST, 4', which price shall include all labor, equipment, and material required to complete the work as herein specified.

DRAINAGE STRUCTURES TO BE REMOVED

Description: Work under this item shall be the removal and disposal of existing drainage structures as called out on the plans. It is the contractor's responsibility to verify the nature of all removals prior to bid. All work shall be in accordance with the applicable portions of Section 605 of the Standard Specifications.

Method of Measurement: DRAINAGE STRUCTURES TO BE REMOVED will be measured for payment by each.

Basis of Payment: DRAINAGE STRUCTURES TO BE REMOVED will be paid by each.

PROPOSED STORM SEWER CONNECTION TO EXISTING STORM SEWER PROPOSED STORM SEWER CONNECTION TO EXISTING MANHOLE

Description. This work consists of providing a proposed connection with new pipe to storm sewer or manhole at the locations shown on the plans. The connection shall follow Section 550.06 or Section 602.13 of the Standard Specifications or another connection detail as reviewed and approved by the Engineer. Any damaged pipe will be removed and replaced if required or as directed by the Engineer.

Basis of Payment. This work will be paid for at the contract unit price per Each for PROPOSED STORM SEWER CONNECTION TO EXISTING STORM SEWER or per EACH for PROPOSED STORM SEWER CONNECTION TO EXISTING MANHOLE.

SIPHON STRUCTURE TO BE CLEANED

Description. This work consists of cleaning the siphon structure crossing under Joliet Road west of the IL 171 Frontage Rd/Ramp K/Joliet Rd intersection, as called out on the plans. The siphon structure includes two (2) manholes and two (2) pipes. The pipes are 18" and 48" diameter.

All existing drainage structures and storm sewers shall be cleaned in accordance with Article 602.15 of the Standard Specifications.

Method of Measurement. This work will be measured for payment per cubic yard of debris removed and disposed offsite. Work shall include all labor and equipment needed to remove and dispose of the cleanout material to the satisfaction of the Engineer.

Basis of Payment. This work will be paid for at the contract unit price per cubic yard for SIPHON STRUCTURE TO BE CLEANED.

VIDEO INSPECTION OF STORM SEWER

Description. This work consists of videotaping the siphon structure, after cleanout, crossing under Joliet Road west of the IL 171 Frontage Rd/Ramp K/Joliet Rd intersection, as called out on the plans. The siphon structure includes two (2) manholes and two (2) pipes. The pipes are 18" and 48" diameter.

Revised 6-4-2012