

**SCHEDULE OF QUANTITIES
TABULATION OF CLASS A PATCHES, 14"
I-57 MAINLINE (NORTHBOUND)**

STATION	LANE	LENGTH	WIDTH	TYPE I	TYPE II	TYPE III	TYPE IV	SAWCUTS	TIE BARS, 3/4"	PATCHING REINFORCEMENT
		(FT)	(FT)	44200616 (SQ. YD.)	44200620 (SQ. YD.)	44200624 (SQ. YD.)	44200628 (SQ. YD.)	44213200 (FT)	44213204 (EACH)	44213000 (SQ. YD.)
641+78.00	NBDL	6.0	6.0	4.0				36.0		4.0
649+87.55	NBDL	10.0	6.0		6.7			44.0		6.7
651+90.96	NBDL	6.0	6.0	4.0				36.0		4.0
658+76.66	NBDL	10.0	6.0		6.7			44.0		6.7
663+06.45	NBPL	80.0	6.0				53.3	184.0	40.0	53.3
665+13.14	NBDL	20.0	6.0		13.3			64.0	10.0	13.3
667+00.15	NBDL	8.0	6.0		5.3			40.0		5.3
673+56.31	NBDL	6.0	6.0	4.0				36.0		4.0
677+92.67	NBDL	50.0	6.0				33.3	124.0	25.0	33.3
681+53.56	NBDL	100.0	6.0				66.7	224.0	50.0	66.7
687+67.08	NBDL	30.0	6.0			20.0		84.0	15.0	20.0
713+88.47	NBDL	6.0	12.0		8.0			60.0		8.0
714+27.84	NBDL	6.0	12.0		8.0			60.0		8.0
714+27.84	NBPL	6.0	12.0		8.0			60.0		8.0
721+20.09	NBDL	6.0	6.0	4.0				36.0		4.0
763+58.94	NBDL	10.0	6.0		6.7			44.0		6.7
764+40.96	NBDL	30.0	6.0			20.0		84.0	15.0	20.0
766+84.02	NBPL	12.0	12.0			16.0		72.0		16.0
777+20.77	NBDL	8.0	6.0		5.3			40.0		5.3
789+93.73	NBDL	25.0	6.0			16.7		74.0	13.0	16.7
793+71.03	NBDL	40.0	6.0				26.7	104.0	20.0	26.7
796+72.87	NBDL	50.0	6.0				33.3	124.0	25.0	33.3
797+84.42	NBDL	40.0	6.0				26.7	104.0	20.0	26.7
806+50.56	NBDL	6.0	6.0	4.0				36.0		4.0
812+08.30	NBDL	12.0	6.0		8.0			48.0		8.0
814+44.52	NBDL	25.0	6.0			16.7		74.0	13.0	16.7
817+92.29	NBDL	35.0	6.0			23.3		94.0	18.0	23.3
819+62.90	NBDL	10.0	6.0		6.7			44.0		6.7
821+85.99	NBDL	8.0	6.0		5.3			40.0		5.3
827+63.42	NBDL	20.0	12.0				26.7	88.0	10.0	26.7
830+25.89	NBDL	6.0	12.0		8.0			60.0		8.0
831+80.09	NBDL	10.0	6.0		6.7			44.0		6.7
832+12.90	NBDL	6.0	6.0	4.0				36.0		4.0
834+55.68	NBDL	12.0	6.0		8.0			48.0		8.0
841+24.97	NBDL	8.0	6.0		5.3			40.0		5.3
854+07.78	NBDL	6.0	6.0	4.0				36.0		4.0
865+06.86	NBDL	20.0	6.0		13.3			64.0	10.0	13.3
894+66.18	NBDL	6.0	6.0	4.0				36.0		4.0
SUBTOTALS				32.0	129.3	112.7	266.7	2,566.0	284.0	540.7
USE				32.0	129.0	113.0	267.0	2,566.0	284.0	541.0