


* - WIDTH OF EXISTING CONCRETE PAVEMENT VARIES:
 22'-0" TO 18'-0" STA. 82+70 TO STA. 89+89
 18'-0" STA. 89+89 TO STA. 109+23
 18'-0" TO 22'-0" STA. 109+23 TO STA. 114+98
 22'-0" STA. 114+98 TO STA. 125+24



** PROPOSED SUB-BASE GRANULAR MATERIAL TO BE PLACED ONLY WHERE P.C.C. MEDIAN IS PROPOSED.

- PROPOSED MEDIAN SURFACE REMOVAL
- PROPOSED CURB & GUTTER REMOVAL
- PROPOSED EARTHEN MATERIAL FILL

- STA. 84+01 TO STA. 85+06 ----- NO MEDIAN
- STA. 85+06 TO STA. 85+53 ----- CONCRETE MEDIAN
- STA. 85+53 TO STA. 86+92 ----- EARTH MEDIAN
- STA. 93+06 TO STA. 93+63 ----- NO MEDIAN
- STA. 93+63 TO STA. 93+77 ----- CONCRETE MEDIAN
- STA. 93+77 TO STA. 101+24 ----- GRASS MEDIAN
- STA. 107+98 TO STA. 108+15 ----- CONCRETE MEDIAN
- STA. 108+15 TO STA. 108+60 RIGHT ----- GRASS MEDIAN
- STA. 108+15 TO STA. 109+23 LEFT ----- GRASS MEDIAN

TYPICAL #9

EXISTING LEGEND

- ① P.C.C. PAVEMENT
- ② CONCRETE PAVEMENT
- ③ P.C.C. BASE COURSE
- ④ P.C.C. BASE COURSE WIDENING
- ⑤ BITUMINOUS CONCRETE BASE COURSE
- ⑥ BITUMINOUS CONCRETE BASE COURSE WIDENING
- ⑦ BITUMINOUS CONCRETE SURFACE COURSE
- ⑧ BITUMINOUS SHOULDERS
- ⑨ STABILIZED SHOULDERS
- ⑩ AGGREGATE SHOULDERS
- ⑪ P.C.C. GUTTER
- ⑫ P.C.C. MEDIAN OR EARTHEN MEDIAN
- ⑬ COMBINATION CONCRETE CURB & GUTTER, TYPE M 6.06
- ⑭ CONCRETE CORRUGATED MEDIAN
- ⑮ STABILIZED SUB-BASE MATERIAL, 4"

PROPOSED LEGEND

- (A) LEVELING BINDER (MACHINE METHOD), N90, 1"
- (B) HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH
- (B1) HOT -MIX ASPHALT SURFACE REMOVAL, 2"
- (C) LEVELING BINDER (MACHINE METHOD), N70, 3/4"
- (D) HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70, 1 1/2"
- (E) HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N90, 1 1/2"
- (F) HOT-MIX ASPHALT BASE COURSE, 12"
- (G) COMBINATION CONCRETE CURB & GUTTER, TYPE M 6.06
- (H) AGGREGATE SHOULDER, TYPE B
- (J) SUB-BASE GRANULAR MATERIAL, TYPE B, 4"
- (J) P.C.C. MEDIAN SURFACE, 4" OR EARTHEN MEDIAN
- (K) PAVEMENT MARKING - LINE 5"
- (L) PIPE DRAIN, 6" DIAMETER
- (M) COMBINATION CONCRETE CURB & GUTTER, TYPE M 6.24
- (N) HOT-MIX ASPHALT SHOULDERS, 9"
- (O) SUBBASE GRANULAR MATERIAL, TYPE A, 4"

