

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
646	103-LIN-5,TS	PEORIA		2
STA.	TO STA.			
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		

INDEX OF SHEETS

- 1 COVER SHEET
- 2 INDEX OF SHEETS, COMMITMENTS, JOB & GENERAL NOTES, STATUS OF UTILITIES
- 3-7 SUMMARY OF QUANTITIES
- 8-11 SCHEDULE OF QUANTITIES
- 12 REMOVAL ITEMS
- 13 PROPOSED IMPROVEMENT/EXISTING UTILITIES
- 14 PROPOSED DRAINAGE
- 15-16 PROPOSED GEOMETRICS
- 17 PROPOSED PAVEMENT MARKINGS
- 18-19 EXISTING TRAFFIC SIGNALS
- 12-23 PROPOSED TRAFFIC SIGNALS
- 24-35 DISTRICT CADD STANDARDS

STATUS OF UTILITIES

Route	Offset	Location	Type of Utility	Type of Conflict	Disposition
<i>Illinois American Water</i>					
IL 40	60' Lt. to 125' Lt.	137+00 to 139+30	Water Main	Curb and Gutter	Caution
<i>AmerenCILCO (Gas)</i>					
IL 40	68' Lt. to 200' Lt.	137+00 to 139+63	Gas Main	Sidewalk	Caution
<i>McLeod USA</i>					
IL 40	142' Lt. to 146' Lt.	139+00 to 140+00	Fiber Optic	Curb & Gutter/Median	Caution
<i>AT&T</i>					
IL 40	115' Lt. to 200' Lt.	138+90 to 139+65	Buried Telephone	Sidewalk	Caution
IL 40	112' Lt. to 97' Lt.	138+90 to 19+65	Buried Telephone	Curb & Gutter/Median	

GENERAL NOTES

AVAILABILITY OF ELECTRONIC FILES

MicroStation and GEOPAK files of this project will be made available to the Contractor. If there is a conflict between the electronic files and the printed contract plans and documents, the printed contract plans and documents shall take precedence over the electronic files. The Contractor shall accept all risk associated with using the electronic files and shall hold the Department harmless for any errors or omissions in the electronic files and the data contained therein. Errors or delays resulting from the use of the electronic files by the Contractor shall not result in an extension of time for any interim or final completion date or shall not be considered cause for additional compensation. The Contractor shall not use, share, or distribute these electronic files except for the purpose of constructing this contract. Any claims by third parties due to use or errors shall be the sole responsibility of the Contractor. The Contractor shall include this disclaimer with the transfer of these electronic files to any other parties and shall include appropriate language binding them to similar responsibilities.

PLAN ELEVATIONS - U.S.G.S. MEAN SEA LEVEL DATUM

Use one of the following two options.

- 1. All elevations shown on the plans are established from U.S.G.S. mean sea level datum.
- 2. All elevations shown refer to U.S.G.S. datum at mean sea level unless otherwise noted.

FINAL FINISH ON P.C. CONCRETE PAVEMENT, TYPE B

A Type "B" final finish, obtained in accordance with Article 420.11 (e)(2) of the Standard Specifications, shall be provided for the Portland Cement Concrete Pavement.

COMMITMENTS

THERE ARE NO COMMITMENTS FOR THIS CONTRACT.

ORDERING LENGTH CONFIRMATION - DRAINAGE ITEMS

The Contractor shall consult with the Engineer in regard to the exact length of the box/pipe culverts, storm sewers, and/or pipe drains required prior to ordering these items.

EXISTING DRAINAGE PIPES CONNECTED TO NEW STRUCTURES

In accordance with Section 602 of the Standard Specifications, the connecting of existing drain tiles, pipe culverts, or storm sewers to the proposed drainage system structures will not be paid for separately but shall be considered as included in the pay items provided.

MEDIAN AND ISLAND NOSES

When constructing median and island noses the following criteria should be followed:

- p Barrier curb shall be used to construct noses when the median or island surrounds a mast arm or other non-breakaway foundation.
- p Ramped noses shall be used on medians or islands with breakaway posts.

ENGINEERS FIELD OFFICE

Add the following sentence to the end of paragraph 670.02 (i) and 670.04 (e):

All of the telephone lines provided shall have unpublished numbers.

JOB SPECIFIC NOTES

EXISTING TOPOGRAPHY AND FEATURES WERE DERIVED FROM OLD PLANS AND FIELD INVESTIGATIONS. THERE WAS NO SURVEY FOR THIS CONTRACT. SPECIAL ATTENTION SHOULD BE GIVEN TO THE REMOVAL OF THE EXISTING MEDIAN AS THE EXISTING EDGE OF PAVEMENT (EDGE OF EXISTING 6" PAN) ON THE NORTH SIDE SHALL BECOME THE BASELINE FOR THE LAYOUT OF THE PROPOSED MEDIAN AND PROPOSED EDGE OF PAVEMENT ALONG PROSPECT AVENUE. SEE GOMETRICS SHEETS FOR MORE DETAIL.

THE IDOT TRAFFIC BUILDING LOCATED AT 5826 NORTH KNOXVILLE AVENUE, SHALL BE USED AS A FIELD OFFICE. PLEASE CONTACT MR. SHANE LARSON AT 671-4460 AS EARLY AS POSSIBLE TO SET UP ARRANGEMENTS.

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION	
NAME	DATE	INDEX OF SHEETS, COMMITMENTS, JOB & GENERAL NOTES, STATUS OF UTILITES	
		SCALE: VERT. DRAWN BY HORIZ. CHECKED BY DATE	