

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	**	MACOUPIN	231	105

STA.	TO STA.
FED. ROAD DIST. NO.	ILLINOIS FED. AID PROJECT

\* FAP 325 (IL 16) & FAP 604 (IL 159)  
 \*\* 14R; 115RS-2; 116RS-4; 101RS-2

LOCATION	TYPE OF ENTRANCE	EXISTING MATERIAL TYPE	EXISTING BIT AREA	PROP BIT AREA	PROP AGG AREA	PROP CONC AREA	PROP BIT CONC DEPTH	BIT SURF REM-BUTT JOINT	DRIVEWAY PAVT REM	AGG SURF CSE TYPE B	AGG BASE CSE TYPE B	PREP OF BASE	BIT MATL (PR CT)	AGG (PR CT)	INC BIT SURF	AGG FOR TEMP ACCESS	WIDTH 1	WIDTH 2	WIDTH 3
STATION	(FE/PE/CE/MBTO/SR)	(DIRT/AGG/BIT/O&C)	SO YD	SO YD	SO YD	SO YD	INCH	SO YD	SO YD	TON	TON	SO YD	TON	TON	TON	TON	FOOT	FOOT	FOOT
PART B																			
IL 159																			
STA 1149+87.7	LT	SR	BIT	81.81	81.81		2.25	81.81					0.03	0.18	10.31				
STA 1155+70.3	RT	MB	BIT	47.96	47.96		2.25	47.96					0.02	0.11	6.04				
STA 1158+88.0	RT	SR	BIT/AGG	64.34	64.34	22.41	2.25	64.34		2.23			0.02	0.14	8.11				
STA 1161+90.6	RT	SR	BIT/AGG	38.08	38.08	15.94	2.25	38.08		1.59			0.01	0.08	4.80				
STA 1165+87.8	RT	SR	BIT	42.62	42.62		2.25	42.62					0.02	0.09	5.37				
STA 1169+38.3	RT	PE	BIT/AGG	31.20	31.20	21.02	2.25	31.20		2.09			0.01	0.07	3.93				
STA 1170+97.2	RT	MB	BIT	46.48	46.48		2.25	46.48					0.02	0.10	5.86				
STA 1171+22.8	LT	PE	BIT/AGG	22.05	22.05	17.00	2.25	22.05		1.69			0.01	0.05	2.78				
STA 1179+99.9	RT	PE	BIT/AGG	84.67	84.67	31.65	2.25	84.67		3.15			0.03	0.19	10.67				
STA 1194+46.7	LT	SR	BIT	46.05	46.05		2.25	46.05					0.02	0.10	5.80				
STA 1194+46.7	RT	SR	BIT	43.80	43.80		2.25	43.80					0.02	0.10	5.52				
STA 1215+70.4	RT	PE	BIT/AGG	39.44	39.44	16.12	2.25	39.44		1.61			0.01	0.09	4.97				
STA 1218+07.7	RT	PE	BIT/AGG	28.80	28.80	15.95	2.25	28.80		1.59			0.01	0.06	3.63				
STA 1219+39.7	LT	PE	BIT/AGG	42.48	42.48	16.12	2.25	42.48		1.61			0.02	0.09	5.35				
STA 1239+64.1	LT	PE	BIT/O&C	34.67	34.67		2.25	34.67					0.01	0.08	4.37				
STA 1240+65.7	RT	PE	BIT/O&C	35.26	35.26		2.25	35.26					0.01	0.08	4.44				
STA 1241+01.6	LT	MB	BIT	37.22	37.22		2.25	37.22					0.01	0.08	4.69				
STA 1259+81.4	LT	PE	BIT/AGG	46.83	46.83	19.66	2.25	46.83		1.96			0.02	0.10	5.90				
STA 1273+30.7	RT	PE	BIT/O&C	26.10	26.10		2.25	26.10					0.01	0.06	3.29				
STA 1273+37.5	LT	SR	O&C	0.00	38.84		8.00					38.84	0.06	0.09	17.40	13.27	45.0		24.9
STA 1295+38.7	RT	PE	BIT/AGG	37.19	37.19	25.65	2.25	37.19		2.56			0.01	0.08	4.69				
STA 1296+60.2	LT	MB	BIT	38.46	38.46		2.25	38.46					0.01	0.08	4.85				
STA 1296+83.3	RT	PE	BIT/AGG	26.72	26.72	19.73	2.25	26.72		1.97			0.01	0.06	3.37				
STA 1300+25.7	LT	SR	BIT	203.00	203.00		2.25	203.00					0.08	0.45	25.58				
STA 1300+25.7	RT	SR	O&C	0.00	47.83		8.00					47.83	0.07	0.11	21.43	16.34	53.6		32.0
STA 113+33.66	RT	PE	BIT/AGG	24.93	24.93	27.90	2.25	24.93		2.78			0.01	0.05	3.14				
STA 115+87.49	LT	PE	BIT/AGG	61.89	61.89	19.10	2.25	61.89		1.90			0.02	0.14	7.80				
STA 117+08.09	RT	PE	BIT/AGG	29.59	29.59	22.88	2.25	29.59					0.01	0.07	3.73				
STA 117+93.85	LT	PE	AGG	0.00	32.72	16.97	3.50					32.72	0.05	0.07	6.41	5.59	44.8	28.8	14.8
STA 125+47.43	LT	PE	AGG	0.00	34.06	18.14	3.50					34.06	0.05	0.07	6.68	5.82	46.3	30.3	16.3
STA 126+78.53	RT	SR	BIT/O&C	36.06	36.06		2.25	36.06					0.01	0.08	4.54				
STA 126+71.11	LT	MB	BIT	37.97	37.97		2.25	37.97					0.01	0.08	4.78				
STA 136+27.20	RT	PE	BIT/AGG	26.89	26.89	16.26	2.25	26.89		1.62			0.01	0.06	3.39				
STA 137+01.47	LT	PE	BIT/AGG	46.89	46.89	19.59	2.25	46.89		1.95			0.02	0.10	5.91				
STA 139+72.02	RT	PE	AGG	0.00	32.13	16.44	3.50					32.13	0.05	0.07	6.30	5.49	44.2	28.1	14.7
STA 140+11.04	LT	PE	AGG	0.00	51.15	17.54	3.50					51.15	0.07	0.11	10.03	8.74	70.5	44.5	15.5
STA 146+37.15	LT	PE	BIT/AGG	40.43	40.43	16.83	2.25	40.43		1.68			0.02	0.09	5.09				
STA 148+96.52	RT	PE	AGG	0.00	30.22	14.78	3.50					30.22	0.04	0.07	5.92	5.16	42.0	26.0	12.0
STA 148+96.68	LT	PE	AGG	0.00	52.89	19.06	3.50					52.89	0.08	0.12	10.37	9.04	72.5	46.5	17.5
STA 151+60.17	RT	PE	BIT/AGG	27.57	27.57	19.10	2.25	27.57		1.90			0.01	0.06	3.47				
STA 152+64.45	LT	PE	BIT/AGG	50.54	50.54	23.41	2.25	50.54		2.33			0.02	0.11	6.37				
STA 153+24.53	LT	SR	O&C	0.00	41.90		8.00					41.90	0.06	0.09	18.77	14.32	47.7		27.7
STA 153+24.53	RT	SR	O&C	0.00	43.37		8.00					43.37	0.06	0.10	19.43	14.82	48.0		30.1
STA 158+47.28	LT	PE	BIT/AGG	32.64	32.64	16.90	2.25	32.64		1.68			0.01	0.07	4.11				
STA 167+85.95	LT	PE	BIT/AGG	22.39	22.39	16.56	2.25	22.39		1.65			0.01	0.05	2.82				
STA 168+26.37	LT	PE	BIT/AGG	24.69	24.69	20.92	2.25	24.69		2.08			0.01	0.05	3.11				
STA 169+79.13	LT	PE	BIT/AGG	39.91	39.91	23.88	2.25	39.91		2.38			0.02	0.09	5.03				
STA 171+16.74	LT	PE	BIT/CONC	39.87	39.87		2.25	39.87					0.02	0.09	5.02				
STA 173+45.65	LT	CE	BIT/AGG	79.59	79.59	40.40	2.25	79.59		4.03			0.03	0.18	10.03				
STA 175+33.92	RT	PE	BIT/AGG	30.72	30.72	9.41	2.25	30.72		0.94			0.01	0.07	3.87				
STA 175+55.79	LT	MB	BIT	30.34	30.34		2.25	30.34					0.01	0.07	3.82				
STA 179+78.38	LT	SR	BIT	44.37	44.37		2.25	44.37					0.02	0.10	5.59				
STA 179+78.38	RT	SR	BIT	41.03	41.03		2.25	41.03					0.02	0.09	5.17				
STA 181+18.84	RT	PE	BIT/AGG	16.92	22.00	10.31	3.50		16.92	1.03			0.03	0.05	4.31	3.76	33.9	17.9	12.0
STA 182+03.84	LT	PE	BIT/AGG	32.73	32.73	10.97	2.25	32.73		1.09			0.01	0.07	4.12				
STA 182+59.60	RT	CE	AGG	0.00	39.14	29.22	8.00			2.91		39.14	0.06	0.09	17.53	13.37	45.8	25.8	25.8
STA 183+23.49	LT	PE	AGG	0.00	21.33	24.56	3.50			2.45		21.33	0.03	0.05	4.18	3.64	32.0	16.0	12.0
STA 184+27.63	LT	SR	BIT	56.92	56.92		2.25	56.92					0.02	0.13	7.17				
STA 184+27.63	RT	SR	BIT	38.28	38.28		2.25	38.28					0.01	0.08	4.82				
STA 185+45.69	RT	CE	BIT/AGG	33.47	48.27	36.30	8.00	48.27			16.54		0.07	0.11	10.85	16.49	68.8	42.8	17.0
STA 186+53.91	RT	CE	BIT/AGG	38.04	38.04	46.62	2.25	38.04					0.01	0.08	4.79				
STA 187+74.26	RT	CE	BIT/AGG	41.27	41.27	44.38	2.25	41.27					0.02	0.08	5.20				
STA 187+95.88	LT	CE	AGG	0.00	40.00	32.54	8.00				14.82	40.00	0.06	0.09	17.92	13.67	46.0	26.0	16.0
SUB-TOTAL PART B				2,696.63	852.22	0.00		2,169.05	16.92	68.99	43.02	505.58	1.63	5.87	444.74	149.52			

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION
NAME	DATE	
		<b>SCHEDULE OF QUANTITIES</b> FAP 325 (IL 16) & FAP 604 (IL 159) 14R; 115RS-2; 116RS-4; 101RS-2 MACOUPIN COUNTY SCALE: VERT. _____<