

U.S. ROUTE 20 (LAKE STREET) STA. 105+70.68 TO STA. 225+50.00 STORM SEWER SCHEDULE

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
3537	5Y-R-4	DUPAGE	392	52
STA.		TO STA.		
FED. ROAD DIST. NO. 1		ILLINOIS	FED. AID PROJECT	
CONTRACT NO. 62295				

PIPE NO.	LOCATION				TRENCH BACKFILL CU.YD.	SS CL A. TY 1 BY SIZE (INCH) FEET								SS CL A. TY 2 BY SIZE (INCH) FEET								SS CL A. TY 3 BY SIZE (INCH) FEET			WATER MAIN REQUIREMENTS FOR STORM SEWER (FEET)												SLOPE (%)	UNDER DRAIN 4" (FEET)			
	FROM		TO			12	15	18	21	24	30	36	12	15	18	24	27	36	42	48	54	18	48	54	12"	12"	15"	15"	18"	18"	21"	24"	24"	30"	30"	36"			42"	48"	54"
	STR STA.	OFFSET	STR STA.	OFFSET		TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1	TY 2	TY 1			TY 2		
121	121+33	43.0	RT.	121+33	27.5	LT.	11.6																													0.41	45				
122	121+33	46.0	LT.	121+33	27.5	LT.	2.5																													1.00	45				
123	122+51	46.0	RT.	123+05	46.0	RT.	7.7																													0.50					
124	121+98	46.0	RT.	122+20	27.5	LT.	14.2																													1.00					
125	123+00	38.0	LT.	123+05	27.5	LT.	1.2	7.1																												1.00					
126	123+90	34.0	LT.	123+90	27.5	LT.	0.3	2.0																												1.00	36				
127	123+05	46.0	RT.	123+05	27.5	LT.	14.3																													1.00					
128	123+90	34.0	RT.	123+89	8.0	RT.	4.0																													1.00	36				
129	124+80	34.0	LT.	124+80	27.5	LT.	0.3	2.0																												1.00					
130	124+80	34.0	RT.	124+80	27.5	LT.	10.7																													1.00					
131	125+80	34.0	LT.	125+80	27.5	LT.	0.3	2.0																												1.00					
132	125+60	34.0	RT.	125+80	27.5	LT.	10.8																													1.00					
133	126+40	40.0	RT.	127+15	45.0	RT.	10.0																													1.00					
134	126+79	34.0	LT.	127+14	27.5	LT.	4.6	31.1																												1.00					
135	127+15	45.0	RT.	127+14	27.5	LT.	14.0																													1.00					
136	127+90	46.0	RT.	127+90	27.5	LT.	14.3																													1.00	47				
137	127+90	34.0	LT.	127+90	27.5	LT.	0.3	2.0																												1.00	34				
138	128+60	46.0	RT.	128+44	27.5	LT.	15.7																													1.00					
139	129+51	94.4	RT.	130+05	65.0	RT.	12.1																													1.00					
140	128+47	70.0	LT.	128+44	27.5	LT.	11.8																													1.00					
141	129+70	69.0	LT.	129+68	65.0	LT.	74.1	2.0																												1.00					
142	130+05	65.0	RT.	130+10	27.5	LT.	31.1																													1.00					
143	130+10	46.0	LT.	130+10	27.5	LT.	4.0																													1.00					
144	130+92	34.0	RT.	130+92	27.5	LT.	43.6																													7.19					
145	130+92	46.0	LT.	130+98	27.5	LT.	15.8																													5.83					
146	131+71	45.0	LT.	131+72	27.5	LT.	3.0																													1.00	32				
147	131+72	34.0	RT.	131+72	3.0	RT.	5.5																													1.00	32				
148	131+57	46.0	LT.	131+71	45.0	LT.	1.6	10.0																												1.00					
149	131+86	44.0	LT.	131+71	45.0	LT.	1.7	11.0																												1.00					
150	131+56	34.0	RT.	131+72	34.0	RT.	1.9																													1.00					
151	131+87	34.0	RT.	131+72	34.0	RT.	1.7																													1.00					
152	219+37	21.0	LT.	221+28	14.0	LT.	321.9																													0.25					
153	221+28	14.0	LT.	222+19	14.8	LT.	135.2																													0.26					
154	126+39	56.0	RT.	126+40	40.0	RT.	1.9																													1.00					
155	133+31	35.0	LT.	133+31	27.5	LT.	0.4	2.5																												1.00					
156	133+49	34.0	RT.	133+31	27.5	LT.	11.5																													1.00					
157	134+25	34.0	RT.	134+32	27.5	LT.	10.6																													1.00					
158	134+00	34.0	LT.	134+32	27.5	LT.	4.5	27.7																												1.00					
159	134+75	34.0	LT.	134+32	27.5	LT.	7.3																													1.00	32				
160	135+02	34.0	RT.	135+72	27.5	LT.	16.7																													1.00	32				
161	142+21	27.5	LT.	142+54	27.5	LT.	25.2																													0.26					
162	135+55	34.0	LT.	135+72	27.5	LT.	2.1	13.2																												1.00					
163	136+35	34.0	LT.	137+12	34.0	LT.	12.4																													1.00					
164	136+42	34.0	RT.	137+12	34.0	RT.	11.1																													1.00					
165	137+12	34.0	LT.	137+12	27.5	LT.	0.4																													1.00					
166	137+12	34.0	RT.	137+12	27.5	LT.	13.6																													1.00					
167	137+82	34.0	RT.	137+82	27.5	LT.	10.9																													1.00	32				
168	138+02	34.0	LT.	138+43	27.5	LT.	6.1	36.5																												1.00	32				
169	138+43	34.0	RT.	138+43	8.0	LT.	7.2																													1.00					
170	139+78	34.0	LT.	139+79	27.5	LT.	0.4																													1.00	36				
171	138+92	34.0	LT.	138+43	27.5	LT.	8.7																													1.00					
172	139+09	34.0	RT.	139+13	27.5	LT.	19.2																													5.74					
173	139+78	34.0	RT.	139+79	27.5	LT.	17.1																													1.00	37				
174	140+55	45.0	RT.	141+42	47.0	RT.	13.9																													1.00					
175	141+42	47.0	RT.	141+36	27.5	LT.	18.3																													1.00					
176	141+03	101.0	LT.	141+82	56.0	LT.	18.5																													0.50					
177	140+61	71.0	LT.	141+03	101.0	LT																																			