

RESURFACING SCHEDULE

STA	EXIST. C.L. ELEV. (ft)	BITUMINOUS SURFACE REMOVAL - 3/4"					PRIME COATS				BITUMINOUS CONCRETE BINDER COURSE, SUPERPAVE, IL-19.0, N70 SAFETY SHOULDER										BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX "C", N70 SAFETY SHOULDER															
		THICK (in)	C.L. ELEV. (ft)	WIDTH (ft)	AVG. WIDTH (ft)	BIT. SURF. REMOVAL - 3/4" (sq yds)	WIDTH (ft)	AVG. WIDTH (ft)	AGG. (PRIME COAT) (TONS)	BIT. MAT'L (PRIME COAT) (406) (TONS)	THICK (in)	AVG. THICK (in)	WIDTH (ft)	AVG. WIDTH (ft)	BINDER COURSE (TONS)	THICK (in)	AVG. THICK (in)	WIDTH (ft)	AVG. WIDTH (ft)	BINDER COURSE (TONS)	THICK (in)	AVG. THICK (in)	WIDTH (ft)	AVG. WIDTH (ft)	SURFACE COURSE (TONS)	THICK (in)	AVG. THICK (in)	WIDTH (ft)	AVG. WIDTH (ft)	SURF COURSE (TONS)	THICK (in)	AVG. THICK (in)	WIDTH (ft)	AVG. WIDTH (ft)	SURF COURSE (TONS)	
1436+50	517.42	1.00	517.34	24	24		24	24	0.02	0.01																										
1436+55	517.32	0.75	517.26	24	24		24	24	0.08	0.02																										
1436+75	516.92	0.75	516.86	24	24	53.3	24	24	0.10	0.02																										
1437+00	516.43	0.75	516.37	24	24	66.7	24	24	0.04	0.01																										
1437+10	516.24	0.75	516.18	24	24	26.7	24	24	0.06	0.01																										
1437+25	515.97	0.75	515.91	24	24	40.0	24	24	0.10	0.02																										
1437+50	515.53	0.75	515.47	24	24	66.7	24	24	0.10	0.02																										
1437+75	515.19	0.75	515.13	24	24	66.7	24	24	0.10	0.02																										
1438+00	514.91	0.75	514.85	24	24	66.7	24	24	0.10	0.02																										
1438+25	514.70	0.75	514.64	24	24	66.7	24	24	0.10	0.02																										
1438+50	514.50	0.75	514.44	24	24	66.7	24	24	0.10	0.02																										
1438+75	514.35	0.75	514.29	24	24	66.7	24	24	0.10	0.02																										
1439+00	514.24	0.75	514.18	24	24	66.7	24	24	0.10	0.02																										
1439+25	514.16	0.75	514.10	24	24	66.7	24	24	0.10	0.02																										
1439+50	514.04	0.75	513.98	24	24	66.7	24	24	0.10	0.02																										
1439+75	513.90	0.75	513.84	24	24	66.7	24	24	0.10	0.02																										
1439+80	513.82	0.75	513.76	24	24	13.3	24	24	0.02	0.01																										
1440+25	509.33																																			
1440+50	501.89																																			
1440+75	493.76																																			
1441+00	489.50																																			
1441+25	493.22																																			
1441+50	502.03																																			
1441+75	513.86																																			
1442+15	513.87	0.75	513.81	20			24																													
1442+25	514.16	0.75	514.10	20	20	22.2	24	24	0.04	0.01																										
1442+50	514.48	0.75	514.42	20	20	55.6	24	24	0.10	0.02																										
1442+75	514.89	0.75	514.83	20	20	55.6	24	24	0.10	0.02																										
1443+00	515.42	0.75	515.36	20	20	55.6	24	24	0.10	0.02																										
1443+38	516.40	0.75	516.34	20	20	84.4	24	24	0.15	0.03																										
1443+50	516.75	0.75	516.69	20	20	26.7	24	24	0.05	0.01																										
1443+88	518.20	0.75	518.14	20	20	84.4	24	24	0.15	0.03																										
1444+00	518.72	0.75	518.66	20	20	26.7	24	24	0.05	0.01																										
1444+25	519.87	0.75	519.81	20	20	55.6	24	24	0.10	0.02																										
1444+50	521.15	0.75	521.09	20	20	55.6	24	24	0.10	0.02																										
1444+75	522.48	0.75	522.42	20	20	55.6	24	24	0.10	0.02																										
1445+00	523.89	0.75	523.83	20	20	55.6	24	24	0.10	0.02																										
1445+05	524.19	0.75	524.13	20	20	11.1	24	24	0.02	0.01																										
1445+25	525.41	0.75	525.35	20	20	44.4	24	24	0.08	0.02																										
1445+45	526.62	0.75	526.56	20	20	44.4	24	24	0.08	0.02																										
1445+50	526.91	1.00	526.83	20	20		24	24	0.02	0.01																										
TOTAL =						1601			*2.7	**0.6				666					11						155			5						2		

* APPLICATION RATE = 0.0015 TONS / SQ.YD.
 ** APPLICATION RATE = 0.0003129 TONS / SQ.YD.

STATION	TO STATION	LT/RT	T.B. TERM T-1 SPEC (EACH)	T.B. TERM T-6 (EACH)	S.P.B.G. T-A (FOOT)
1437+30	to 1437+80	RT	1		200
1437+80	to 1439+80	RT			
1439+80	to 1440+11	RT		1	
1438+64	to 1439+14	LT	1		
1439+14	to 1439+89	LT			75
1439+89	to 1440+20	LT		1	
1441+75	to 1442+06	RT		1	
1442+06	to 1442+56	RT	1		
1441+87	to 1442+18	LT		1	
1442+18	to 1443+68	LT			150
1443+68	to 1444+18	LT	1		
TOTAL =			4	4	425

STA	OFFSET	G.R. MARKER (EACH)	BARRIER WALL MARKER (EACH)
1437+80	RT	1	
1438+60	RT	1	
1439+40	RT	1	
1440+20	RT		1
1441+00	RT		1
1441+80	RT	1	
1439+66	LT	1	
1440+46	LT		1
1441+26	LT		1
1442+06	LT	1	
1442+86	LT	1	
1443+66	LT	1	
TOTAL =			