


F.A.P. COUNTY SECTION	COUNTY	TOTAL
ROUTE 99-00243-00-PV	KANE	268
336 CONTRACT NO.	83782	
PROPOSED TYPICAL SECTIONS		
F.H.W.A. REG.5 ILLINOIS PROJECT F-0336		




PROPOSED TYPICAL SECTION
 RANDALL ROAD / IL. RTE. 64 INTERSECTION
 STA. 349+07 TO STA. 350+95

12 HIGH-EARLY-STRENGTH PCC PAVEMENT, 10" (JOINTED)
 SEE SHEET NO. 109 FOR PAVEMENT JOINTS AND ELEVATIONS.


10 AGGREGATE SUBGRADE, 12"

11 POROUS GRANULAR EMBANKMENT, SPECIAL 12" WITH GEOTECHNICAL FABRIC FOR GROUND STABILIZATION


PROPOSED TYPICAL SECTION
 IL. RTE. 64
 STA. 347+46 TO STA. 349+07




PROPOSED TYPICAL SECTION
 IL. RTE. 64
 STA. 354+01 TO STA. 356+05




PROPOSED TYPICAL SECTION
 IL. RTE. 64
 STA. 350+95 TO STA. 353+15



PROPOSED TYPICAL SECTION
 IL. RTE. 64
 STA. 356+05 TO STA. 358+76



PROPOSED TYPICAL SECTION
 IL. RTE. 64
 STA. 353+15 TO STA. 354+01



PROPOSED TYPICAL SECTION
 IL. RTE. 64
 STA. 358+76 TO STA. 361+18

NOTE: STA. 361+18 TO STA. 364+25
 GRIND 2" 25
 OVERLAY 1

PROPOSED TYPICAL SECTION ITEMS

- 1 POLYMERIZED BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX "F", N90, 2"
- 2 BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX "D", N50, 2"
- 3 BITUMINOUS CONCRETE BINDER COURSE, SUPERPAVE, IL-19, N90, 2 1/4"
- 4 BITUMINOUS CONCRETE BINDER COURSE, SUPERPAVE, IL-19, N50, 2 1/4"
- 5 BITUMINOUS BASE COURSE, SUPERPAVE, 9 3/4"
- 6 BITUMINOUS BASE COURSE, SUPERPAVE, 8 3/4"
- 7 BITUMINOUS BASE COURSE, SUPERPAVE, 5 3/4"
- 8 LEVELING BINDER (MACHINE METHOD), SUPERPAVE, N70
- 9 PORTLAND CEMENT CONCRETE PAVEMENT, 10" (JOINTED) JOINTS @ 15' C/C SEE STANDARDS FOR TIE BARS AND DOWEL BARS
- 10 AGGREGATE SUBGRADE, 12"
- 11 POROUS GRANULAR EMBANKMENT, SPECIAL 12" WITH GEOTECHNICAL FABRIC FOR GROUND STABILIZATION
- 12 HIGH-EARLY-STRENGTH PORTLAND CEMENT CONCRETE PAVEMENT, 10" (JOINTED)
- 13 AREA REFLECTIVE CRACK CONTROL TREATMENT, SYSTEM A
- 14 COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24
- 15 COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12
- 16 COMBINATION CONCRETE CURB AND GUTTER, TYPE M-2.12
- 17 PORTLAND CEMENT CONCRETE CORRUGATED MEDIAN
- 18 CONCRETE MEDIAN, TYPE SB-6.12
- 19 PORTLAND CEMENT CONCRETE SIDEWALK, 5" WITH AGGREGATE BASE COURSE, TYPE B, 4"
- 20 TOPSOIL FURNISH AND PLACE, 4"
- 21 TOPSOIL FURNISH AND PLACE, 24" (LANDSCAPED MEDIAN, SEE LANDSCAPING PLANS FOR GRADING)
- 22 SEEDING CLASS 2A
- 23 SODDING, SALT TOLERANT
- 24 STEEL PLATE BEAM GUARD RAIL, TYPE A & GUARDRAIL STABILIZATION BITUMINOUS SHOULDERS SUPERPAVE 6"
- 25 BITUMINOUS SURFACE REMOVAL
- 26 STABILIZED BIKE PATH BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX "C", N50, 3"; AGGREGATE BASE COURSE, TYPE B, 6"; AGGREGATE SHOULDERS, TYPE B, 6"
- 27 PIPE UNDERDRAIN, 4"